

# KREATOR



# GARDEN






# KREATOR

Discover the complete range of Kreator gardening tools and water accessories.

The large selection of shears, saws, spray guns, etc. appeals to both beginners and passionate gardeners.

Choosing Kreator Garden, is choosing for a healthy and colourful garden.

[www.varo.com](http://www.varo.com)






# KREATOR

## GARDENING TOOLS



SHEARS 6-15



SAWS 18-19



AXES 20



WEEDING, POTTING & SOWING TOOLS 22-25



## WATER ACCESSORIES



SPRAYERS 28-29



SPRAY GUNS, NOZZLES & HOSES 30-33



SPRINKLER SYSTEMS 34-35



HOSE ACCESSORIES 36-37

Explore the vast range of Kreator on [www.varo.com](http://www.varo.com)  
hand tools - accessories - gardening - safety - moving & storage



## materials

**HIGH CARBON STEEL** Carbon is often added to steel to increase its **hardness and strength**. High carbon steel contains approximately 0,7 % carbon and is therefore much harder and less formable than low carbon steel. It not only guarantees a **hard cutting edge**, but is also **high wear resistant**.

**SK5 STEEL** SK5 steel is **even harder and stronger** than high carbon steel. It does not only contain an amount of carbon (between 0,75 - 0,85 %), but also a percentage of manganese (0,60 - 0,90 %). It is known for its **superior toughness, edge-holding ability** and **sharpness**. It is also **highly resistant to abrasion and corrosion**.

**TITANIUM COATING** A titanium coating gives the already excellent SK5 steel **that little extra hardness and corrosion resistance**. Its **anti-adhesive properties** prevent sticky build-up on the blades. Titanium coated SK5 steel **prolongs the life** of your tool considerably and makes it **glide easily** through branches.





## GARDENING TOOLS

### \ SHEARS



PRUNERS

6-9



GRASS SHEARS

9




HEDGE SHEARS

10-11



LOPPERS

12-15



# KREATOR



### \ SHEARS characteristics

- BYPASS** The curved upper blade passes next to the lower blade like scissors and produces **precise clean cuts**. Best for cutting **green branches** and **growing stems**.
- ANVIL** The straight upper blade closes against an anvil, which results into **extra strength**. Designed for cutting **dry, hard** or **dead wood**.
- STRAIGHT** Similar to bypass mechanism, but with two straight blades. Perfect for **delicate** and **precise pruning** (e.g. flowers, fruit, vines or little twigs).
- POWER<sup>2</sup>** Leverage system that gives you **more cutting power**. The extra power lets you cut thicker branches **with less effort**.



**BYPASS / YOUNG WOOD**

KRTGR1001

|                    |            |  |
|--------------------|------------|--|
| ANTI-STICK COATING | MAX Ø19 mm |  |
|--------------------|------------|--|



Soft grip

- Type Bypass
- Blade High carbon steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle PP + soft grip
- Size 205mm
- Lock Plastic
- Extra Strap



5 400338 069741 >

**ANVIL / DRY WOOD**

KRTGR1002

|                    |            |  |
|--------------------|------------|--|
| ANTI-STICK COATING | MAX Ø19 mm |  |
|--------------------|------------|--|



Soft grip

- Type Anvil
- Blade High carbon steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle PP + soft grip
- Size 205mm
- Lock Plastic
- Extra Strap



5 400338 069758 >

**STRAIGHT / FLOWERS**

KRTGR1003

|                    |            |  |
|--------------------|------------|--|
| ANTI-STICK COATING | MAX Ø19 mm |  |
|--------------------|------------|--|



Soft grip

- Type Straight
- Blade High carbon steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle PP + soft grip
- Size 205mm
- Lock Plastic
- Extra Strap



5 400338 069765 >

# SHEARS

## \ PRUNERS



**BYPASS / YOUNG WOOD**

KRTGR1011

ANTI-STICK COATING

MAX Ø20 mm



**SK5 STEEL**

**ALU HANDLE + SOFT GRIP**

Aluminium slide lock



Aluminium + soft grip

- Type Bypass
- Blade SK5 steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle Aluminium + soft grip
- Size 205mm
- Lock Aluminium



**ANVIL / DRY WOOD**

KRTGR1012

ANTI-STICK COATING


MAX Ø20 mm



**SK5 STEEL**

**ALU HANDLE + SOFT GRIP**

Aluminium slide lock



Aluminium + soft grip

- Type Anvil
- Blade SK5 steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle Aluminium + soft grip
- Size 205mm
- Lock Aluminium



**STRAIGHT / FLOWERS**

KRTGR1013

ANTI-STICK COATING

MAX Ø20 mm



**SK5 STEEL**

**ALU HANDLE + SOFT GRIP**

Aluminium slide lock



Aluminium + soft grip

- Type Straight
- Blade SK5 steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle Aluminium + soft grip
- Size 205mm
- Lock Aluminium





**BYPASS / YOUNG WOOD**

KRTGR1021


TITANIUM COATING

MAX Ø23 mm



SK5 STEEL

ALU HANDLE



Type Bypass  
 Blade SK5 steel  
 Upper blade Titanium coated  
 Lower blade Hard chrome plated  
 Handle Aluminium  
 Size 200mm  
 Lock Aluminium



**ANVIL / DRY WOOD**

KRTGR1022


TITANIUM COATING

MAX Ø23 mm



SK5 STEEL

ALU HANDLE



Type Anvil  
 Blade SK5 steel  
 Upper blade Titanium coated  
 Lower blade Hard chrome plated  
 Handle Aluminium  
 Size 200mm  
 Lock Aluminium



**STRAIGHT / FLOWERS**

KRTGR1023


TITANIUM COATING

MAX Ø23 mm



SK5 STEEL

ALU HANDLE



Type Straight  
 Blade SK5 steel  
 Upper blade Titanium coated  
 Lower blade Hard chrome plated  
 Handle Aluminium  
 Size 200mm  
 Lock Aluminium







# SHEARS

\ PRUNERS

\ GRASS SHEARS

**BYPASS / YOUNG WOOD**

ANTI-STICK COATING

MAX Ø23 mm




KRTGR1004

The ratchet system brings 250% cutting power with only a few squeezes.

**250% EXTRA POWER**




- Type Bypass ratchet
- Blade High carbon steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle Aluminium + soft grip
- Size 205mm
- Lock Plastic



**GRASS**

ANTI-STICK COATING

340 mm




KRTGR2001




- Type 90° swivel
- Blade High carbon steel
- Blades Anti-stick coating
- Handle Metal + PVC
- Size 340mm
- Lock Plastic



**GRASS**

ANTI-STICK COATING

350 mm





KRTGR2011



- Type 360° swivel
- Blade High carbon steel
- Upper blade Anti-stick coating
- Lower blade Chrome plated
- Handle ABS + soft grip
- Size 350mm
- Lock Plastic





ANTI-STICK COATING

BLADE 200 mm



Tension adjustment



KRTGR3001



Type Hedge  
 Tube Oval steel  
 Blade High carbon steel  
 Blade length 200mm  
 Handle Soft grip  
 Size 570mm KRTGR3001  
 695-815mm KRTGR3002



Extendable to 815mm

KRTGR3002



ANTI-STICK COATING

BLADE 200 mm



ALU TUBE

Tension adjustment

Aluminium tube



KRTGR3011



Type Hedge  
 Tube Oval aluminium  
 Blade High carbon steel  
 Blade length 200mm  
 Handle Soft grip  
 Size 570mm KRTGR3011  
 695-815mm KRTGR3012



Extendable to 815mm

KRTGR3012





# SHEARS \ HEDGE SHEARS

**KREATOR**

ANTI-STICK COATING  
 BLADE 200 mm  
 EXTRA STRONG TUBE



**ALU TUBE**

- Type Hedge
- Tube Octagonal aluminium
- Blade High carbon steel
- Blade length 200mm
- Handle Soft grip
- Size 575mm KRTGR3021  
660-790mm KRTGR3022

Extra strong octagonal aluminium tube



KRTGR3021



Premium precision blade

POWER?  
 200% CUTTING POWER



Extendable to 790mm

KRTGR3022



**BUXUS**

ANTI-STICK COATING  
 BLADE 165 mm  
 Lock icon



- Type Buxus
- Blade High carbon steel
- Handle Nylon
- Size 440mm

Nylon handle

Spring for smooth cutting

Tension adjustment



KRTGR3101





KRTGR4001



Shock-absorbing

Extendable to 800mm

Protective coating

Type Bypass  
 Tube Oval steel  
 Blade High carbon steel  
 Handle Soft grip  
 Size 685mm



**BYPASS / YOUNG WOOD**

|                    |            |        |
|--------------------|------------|--------|
| ANTI-STICK COATING | MAX Ø34 mm | 685 mm |
|--------------------|------------|--------|



KRTGR4003




Type Bypass  
 Tube Oval steel  
 Blade High carbon steel  
 Handle Soft grip  
 Size 615-800mm



**BYPASS / YOUNG WOOD**

|                    |            |            |
|--------------------|------------|------------|
| ANTI-STICK COATING | MAX Ø34 mm | 615-800 mm |
|--------------------|------------|------------|





# SHEARS

## \ LOPPERS

KRTGR4011



**180% CUTTING POWER**

Lightweight aluminium tube

Type Bypass  
 Tube Aluminium / oval  
 Blade SK5 steel  
 Handle Soft grip  
 Size 665mm



**BYPASS / YOUNG WOOD**

|                    |            |        |
|--------------------|------------|--------|
| ANTI-STICK COATING | MAX Ø39 mm | 665 mm |
|--------------------|------------|--------|



KRTGR4013



**180% CUTTING POWER**

Lightweight aluminium tube

Extendable to 830mm

Type Bypass  
 Tube Aluminium / oval  
 Blade SK5 steel  
 Handle Soft grip  
 Size 650-830mm



**BYPASS / YOUNG WOOD**

|                    |            |            |
|--------------------|------------|------------|
| ANTI-STICK COATING | MAX Ø39 mm | 650-830 mm |
|--------------------|------------|------------|



KRTGR4014



Extendable to 795mm

Type Anvil  
 Tube Aluminium / oval  
 Blade SK5 steel  
 Handle Soft grip  
 Size 610-795mm



**ANVIL / DRY WOOD**

|                    |            |            |
|--------------------|------------|------------|
| ANTI-STICK COATING | MAX Ø39 mm | 610-795 mm |
|--------------------|------------|------------|






KRTGR4021



..... Titanium coated



..... Extra strong octagonal tube

Type Bypass  
 Tube Octagonal aluminium  
 Blade SK5 steel  
 Handle Soft grip  
 Size 690mm



**BYPASS / YOUNG WOOD**

**ANTI-STICK COATING**   **MAX Ø45 mm**   **690 mm**




**EXTRA STRONG TUBE**  
**TITANIUM COATING**

KRTGR4023



..... Titanium coated



..... Extra strong octagonal tube

..... Extendable to 770mm

..... Extendable to 795mm

Type Bypass  
 Tube Octagonal aluminium  
 Blade SK5 steel  
 Handle Soft grip  
 Size 575-770mm



**BYPASS / YOUNG WOOD**

**ANTI-STICK COATING**   **MAX Ø45 mm**   **575-770 mm**




**EXTRA STRONG TUBE**  
**TITANIUM COATING**

KRTGR4024



..... Titanium coated



..... Extra strong octagonal tube

..... Extendable to 770mm

..... Extendable to 795mm

Type Anvil  
 Tube Octagonal aluminium  
 Blade SK5 steel  
 Handle Soft grip  
 Size 600-795mm




**ANVIL / DRY WOOD**

**ANTI-STICK COATING**   **MAX Ø45 mm**   **600-795 mm**



**EXTRA STRONG TUBE**  
**TITANIUM COATING**



# SHEARS

# \ LOPPERS

Product number

Specifications

- Coating
- Blade material
- Maximum cutting width
- Extras
- Handle material

Touch & feel



Use / type

Barcode



## PACKAGING

### \ PREVIEW

#### characteristics

The packaging is appealing and designed in a consumer friendly way. The different icons give a general overview of the distinguishing features and guide the customer to a fast and convenient product selection. The packaging also allows them to see, feel and interact with the product before buying.



## \ SAWS

### characteristics

**PRUNING SAWS** All our pruning saws have a stainless steel blade that is also hard chrome plated. This offers **extra hardness, rust protection** and **superior durability**. Each razor tooth is sharpened on 3 sides and then impulse hardened for an **incredibly strong, hard edge**. The result is an extremely sharp pruning saw that **cuts fast and clean** through large branches or roots. The non-slip ABS handle with soft grip is **comfortable to hold** and **won't slide** out of your hand. The pruning saws can be either folded or put away in a holster for safety.

**BOW SAWS** The bow saws have a reinforced steel frame and a 65Mn steel blade. They are perfect for **cutting branches, trunks** and **wood** in general. The protective handle keeps your hands safe and free of injuries. The blade can be easily replaced.

## \ SAW TRESTLE

ZINC  
PLATED

800x  
800  
mm

max  
Ø220  
mm

KRTGR9201


Metal zinc plated steel

Load max. 150kg

max. Ø220mm










## GARDENING TOOLS

### \ SAWS & AXES

|   |              |    |
|---|--------------|----|
|    | PRUNING SAWS | 18 |
|   | BOW SAWS     | 19 |
|  | AXES         | 20 |



# KREATOR



## \ AXES characteristics

**HEAD** Made of the **finest forged steel** for maximum efficiency and lasting performance. The sharp edge **guarantees clean splits**.

**HANDLE** Contains more than 70% fibre. This makes it a **real ergonomic lightweight** that is very strong at the same time. The high quality handle naturally **absorbs shocks** and **reduces vibration** for maximum comfort. Comes with a soft grip to improve control and reduce hand strain.



**HARD CHROME PLATED BLADE**

**180 mm**

**3x SHARPENED**



**KRTGR5002**



Type Foldable  
 Blade Stainless steel  
 Hard chrome plated  
 Teeth 3 side cut  
 Handle ABS soft grip  
 Size 180mm



**HARD CHROME PLATED BLADE**

**180 mm**

**3x SHARPENED**



**KRTGR5001**



Type Foldable  
 Blade Stainless steel  
 Hard chrome plated  
 Teeth 3 side cut  
 Handle ABS soft grip  
 Size 180mm  
 Extra Closed handle



**HARD CHROME PLATED BLADE**

**300 mm**

**3x SHARPENED**



**KRTGR5003**



Blade Stainless steel  
 Hard chrome plated  
 Teeth 3 side cut  
 Handle ABS soft grip  
 Size 300mm  
 Extra Holster





# SAWS & AXES

## \ PRUNING SAWS

## \ BOW SAWS

**KREATOR**

**REINFORCED STEEL FRAME**



KRT807001

**300 mm**

Blade type Wet / dry  
Extra Closed handle  
2 extra blades



KRT807101

**530 mm**

Blade type Wet  
Extra Closed handle



KRT807201

**760 mm**

Blade type Wet  
Extra Closed handle



### \ SPARE BLADES



**FOR DRY WOOD**



**FOR WET WOOD**

KRT807002 300mm WET WOOD



KRT807102 530mm DRY WOOD



KRT807103 530mm WET WOOD



KRT807202 760mm DRY WOOD



KRT807203 760mm WET WOOD





# SAWS & AXES

## \ AXES

**KREATOR**

ERGONOMIC  
FIBREGLASS  
HANDLE

LIGHTWEIGHT

FORGED  
STEEL



Lightweight ergonomic handle



KRTGR8001

**360  
mm**

Weight 600g  
Head Forged steel  
Handle Fibreglass



Lightweight ergonomic handle



KRTGR8002

**800  
mm**

Weight 1250g  
Head Forged steel  
Handle Fibreglass



Hammer head



Lightweight ergonomic handle

Concave head shape  
provides unmatched splitting power

KRTGR8011







**800  
mm**

Type Splitting axe  
Weight 3000g  
Head Forged steel  
Handle Fibreglass





# GARDENING \ WEEDING, POTTING & SOWING TOOLS

|   |                 |       |
|---|-----------------|-------|
|    | HAND TROWELS    | 22    |
|    | GRUBBER         | 22    |
|   | RAKES           | 22    |
|  | BULB PLANTER    | 23    |
|  | GARDEN TOOL SET | 23    |
|  | SOWING TOOLS    | 24-25 |



## \ WEEDING & POTTING TOOLS

Made of high quality A3 carbon steel, which is **wear and corrosion resistant**. This is a very desirable feature when working the soil and it offers a **long-life durability**. The tools are easy to hold and allow you to work in a comfortable position. Their **ergonomic soft grip** handle gives you **good control** and makes the garden job **as easy as possible**.

## \ SOWING TOOLS

The **user-friendly garden spreaders** are equipped with a flow control. It ensures an **even application** of salt, seed or fertiliser. The lawn roller is made of **sturdy and durable** steel and has a black lacquer finish. It can be filled with water or sand for weight.



**A3**  
CARBON  
STEEL

**WEAR & CORROSION  
RESISTANT**



**KRTGR7001**

Width 80mm

Total length 340mm



Ergonomic  
soft grip handles



**KRTGR7002**

Width 60mm

Total length 340mm



**A3**  
CARBON  
STEEL

**WEAR & CORROSION  
RESISTANT**



**KRTGR7003**

Width 80mm

Total length 340mm



Ergonomic  
soft grip handles



**KRTGR7004**


Width 88mm

Total length 340mm



**A3**  
CARBON  
STEEL

**WEAR & CORROSION  
RESISTANT**



Ergonomic  
soft grip handle



**KRTGR7005**

Width 190mm

Total length 340mm





# GARDENING

## \ WEEDING & POTTING TOOLS

**KREATOR**

**A3**  
CARBON  
STEEL

**WEAR & CORROSION  
RESISTANT**



KRTGR7011

Width 80mm

Total length 240mm



Depth indication



## \ GARDEN TOOL SET



PRUNER

Blade Carbon steel

Handle Aluminium

Size 200mm



TROWEL

Head Stainless steel

Handle Wood + TPR grip

Width 80mm

Total length 300mm



GLOVES

Material 70% polyester

30% cotton

PVC pearls



KRTGR7051  
SET





**KRTGR9001**

Working width 450mm

Capacity 12L

Usage Fertiliser

Round seeds

Safety salt



5 400338 077258 >



**KRTGR9003**

Spreading width 1.4-2.5m

Capacity 15L

Usage Fertiliser

Round seeds

Safety salt



5 400338 077265 >



**KRTGR9101**

Width 500mm

Diameter 315mm

Weight with water ±48kg

with sand ±60kg



5 400338 077296 >

Sturdy and durable steel



Black lacquer finish







# GARDENING

## \ SOWING TOOLS: SPREADERS & ROLLER

**KREATOR**



**23L**  
CAPACITY

**23L**

**540mm**



**ROTATING**

**KRTGR9005**

Spreading width 3-3.7m

Capacity 23L

Usage Fertiliser

Round seeds

Safety salt





## SPRAYERS

Kreator Garden sprayers are made of plastic which makes them light and easy to carry around. There are various sprayers to choose from: from a small 1 litre trigger sprayer to a large backpack sprayer with a capacity of 12 litres. The pressure sprayers all have a **pressure control** valve.

## SPRAY GUNS & NOZZLES

For hand watering your lawn and garden and for all sorts of cleaning jobs involving water such as washing cars, outdoor furniture,... The nozzles and spray guns have **multiple spray patterns** for every watering need. From a powerful spray jet to clean the dirt off hard surfaces to a gentle mist to water your delicate plants. Most of the nozzles and sprayers also have a flow rate control in order to adjust the pressure for **optimal watering**.

## SPRINKLER SYSTEMS

Save time and effort with an automatic watering system. Our different sprinkler systems can cover a large area, resulting in a green, beautiful lawn. Depending on the size of your lawn or shape of your garden, you can choose a sprinkler with many different spray patterns, an adjustable spray width, fixed or rotating sprinkling, ... **The options are endless.**





## WATER & ACCESSORIES



SPRAYERS 28-29



SPRAY GUNS,  
NOZZLES & HOSES 30-33



SPRINKLER  
SYSTEMS 34-35




TAP CONNECTIONS 36



HOSE STARTERS &  
RUNNERS 36-37

# KREATOR



### HOSE ACCESSORIES

Connect everything in a simple and easy way. The different hose accessories are solid, **frost-resistant** and - most importantly - don't leak. They are extremely easy to install and use. Their **soft grip** provides a pleasing and comfortable feel.



**1**  
LITRE



KRTGR6801

Capacity 1L



5 400338 077203 >

**2**  
LITRES



KRTGR6802

Capacity 2L

Max. operating pressure 3bar



5 400338 077210 >

**5**  
LITRES



KRTGR6805

Capacity 5L

Max. operating pressure 3bar



5 400338 077227 >

**8**  
LITRES



KRTGR6808

Capacity 8L

Max. operating pressure 3bar



5 400338 077234 >





# WATER

# \ SPRAYERS

**KREATOR**

**12**  
LITRES



**KRTGR6812**


Capacity 12L

Max. operating pressure 3bar

Extra 4 nozzles



**16**  
LITRES




**KRTGR6816**

Capacity 16L

Max. operating pressure 3.8bar

Extra Adjustable pattern  
Telescopic lance






KRTGR6101



Flow rate control

Lock



KRTGR6111




8 spray patterns



Flow rate control

Lock



KRTGR6112





# WATER

## \ SPRAY GUNS & NOZZLES


**KREATOR**




KRTGR6121



Flow rate control




KRTGR6122



KRTGR6131



Aluminium  
Flow rate control





KRTGR6132





**15m**  
HOSE 3/8"



**KRTGR6703**

Hose length 15m (Ø 3/8")

Spray gun 7 patterns

Included all quick connectors

Extra 1/2"-3/8" tap connection

Wall suspension







# WATER

## \ SPRAY GUNS & HOSES

**KREATOR**

**8bar**  
MAX. PRESSURE

**20m**  
hose 3/8"



**KRTGR6705**

Hose 20m (Ø 3/8")

Leader hose 1.5m

Included All quick connectors

Lance

Wall suspension



**8bar**  
MAX. PRESSURE

**20m**  
hose 1/2"



**KRTGR6710**

Hose 20m (Ø 1/2")

Leader hose 2m

Included All quick connectors

Lance

Wall suspension





**METAL SPIKE** **0°-360°**



Fixed or rotating sprinkler head



Individual nozzle control

**MAX Ø12 m**

**KRTGR6511**

Type Fixed / rotating

Material PP - ABS - metal




5 400338 070358 >

Distance control up to 24m



Possibility to connect other sprinklers



**MAX Ø24 m**

**KRTGR6502**

Type Pulsating

Material ABS - metal - brass



5 400338 070334 >


**0°-360°**



Distance control up to 22m



Minimal standing area for lawn protection



**MAX Ø22 m**

**KRTGR6503**

Type Pulsating

Material PP - ABS soft grip





5 400338 070341 >



# WATER \ SPRINKLER SYSTEMS

**KREATOR**



**MAX  
342  
m<sup>2</sup>**

**KRTGR6521**

Type Oscillating

Material Aluminium - PP - ABS



**MAX  
290  
m<sup>2</sup>**

**KRTGR6522**

Type Oscillating

Material Aluminium - ABS  
Brass nozzles



**0°-  
360°**




**MAX  
Ø12  
m**

**KRTGR6531**

Material PP - ABS soft grip



**8x  
PATTERN**



Aluminium  
base



**KRTGR6541**

Material Aluminium - ABS





KRTGR6021



KRTGR6001



KRTGR6002



KRTGR6022



KRTGR6003



KRTGR6004



KRTGR6023



Valves



KRTGR6024





# WATER

## \ ACCESSORIES

### \ CONNECTIONS, STARTERS & RUNNERS

**KREATOR**

#### TAP CONNECTIONS


To connect your garden hose(s) to the tap.

#### HOSE STARTERS

To connect your garden hose to watering tools such as nozzles and sprayers.

#### HOSE RUNNERS

To make a connection between two or three hoses.



**1/2"**  
TUBE  
Ø12  
mm



KRTGR6011



**3/4"**  
TUBE  
Ø19  
mm



KRTGR6012



**1/2"**  
TUBE  
Ø12  
mm



KRTGR6013



**3/4"**  
TUBE  
Ø19  
mm



KRTGR6014



KRTGR6015



KRTGR6001  
KRTGR6002  
KRTGR6021  
KRTGR6101

KRTGR6601  
STARTER SET



A series of 20 horizontal dotted lines for writing.







# VARO

**VIC. VAN ROMPUY nv**

JOSEPH VAN INSTRAAAT 9  
 2500 LIER - BELGIUM  
 TEL +32 (0)3 292.92.92  
 FAX +32 (0)3 292.92.72  
 E-MAIL: INFO@VARO.COM  
 WWW.VARO.COM

OFFICES:  
 IBERICA BRICOLAGE S.L. - ESPAÑA  
 ASIA PACIFIC HONG KONG Ltd / SHANGHAI PRC  
 AUSTRALIA Pty Ltd / GERMANY GmbH

# KREATOR

WWW.KREATOR.BE