



**Power tool
accessories
for every
purpose**

KREATOR



**Power tool
accessories for
every purpose**

www.kreator.be

Index








Drilling	2-19
Metal drills	2-7
Stone drills	8-9
Concrete drills	10-11
Stone/concrete drills - SDS type	12-13
Wood drills	14-17
Ceramic drills	17
Universal drills	18
Drill/chisel sets	19
Chisels	20
Screwdriving	21-27
Screwdriving bits	21-26
Nut drivers & magnetic bit holders	27
Sawing	28-43
Jigsaw blades	28-33
Reciprocating saw blades	34-35
Circular saw blades	36-39
Hole saws	40-43
Router bits	44-47
Moulding & Cabinetry / Joinery bits	44-47
Forstner drill	47
Sanding & polishing	48-63
Rectangular sandpaper	49-52
Triangular sandpaper	53
Palm sander sandpaper	54
Circular sandpaper	55-57
Angle grinder sandpaper	57-59
Sanding belts	60-62
Foam sanding blocks	62
Polishing pads	63
Brushes	64-67
Cutting and grinding	68-75
Diamond discs	68-71
Bonded discs	72-74
Rotary files	75
Fastening	76-78
Staples & nails	76-78
Glue sticks	78
Mixing	79-82
Paddles for drills	79
Paddles for mixers	81-82
Accessories	83-88
Drill chucks, keys & screw extractors	83-84
Depth stops	85
Knife set for planer	85
Multi-tool accessories	86-87
Wood sticks & biscuits	88



Drilling

The Kreator range of drills includes a wide variety of tools covering all purposes. All Kreator drills are made of high quality material for long service and for the best results, meeting the highest DIY standards.


A drill for every purpose.

METAL DRILLING	STONE DRILLING	CONCRETE DRILLING	WOOD DRILLING	CERAMIC DRILLING
				
HSS METAL DRILLS	STONE DRILLS	CONCRETE DRILLS	WOOD DRILLS	TILE/GLASS DRILLS
HEX HSS METAL DRILLS	HEX STONE DRILLS		AUGER DRILLS	
HSS-TIN METAL DRILLS	STONE/CONCRETE DRILLS		FLAT WOOD DRILLS	
HSS-CO METAL DRILLS	STONE/CONCRETE CHISELS SDS-PLUS/-MAX TYPE		COUNTERSINK DRILLS	
UNIVERSAL DRILLS				

Metal drilling

HSS METAL DRILLS

High Speed Steel drills have the best combination of strength, heat resistance, and wear resistance. HSS drills are ideal for drilling in metal, but can also be used for drilling in plastics and wood.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010101	3 pcs	HSS METAL	1 mm	34 mm	5 400338 044069 >
KRT010102	3 pcs	HSS METAL	1.5 mm	40 mm	5 400338 044076 >
KRT010103	3 pcs	HSS METAL	2 mm	49 mm	5 400338 044083 >

HSS METAL



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010104	3 pcs	HSS METAL	2.5 mm	57 mm	5 400338 044090 >
KRT010105	3 pcs	HSS METAL	3 mm	61 mm	5 400338 044106 >
KRT010106	1 pc	HSS METAL	3.2 mm	65 mm	5 400338 044113 >
KRT010107	1 pc	HSS METAL	3.5 mm	70 mm	5 400338 044120 >
KRT010108	1 pc	HSS METAL	4 mm	75 mm	5 400338 044137 >
KRT010109	1 pc	HSS METAL	4.2 mm	75 mm	5 400338 044144 >
KRT010110	1 pc	HSS METAL	4.5 mm	80 mm	5 400338 044151 >
KRT010111	1 pc	HSS METAL	4.8 mm	86 mm	5 400338 044168 >
KRT010112	1 pc	HSS METAL	5 mm	86 mm	5 400338 044175 >
KRT010113	1 pc	HSS METAL	5.5 mm	93 mm	5 400338 044182 >
KRT010114	1 pc	HSS METAL	6 mm	93 mm	5 400338 044199 >
KRT010115	1 pc	HSS METAL	6.5 mm	101 mm	5 400338 044205 >
KRT010116	1 pc	HSS METAL	7 mm	109 mm	5 400338 044212 >
KRT010117	1 pc	HSS METAL	7.5 mm	109 mm	5 400338 044229 >
KRT010118	1 pc	HSS METAL	8 mm	117 mm	5 400338 044236 >
KRT010119	1 pc	HSS METAL	8.5 mm	117 mm	5 400338 044243 >
KRT010120	1 pc	HSS METAL	9 mm	125 mm	5 400338 044250 >
KRT010121	1 pc	HSS METAL	10 mm	133 mm	5 400338 044267 >
KRT010122	1 pc	HSS METAL	11 mm	142 mm	5 400338 044274 >
KRT010123	1 pc	HSS METAL	12 mm	151 mm	5 400338 044281 >
KRT010124	1 pc	HSS METAL	13 mm	151 mm	5 400338 044298 >

HEX HSS METAL DRILLS

Drills with HEX shank fit bit holders. When using a magnetic bit holder, you can easily switch drills and bits in one single action.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT011301	2 pcs	HSS metal HEX	1.5 mm	61 mm	5 400338 045790 >
KRT011302	2 pcs	HSS metal HEX	2 mm	70 mm	5 400338 045806 >
KRT011303	2 pcs	HSS metal HEX	2.5 mm	78 mm	5 400338 045813 >
KRT011304	2 pcs	HSS metal HEX	3 mm	82 mm	5 400338 045820 >
KRT011305	2 pcs	HSS metal HEX	4 mm	96 mm	5 400338 045837 >
KRT011306	2 pcs	HSS metal HEX	5 mm	107 mm	5 400338 045844 >
KRT011307	2 pcs	HSS metal HEX	6 mm	114 mm	5 400338 045851 >
KRT011308	3 pcs	HSS metal HEX	4mm 5mm 6mm	96mm 107mm 114mm	5 400338 045868 >


HSS METAL DRILL SETS



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012001	6 pcs	HSS METAL	2mm 3mm 4mm 5mm 6mm 8mm	48mm 61mm 74mm 86mm 92mm 117mm	5 400338 045936 >
KRT012002	10 pcs	HSS METAL	1mm 2mm 3mm 4mm 5mm 6mm 7mm 8mm 9mm 10mm	35mm 48mm 62mm 76mm 86mm 92mm 110mm 117mm 125mm 133mm	5 400338 045943 >
KRT012003	19 pcs	HSS METAL	1mm 1.5mm 2mm 2.5mm 3mm 3.5mm 4mm 4.5mm 5mm 5.5mm 6mm 6.5mm 7mm 7.5mm 8mm 8.5mm 9mm 10mm	35mm 38mm 48mm 55mm 62mm 66mm 76mm 79mm 86mm 92mm 92mm 100mm 110mm 110mm 117mm 117mm 125mm 133mm	5 400338 045950 >

HSS-TiN METAL DRILLS

High Speed Steel drills with Titanium coating last up to three times longer than standard high speed steel drills.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010201	2 pcs	HSS-TiN METAL	1 mm	34 mm	5 400338 044304 >
KRT010202	2 pcs	HSS-TiN METAL	1.5 mm	40 mm	5 400338 044311 >
KRT010203	2 pcs	HSS-TiN METAL	2 mm	49 mm	5 400338 044328 >
KRT010204	2 pc	HSS-TiN METAL	2.5 mm	57 mm	5 400338 044335 >
KRT010205	1 pc	HSS-TiN METAL	3 mm	61 mm	5 400338 044342 >
KRT010206	1 pc	HSS-TiN METAL	3.2 mm	65 mm	5 400338 044359 >
KRT010207	1 pc	HSS-TiN METAL	3.5 mm	70 mm	5 400338 044366 >
KRT010208	1 pc	HSS-TiN METAL	4 mm	75 mm	5 400338 044373 >
KRT010209	1 pc	HSS-TiN METAL	4.2 mm	75 mm	5 400338 044380 >
KRT010210	1 pc	HSS-TiN METAL	4.5 mm	80 mm	5 400338 044397 >
KRT010211	1 pc	HSS-TiN METAL	4.8 mm	86 mm	5 400338 044403 >
KRT010212	1 pc	HSS-TiN METAL	5 mm	86 mm	5 400338 044410 >
KRT010213	1 pc	HSS-TiN METAL	5.5 mm	93 mm	5 400338 044427 >
KRT010214	1 pc	HSS-TiN METAL	6 mm	93 mm	5 400338 044434 >
KRT010215	1 pc	HSS-TiN METAL	6.5 mm	101 mm	5 400338 044441 >
KRT010216	1 pc	HSS-TiN METAL	7 mm	109 mm	5 400338 044458 >
KRT010217	1 pc	HSS-TiN METAL	7.5 mm	109 mm	5 400338 044465 >

HSS-TiN METAL



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010218	1 pc	HSS-TiN METAL	8 mm	117 mm	5 400338 044472 >
KRT010219	1 pc	HSS-TiN METAL	8.5 mm	117 mm	5 400338 044489 >
KRT010220	1 pc	HSS-TiN METAL	9 mm	125 mm	5 400338 044496 >
KRT010221	1 pc	HSS-TiN METAL	10 mm	133 mm	5 400338 044502 >
KRT010222	1 pc	HSS-TiN METAL	11 mm	142 mm	5 400338 044519 >
KRT010223	1 pc	HSS-TiN METAL	12 mm	151 mm	5 400338 044526 >
KRT010224	1 pc	HSS-TiN METAL	13 mm	151 mm	5 400338 044533 >


HSS-TiN METAL DRILL SETS



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012101	6 pcs	HSS-TiN METAL	2mm 3mm 4mm 5mm 6mm 8mm	49mm 61mm 74mm 86mm 92mm 117mm	5 400338 045967 >
KRT012102	10 pcs	HSS-TiN METAL	1mm 2mm 3mm 4mm 5mm 6mm 7mm 8mm 9mm 10mm	35mm 49mm 62mm 76mm 86mm 92mm 110mm 117mm 125mm 133mm	5 400338 045974 >

HSS-CO METAL DRILLS

High Speed Steel Cobalt drills have the best combination of strength, heat resistance, and wear resistance. HSS-CO drills are ideal for drilling into stainless



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT011501	2 pcs	HSS-CO METAL	1 mm	34 mm	5 400338 054341 >
KRT011502	2 pcs	HSS-CO METAL	1.5 mm	40 mm	5 400338 054358 >
KRT011503	2 pcs	HSS-CO METAL	2 mm	49 mm	5 400338 054198 >

*** HSS COBALT =
15x Longer life**

1x  **= 15x** 
HSS COBALT HSS METAL



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT011504	2 pc	HSS-CO METAL	2.5 mm	57 mm	5 400338 054204 >
KRT011505	1 pc	HSS-CO METAL	3 mm	61 mm	5 400338 054211 >
KRT011506	1 pc	HSS-CO METAL	3.2 mm	65 mm	5 400338 054365 >
KRT011507	1 pc	HSS-CO METAL	3.5 mm	70 mm	5 400338 054235 >
KRT011508	1 pc	HSS-CO METAL	4 mm	75 mm	5 400338 054242 >
KRT011510	1 pc	HSS-CO METAL	4.5 mm	80 mm	5 400338 054259 >
KRT011512	1 pc	HSS-CO METAL	5 mm	86 mm	5 400338 054266 >
KRT011513	1 pc	HSS-CO METAL	5.5 mm	93 mm	5 400338 054273 >
KRT011514	1 pc	HSS-CO METAL	6 mm	93 mm	5 400338 054280 >
KRT011515	1 pc	HSS-CO METAL	6.5 mm	101 mm	5 400338 054297 >
KRT011516	1 pc	HSS-CO METAL	7 mm	109 mm	5 400338 054303 >
KRT011518	1 pc	HSS-CO METAL	8 mm	117 mm	5 400338 054310 >
KRT011521	1 pc	HSS-CO METAL	10 mm	133 mm	5 400338 054372 >
KRT011523	1 pc	HSS-CO METAL	12 mm	151 mm	5 400338 054389 >

**HSS-COBALT METAL
DRILL SET**



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012701	6 pcs	HSS-CO METAL 15x LONGER LIFE	2mm 3mm 4mm 5mm 6mm 8mm	49mm 60mm 74mm 85mm 92mm 116mm	5 400338 054327 >


DRILLING

KREATOR

Stone drilling

STONE DRILLS

Kreator stone drills have a chisel-shaped drill bit head. This makes drilling into stone easy and helps to channel the dust upwards.



Chisel-shaped drill bit head

Easy centering and spot drilling



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010301	1 pc	STONE	3 mm	60 mm	5 400338 044540 >
KRT010302	1 pc	STONE	4 mm	75 mm	5 400338 044557 >
KRT010303	1 pc	STONE	5 mm	85 mm	5 400338 044564 >
KRT010304	1 pc	STONE	5.5 mm	85 mm	5 400338 044571 >
KRT010305	1 pc	STONE	6 mm	100 mm	5 400338 044588 >
KRT010306	1 pc	STONE	7 mm	100 mm	5 400338 044595 >
KRT010307	1 pc	STONE	8 mm	120 mm	5 400338 044601 >
KRT010308	1 pc	STONE	9 mm	120 mm	5 400338 044618 >
KRT010309	1 pc	STONE	10 mm	120 mm	5 400338 044625 >
KRT010310	1 pc	STONE	12 mm	150 mm	5 400338 044632 >
KRT010311	1 pc	STONE	14 mm	150 mm	5 400338 044649 >
KRT010312	1 pc	STONE	16 mm	150 mm	5 400338 044656 >
KRT010313	1 pc	STONE	6 mm	200 mm	5 400338 044663 >
KRT010314	1 pc	STONE	8 mm	200 mm	5 400338 044670 >
KRT010315	1 pc	STONE	10 mm	200 mm	5 400338 044687 >
KRT010316	1 pc	STONE	12 mm	200 mm	5 400338 044694 >
KRT010317	1 pc	STONE	14 mm	200 mm	5 400338 044700 >

STONE DRILL SETS



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012201	5 pcs	STONE	4mm 5mm 6mm 8mm 10mm	73mm 83mm 97mm 118mm 118mm	5 400338 045981 >
KRT012202	8 pcs	STONE	3mm 4mm 5mm 6mm 7mm 8mm 9mm 10mm	59mm 73mm 83mm 98mm 98mm 118mm 118mm 118mm	5 400338 045998 >

STONE / CONCRETE HEX DRILLS

Drills with HEX shank fit bit holders. When using a magnetic **bit holder**, you can easily switch drills and bits in one single action.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT011401	2 pcs	STONE / CONCRETE	4 mm	95mm	5 400338 045875 >
KRT011402	2 pcs	STONE / CONCRETE	5 mm	105mm	5 400338 045882 >
KRT011403	2 pcs	STONE / CONCRETE	6 mm	120mm	5 400338 045899 >
KRT011404	2 pcs	STONE / CONCRETE	8 mm	120mm	5 400338 045905 >
KRT011405	2 pcs	STONE / CONCRETE	10 mm	120mm	5 400338 045912 >
KRT011406	3 pcs	STONE / CONCRETE	5mm 6mm 8mm	105mm 120mm 120mm	5 400338 045929 >

Concrete drilling

CONCRETE DRILLS

Our range of concrete drills have a chisel-shaped drill bit head. This makes drilling in concrete easier and helps to channel the dust upwards.

Chisel-shaped drill bit head with carbide tip

Easy centering and spot drilling



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010401	1 pc	CONCRETE	3 mm	70 mm	5 400338 044717 >
KRT010402	1 pc	CONCRETE	4 mm	75 mm	5 400338 044724 >
KRT010403	1 pc	CONCRETE	5 mm	85 mm	5 400338 044731 >
KRT010404	1 pc	CONCRETE	6 mm	100 mm	5 400338 044748 >
KRT010405	1 pc	CONCRETE	7 mm	100 mm	5 400338 044755 >
KRT010406	1 pc	CONCRETE	8 mm	120 mm	5 400338 044762 >
KRT010407	1 pc	CONCRETE	9 mm	120 mm	5 400338 044779 >
KRT010408	1 pc	CONCRETE	10 mm	120 mm	5 400338 044786 >
KRT010409	1 pc	CONCRETE	12 mm	150 mm	5 400338 044793 >
KRT010410	1 pc	CONCRETE	14 mm	150 mm	5 400338 044809 >
KRT010411	1 pc	CONCRETE	16 mm	150 mm	5 400338 044816 >
KRT010412	1 pc	CONCRETE	6 mm	200 mm	5 400338 044823 >
KRT010413	1 pc	CONCRETE	8 mm	200 mm	5 400338 044830 >
KRT010414	1 pc	CONCRETE	10 mm	200 mm	5 400338 044847 >
KRT010415	1 pc	CONCRETE	12 mm	200 mm	5 400338 044854 >
KRT010416	1 pc	CONCRETE	14 mm	200 mm	5 400338 044861 >
KRT010417	1 pc	CONCRETE	8 mm	400 mm	5 400338 044878 >

CONCRETE



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010418	1 pc	CONCRETE	10 mm	400 mm	5 400338 044885 >
KRT010419	1 pc	CONCRETE	12 mm	400 mm	5 400338 044892 >
KRT010420	1 pc	CONCRETE	14 mm	400 mm	5 400338 044908 >
KRT010421	1 pc	CONCRETE	16 mm	400 mm	5 400338 044915 >
KRT010422	1 pc	CONCRETE	18 mm	400 mm	5 400338 044922 >
KRT010423	1 pc	CONCRETE	20 mm	400 mm	5 400338 044939 >
KRT010424	1 pc	CONCRETE	10 mm	600 mm	5 400338 044946 >
KRT010425	1 pc	CONCRETE	12 mm	600 mm	5 400338 044953 >
KRT010426	1 pc	CONCRETE	14 mm	600 mm	5 400338 044960 >
KRT010427	1 pc	CONCRETE	16 mm	600 mm	5 400338 044977 >
KRT010428	1 pc	CONCRETE	20 mm	600 mm	5 400338 044984 >
KRT010429	1 pc	CONCRETE	22 mm	600 mm	5 400338 044991 >

CONCRETE DRILL SETS



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012401	5 pcs	CONCRETE	4mm 5mm 6mm 8mm 10mm	74mm 84mm 98mm 120mm 120mm	5 400338 046025 >
KRT012402	8 pcs	CONCRETE	3mm 4mm 5mm 6mm 7mm 8mm 9mm 10mm	68mm 78mm 84mm 100mm 100mm 120mm 120mm 120mm	5 400338 046032 >

Stone/concrete drilling

STONE/CONCRETE DRILLS

In our range of stone/concrete drills we have two categories: SDS-Plus type and SDS-Max type.



fits
SDS PLUS

SDS-Plus type has the advantage that you can plug in the drill with one fast action (quick fit). These drills are especially suitable for hammer drilling and chiseling.

fits
SDS MAX

SDS-Max type has the same advantage as SDS-Plus type but is suitable for more powerful and heavy duty.

SDS-PLUS TYPE



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010901	1 pc	STONE/CONCRETE SDS-Plus type	4 mm	110 mm	5 400338 045448 >
KRT010902	1 pc	STONE/CONCRETE SDS-Plus type	5 mm	110 mm	5 400338 045455 >
KRT010903	1 pc	STONE/CONCRETE SDS-Plus type	6 mm	110 mm	5 400338 045462 >
KRT010904	1 pc	STONE/CONCRETE SDS-Plus type	8 mm	110 mm	5 400338 045479 >
KRT010905	1 pc	STONE/CONCRETE SDS-Plus type	10 mm	110 mm	5 400338 045486 >
KRT010906	1 pc	STONE/CONCRETE SDS-Plus type	5 mm	160 mm	5 400338 045493 >
KRT010907	1 pc	STONE/CONCRETE SDS-Plus type	6 mm	160 mm	5 400338 045509 >
KRT010908	1 pc	STONE/CONCRETE SDS-Plus type	8 mm	160 mm	5 400338 045516 >
KRT010909	1 pc	STONE/CONCRETE SDS-Plus type	10 mm	160 mm	5 400338 045523 >
KRT010910	1 pc	STONE/CONCRETE SDS-Plus type	12 mm	210 mm	5 400338 045530 >
KRT010911	1 pc	STONE/CONCRETE SDS-Plus type	14 mm	210 mm	5 400338 045547 >
KRT010912	1 pc	STONE/CONCRETE SDS-Plus type	16 mm	210 mm	5 400338 045554 >
KRT010913	1 pc	STONE/CONCRETE SDS-Plus type	18 mm	210 mm	5 400338 045561 >
KRT010914	1 pc	STONE/CONCRETE SDS-Plus type	20 mm	210 mm	5 400338 045578 >

SDS-PLUS TYPE



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010921	1 pc	STONE/CONCRETE SDS-Plus type	22 mm	260 mm	5 400338 051401 >
KRT010922	1 pc	STONE/CONCRETE SDS-Plus type	24 mm	260 mm	5 400338 051418 >
KRT010923	1 pc	STONE/CONCRETE SDS-Plus type	26 mm	450 mm	5 400338 051425 >
KRT010915	1 pc	STONE/CONCRETE SDS-Plus type	10 mm	450 mm	5 400338 045585 >
KRT010916	1 pc	STONE/CONCRETE SDS-Plus type	12 mm	450 mm	5 400338 045592 >
KRT010917	1 pc	STONE/CONCRETE SDS-Plus type	14 mm	450 mm	5 400338 045608 >
KRT010918	1 pc	STONE/CONCRETE SDS-Plus type	16 mm	450 mm	5 400338 045615 >
KRT010919	1 pc	STONE/CONCRETE SDS-Plus type	18 mm	450 mm	5 400338 045622 >
KRT010920	1 pc	STONE/CONCRETE SDS-Plus type	20 mm	450 mm	5 400338 045639 >

SDS-PLUS TYPE SETS



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012601	4 pcs	STONE/CONCRETE SDS-Plus type	5mm 6mm 8mm 10mm	110mm 110mm 110mm 110mm	5 400338 046063 >
KRT012602	4 pcs	STONE/CONCRETE SDS-Plus type	5mm 6mm 8mm 10mm	160mm 160mm 160mm 160mm	5 400338 046070 >

SDS-MAX TYPE

Please mind that SDS-Max type drills are not compatible with SDS-Plus type and vice versa.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010950	1 pc	STONE/CONCRETE SDS-Max type	14 mm	340 mm	5 400338 051326 >
KRT010951	1 pc	STONE/CONCRETE SDS-Max type	18 mm	340 mm	5 400338 051333 >
KRT010952	1 pc	STONE/CONCRETE SDS-Max type	28 mm	340 mm	5 400338 051340 >
KRT010953	1 pc	STONE/CONCRETE SDS-Max type	22 mm	540 mm	5 400338 051357 >
KRT010954	1 pc	STONE/CONCRETE SDS-Max type	28 mm	540 mm	5 400338 051364 >

Wood drilling

WOOD DRILLS

With Kreator brad point wood drills you can drill wood with little effort.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010601	1 pc	WOOD	3 mm	60 mm	5 400338 045059 >
KRT010602	1 pc	WOOD	4 mm	75 mm	5 400338 045066 >
KRT010603	1 pc	WOOD	5 mm	85 mm	5 400338 045073 >
KRT010604	1 pc	WOOD	6 mm	93 mm	5 400338 045080 >
KRT010605	1 pc	WOOD	7 mm	109 mm	5 400338 045097 >
KRT010606	1 pc	WOOD	8 mm	117 mm	5 400338 045103 >
KRT010607	1 pc	WOOD	9 mm	125 mm	5 400338 045110 >
KRT010608	1 pc	WOOD	10 mm	133 mm	5 400338 045127 >
KRT010609	1 pc	WOOD	11 mm	142 mm	5 400338 045134 >
KRT010610	1 pc	WOOD	12 mm	151 mm	5 400338 045141 >
KRT010611	1 pc	WOOD	13 mm	151 mm	5 400338 045158 >
KRT010612	1 pc	WOOD	14 mm	160 mm	5 400338 045165 >
KRT010613	1 pc	WOOD	15 mm	160 mm	5 400338 045172 >
KRT010614	1 pc	WOOD	16 mm	160 mm	5 400338 045189 >

AUGER WOOD DRILLS

Ideal for drilling large and deep holes, because of the easy removing of the wooden chips.

Auger bit head

The center of the bit is a tapered screw thread. The point will help to position your drill.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010701	1 pc	AUGER	8 mm	230 mm	5 400338 045196 >
KRT010702	1 pc	AUGER	10 mm	230 mm	5 400338 045202 >
KRT010703	1 pc	AUGER	12 mm	230 mm	5 400338 045219 >
KRT010704	1 pc	AUGER	14 mm	230 mm	5 400338 045226 >
KRT010705	1 pc	AUGER	10 mm	460 mm	5 400338 045233 >
KRT010706	1 pc	AUGER	12 mm	460 mm	5 400338 045240 >
KRT010707	1 pc	AUGER	14 mm	460 mm	5 400338 045257 >
KRT010708	1 pc	AUGER	16 mm	460 mm	5 400338 045264 >
KRT010709	1 pc	AUGER	18 mm	460 mm	5 400338 045271 >

WOOD DRILL SETS



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012301	5 pcs	WOOD	4mm 5mm 6mm 8mm 9mm	75mm 85mm 95mm 115mm 125mm	5 400338 046001 >
KRT012302	8 pcs	WOOD	3mm 4mm 5mm 6mm 7mm 8mm 9mm 10mm	6mm 75mm 85mm 95mm 110mm 115mm 125mm 133mm	5 400338 046018 >

FLAT WOOD DRILLS

Flat wood drills make drilling larger holes in wood easier. The point will set and hold the position while drilling.




Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010801	1 pc	FLAT WOOD	6 mm	152 mm	5 400338 045288 >
KRT010802	1 pc	FLAT WOOD	8 mm	152 mm	5 400338 045295 >
KRT010803	1 pc	FLAT WOOD	10 mm	152 mm	5 400338 045301 >
KRT010804	1 pc	FLAT WOOD	12 mm	152 mm	5 400338 045318 >
KRT010805	1 pc	FLAT WOOD	14 mm	152 mm	5 400338 045325 >
KRT010806	1 pc	FLAT WOOD	16 mm	152 mm	5 400338 045332 >
KRT010807	1 pc	FLAT WOOD	18 mm	152 mm	5 400338 045349 >
KRT010808	1 pc	FLAT WOOD	20 mm	152 mm	5 400338 045356 >
KRT010809	1 pc	FLAT WOOD	22 mm	152 mm	5 400338 045363 >
KRT010811	1 pc	FLAT WOOD	25 mm	152 mm	5 400338 045387 >
KRT010812	1 pc	FLAT WOOD	28 mm	152 mm	5 400338 045394 >
KRT010813	1 pc	FLAT WOOD	30 mm	152 mm	5 400338 045400 >
KRT010814	1 pc	FLAT WOOD	32 mm	152 mm	5 400338 045417 >
KRT010815	1 pc	FLAT WOOD	35 mm	152 mm	5 400338 045424 >
KRT010816	1 pc	FLAT WOOD	38 mm	152 mm	5 400338 045431 >

Instructions

How to use a flat wood drill


STEP 1

Stop drilling when centerpoint reaches the bottom.



STEP 2

Turn your wood piece and put the centerpoint in the hole.



STEP 3

In this way you can drill a clean hole without burrs.



COUNTERSINK DRILLS

Used for making a conical hole to fit a countersunk screw.



Art. nr.	QTY	Type	Ø	Barcode
KRT011201	1 pc	COUNTER-SINK	10 mm	5 400338 045752 >
KRT011202	1 pc	COUNTER-SINK	13 mm	5 400338 045769 >
KRT011203	1 pc	COUNTER-SINK	16 mm	5 400338 045776 >
KRT011204	1 pc	COUNTER-SINK	19 mm	5 400338 045783 >

Instructions

How to use a countersink drill



STEP 1
First drill a hole using a drill of the same diameter as your screw



STEP 2
Drill with your countersink drill until your screw head fits.



STEP 3
Your screw fits perfectly.

Ceramic drilling

TILE/GLASS DRILLS

The spear point reduces cutting pressure for cleaner holes and without chipping or breaking.



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT011101	1 pc	TILES / GLASS	3 mm	62 mm	5 400338 045684 >
KRT011102	1 pc	TILES / GLASS	4 mm	65 mm	5 400338 045691 >
KRT011103	1 pc	TILES / GLASS	5 mm	68 mm	5 400338 045707 >
KRT011104	1 pc	TILES / GLASS	6 mm	72 mm	5 400338 045714 >
KRT011105	1 pc	TILES / GLASS	8 mm	80 mm	5 400338 045721 >
KRT011106	1 pc	TILES / GLASS	10 mm	90 mm	5 400338 045738 >
KRT011107	1 pc	TILES / GLASS	12 mm	100 mm	5 400338 045745 >

Universal drilling

UNIVERSAL DRILL

The Kreator assortment includes a range of drills fit for universal use. These drills are suitable for drilling metal, stone, concrete and wood.



Chisel-shaped drill bit head

Easy centering and spot drilling



Art. nr.	QTY	Type	Ø	Length	Barcode
KRT010501	1 pc	UNIVERSAL	4 mm	75 mm	5 400338 045004 >
KRT010502	1 pc	UNIVERSAL	5 mm	85 mm	5 400338 045011 >
KRT010503	1 pc	UNIVERSAL	6 mm	100 mm	5 400338 045028 >
KRT010504	1 pc	UNIVERSAL	8 mm	120 mm	5 400338 045035 >
KRT010505	1 pc	UNIVERSAL	10 mm	120 mm	5 400338 045042 >

MIXED DRILL SETS




Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012501	9 pcs	HSS METAL	5mm 6mm 8mm	64mm 92mm 116mm	5 400338 046049 >
		STONE	5mm 6mm 8mm	64mm 98mm 120mm	
		WOOD	5mm 6mm 8mm	64mm 89mm 113mm	


Art. nr.	QTY	Type	Ø	Length	Barcode
KRT012502	16 pcs	HSS METAL	2mm 3mm 4mm 5mm 6mm 8mm	47mm 60mm 75mm 85mm 92mm 116mm	5 400338 046056 >
		STONE	4mm 5mm 6mm 8mm 10mm	75mm 83mm 98mm 118mm 118mm	
		WOOD	4mm 5mm 6mm 8mm 10mm	75mm 85mm 88mm 114mm 120mm	

Drill/chisel sets

DRILL/CHISEL SETS

The Kreator assortment includes a range of drills fit for universal use. These drills are suitable for drilling metal, stone, concrete and wood.



Art. nr.	QTY	Type	Size	Length	Barcode
KRT012800	120 pcs	STONE HSS TiN	Ø4mm x 5 Ø5mm x 5 Ø6mm x 10 Ø8mm x 10 Ø10mm x 5	64mm 80mm 90mm 100mm 117mm	 5 400338 061622 >
		METAL HSS TiN	Ø1mm x 10 Ø1.5mm x 10 Ø2mm x 10 Ø3mm x 10 Ø4mm x 5 Ø5mm x 5 Ø5.5mm x 2 Ø6mm x 5 Ø6.5mm x 2 Ø8mm x 5 Ø9mm x 3 Ø10mm x 3	33mm 38mm 49mm 60mm 75mm 85mm 92mm 92mm 97mm 117mm 123mm 132mm	
		WOOD HSS TiN	Ø5mm x 5 Ø6mm x 5 Ø8mm x 5	83mm 92mm 111mm	










KRT012801	17 pcs	STONE / CONCRETE DRILL SDS-plus TYPE	Ø5mm Ø6mm Ø8mm Ø10mm	110mm 110mm 110mm 110mm	 5 400338 061424 >
			Ø6mm Ø8mm Ø10mm Ø12mm	160mm 160mm 160mm 160mm	
		FLAT CHISEL SDS-plus TYPE	Ø8mm Ø10mm	210mm 210mm	
			Ø12mm Ø14mm	260mm 260mm	
POINTED CHISEL SDS-plus TYPE	 20mm  20mm  40mm	143mm 247mm 247mm			
	 	143mm 247mm			

Chisels

Kreator stone/concrete chisels are available with SDS-Plus type or SDS-Max type shank to handle heavy duty tasks.



SDS-PLUS TYPE		Art. nr.	QTY	Connect type	Head type	Length	Barcode
	KRT011001	1 pc	SDS-plus type	14 mm pointed	250 mm	5 400338 045646 >	
	KRT011002	1 pc	SDS-plus type	14 mm 20 mm	250 mm	5 400338 045653 >	
	KRT011003	1 pc	SDS-plus type	14 mm 40 mm	250 mm	5 400338 045660 >	
Easy installation of cables							
	KRT011004	1 pc	SDS-plus type	14 mm Chasing gauge	250 mm	5 400338 045677 >	

SDS-MAX TYPE		Art. nr.	QTY	Connect type	Head type	Length	Barcode
	KRT011010	1 pc	SDS-max type	18 mm pointed	400 mm	5 400338 051371 >	
	KRT011011	1 pc	SDS-max type	18 mm 25 mm	400 mm	5 400338 051388 >	
	KRT011012	1 pc	SDS-max type	18 mm 50 mm	400 mm	5 400338 051395 >	

Screwdriving

Kreator offers a full selection of screw bits for various screw head types and of various lengths, as well as a comprehensive range of sets with different screw bit combinations.



S2 MATERIAL

The Kreator screw bits are made of S2 steel for heavy duty use. S2 steel is less ductile and far more prone to shattering, designed for long life and maximum durability.



S2 FLAT / SLOTTED



Art. nr.	QTY	Type	Length	Barcode
KRT061300	2 pcs	SL4.5 x 0.6 mm	25 mm	5 400338 048586 >
KRT061310	2 pcs	SL5.5 x 0.8 mm	25 mm	5 400338 048593 >
KRT061320	2 pcs	SL6 x 1.0 mm	25 mm	5 400338 048609 >

S2 PHILLIPS



KRT061200	2 pcs	PH1	25 mm	5 400338 048524 >
KRT061225	2 pcs	PH2	25 mm	5 400338 048531 >
KRT061230	2 pcs	PH2	50 mm	5 400338 048548 >
KRT061250	2 pcs	PH3	25 mm	5 400338 048562 >
KRT061275	3 pcs	PH1/2/3	89 mm	5 400338 048579 >

S2 POZIDRIV



Art. nr.	QTY	Type	Length	Barcode
KRT061100	2 pcs	PZ1	25 mm	5 400338 048463 >
KRT061125	2 pcs	PZ2	25 mm	5 400338 048470 >
KRT061130	2 pcs	PZ2	50 mm	5 400338 048487 >
KRT061150	2 pcs	PZ3	25 mm	5 400338 048500 >
KRT061175	3 pcs	PZ1/2/3	89 mm	5 400338 048517 >

S2 TORX




KRT061500	2 pcs	T10	25 mm	5 400338 048661 >
KRT061510	2 pcs	T15	25 mm	5 400338 048678 >
KRT061520	2 pcs	T20	25 mm	5 400338 048685 >
KRT061530	2 pcs	T25	25 mm	5 400338 048692 >
KRT061540	2 pcs	T30	25 mm	5 400338 048708 >
KRT061550	2 pcs	T40	25 mm	5 400338 048715 >

S2 HEX / ALLEN



KRT061400	2 pcs	H3	25 mm	5 400338 048616 >
KRT061410	2 pcs	H4	25 mm	5 400338 048623 >
KRT061420	2 pcs	H5	25 mm	5 400338 048630 >
KRT061430	2 pcs	H6	25 mm	5 400338 048647 >
KRT061440	2 pcs	H8	25 mm	5 400338 048654 >

BIT SETS


S2 BIT SETS
7 PCS


Art. nr.	QTY	Type	Length	Barcode
KRT064100	7 pcs	<ul style="list-style-type: none"> ● SL5, SL6 ⊕ PH1, PH2 ⊕ PZ1, PZ2 ⌒ Magnetic bit holder 	25 mm	5 400338 048814 >
KRT064150	7 pcs	<ul style="list-style-type: none"> ⊕ PZ1 x 2, PZ2 x 2, PZ3 x 2 ⌒ Magnetic bit holder 	25 mm	5 400338 048821 >
KRT064200	7 pcs	<ul style="list-style-type: none"> ⊕ PH1 x 2, PH2 x 2, PH3 x 2 ⌒ Magnetic bit holder 	25 mm	5 400338 048838 >
KRT064250	7 pcs	<ul style="list-style-type: none"> ⊗ T10, T15, T20, T25, T27, T30 ⌒ Magnetic bit holder 	25 mm	5 400338 048845 >

CR-V BIT SET
9 PCS


KRT064050	9 pcs	25 mm: <ul style="list-style-type: none"> ● SL4.5 / SL7 ⊕ PH1 / PH2 ⊕ PZ1 / PZ2 50 mm: <ul style="list-style-type: none"> ⊕ PH2 ⊕ PZ2 ⌒ Magnetic bit holder 	25 mm & 50 mm	5 400338 062506 >
-----------	-------	---	---------------------	-------------------

S2 BIT SETS
9 PCS / 12 PCS
15 PCS / 20 PCS


KRT064300	12 pcs	<ul style="list-style-type: none"> ● SL3, SL4, SL6 ⊕ PH1, PH2 ⊕ PZ1, PZ2 ⊗ T10, T15, T20, T25, T30 	25 mm	5 400338 048852 >
KRT064350	12 pcs	<ul style="list-style-type: none"> ⊕ PH1 x 3, PH2 x 3 ⊕ PZ1 x 3, PZ2 x 3 	25 mm	5 400338 048869 >
KRT064400	15 pcs	25 mm: <ul style="list-style-type: none"> ⊕ PH1, PH2 ⊕ PZ1, PZ2 50 mm: <ul style="list-style-type: none"> ⊗ T10, T15, T20, T25, T30 ● SL4, SL5, SL5.5, SL6 ⊕ PH1, PH2 	25 mm & 50 mm	5 400338 048876 >
KRT064450	20 pcs	<ul style="list-style-type: none"> ● SL3, SL4, SL4.5, SL5, SL6 ⊕ PH1 x 2, PH2 x 2, PH3 ⊕ PZ1 x 2, PZ2 x 2, PZ3 ⊗ T10, T15, T20, T25, T30 	25 mm	5 400338 048883 >
KRT064500	9 pcs	<ul style="list-style-type: none"> ● SL4, SL5, SL6 ⊕ PH1, PH2, PH3 ⊕ PZ1, PZ2, PZ3 	50 mm	5 400338 048890 >

■ S2 BIT SETS
■ 31 PCS / 32 PCS



Art. nr.	QTY	Index	Length	Barcode
KRT064550	31 pcs	<ul style="list-style-type: none"> ⊕ PZ1 x 3, PZ2 x 3, PZ3 x 3 ⊗ T10 x 3, T15 x 3, T20 x 3, T25 x 3, T30 x 3, T35 x 3, T40 x 3 ⌋ Magnetic quick release bit holder 	25 mm	5 400338 048906 >
KRT064600	32 pcs	<ul style="list-style-type: none"> ● SL3, SL4, SL5, SL6 ⊕ PH1, PH2 x 2, PH3 ⊕ PZ1, PZ2 x 2, PZ3 ⊗ T10, T15, T20, T25, T27, T30, T40 ⊗ T10, T15, T20, T27, T25, T30, T40 ○ H3, H4, H5, H6 ⌋ Magnetic quick release bit holder - 1/4" bit adaptor 	25 mm	5 400338 048913 >

■ CR-V BIT SET
■ 33 PCS



KRT064700	33 pcs	<ul style="list-style-type: none"> ⊗ T8, T10, T15, T20, T25, T27, T30, T35, T40 ○ H2, H2.5, H3, H4, H5, H6 ⊗ 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" ⊕ Spanner: 4, 6, 8, 10 ⊕ Torq 6, 8, 10 ⌋ Tri-wing 1, 2, 3, 4 ⌋ Magnetic bit holder 	25 mm	5 400338 048913 >
-----------	--------	--	-------	-------------------

■ CR-V BIT SET
■ 98 PCS



KRT064800	98 pcs	<p>25mm:</p> <ul style="list-style-type: none"> ● SL3, SL4, SL4.5, SL5, SL5.5, SL6, SL6.5, SL7, SL8 ⊕ PH0, PH1, PH2 x 2, PH3 ⊕ PZ0, PZ1, PZ2 x 2, PZ3 ⊗ T8, T10, T15, T20, T25, T27, T30, T40, T45 ⊗ T8, T10, T15, T20, T25, T27, T30, T35, T40 ○ H1.5, H2, H2.5, H3, H4, H5, H5.5, H6, H8 ⊗ H2, H2.5, H3, H4, H5, H6 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" ⊕ Spanner 4, 6, 8, 10 □ R0, R1, R2, R3 ⌋ Clutch 1, 2, 3 ⊕ Torq 6, 8, 10 ⌋ Tri-wing 1, 2, 3, 4 ⊗ Spline M5, M6, M8 <p>74mm:</p> <ul style="list-style-type: none"> ⊗ T15, T20, T30 ○ H4, H5, H6 ⊕ Spanner 4, 6, 8, 10 ⊕ Torq 6, 8, 10 ⌋ Tri-wing 1, 2, 3, 4 ⌋ Magnetic bit holder - 1/4" socket adaptor to hex 	25 mm & 74 mm	5 400338 062520 >
-----------	--------	---	---------------------	-------------------

■ CR-V BIT SET

■ 100 PCS



Art. nr.	QTY	Index	Length	Barcode
KRT064801	100 pcs	<ul style="list-style-type: none"> ● SL3, SL4, SL4.5, SL5, SL5.5, SL6, SL6.5, SL7, SL8 ⊕ PH0, PH1, PH2 x 5, PH3 ⊕ PZ0, PZ1, PZ2 x 5, PZ3 ⊕ T8, T10, T15, T20, T25, T27, T30, T40, T45 ⊕ T8, T10, T15, T20, T25, T27, T30, T35, T40 ○ H1.5, H2, H2.5, H3, H4, H5, H5.5, H6, H8, 7/64", 1/8", 9/64", 5/64", 3/32", 5/32", 3/16", 7/32", 1/4" ⊕ H2, H2.5, H3, H4, H5, H6 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" ⊕ Spanner 4, 6, 8, 10 □ Square R0, R1, R2, R3 ⊕ Clutch 1, 2, 3 ⊕ Torq 6, 8, 10 ⊕ Tri-wing 1, 2, 3, 4 ⊕ Spline M5, M6, M8 ⊕ Magnetic bit holder <ul style="list-style-type: none"> - Bit adaptor - 1/4" HEX socket adaptor 25mm & 50mm - 1/4" Socket adaptor - Y-Type bit 	25 mm	 5 400338 062537 >

■ S2 BIT SET

■ 22 PCS



KRT064460	22 pcs	<ul style="list-style-type: none"> ● SL3, SL4, SL5, SL6 ⊕ PH0, PH1, PH2, PH3 ⊕ PZ1, PZ2 x 2, PZ3 ⊕ T10, T15, T20, T25 ○ H3, H4, H5, H6 ⊕ Magnetic ratchet screwdriver ⊕ Magnetic extension bar 	25 mm	 5 400338 049330 >
-----------	--------	---	-------	-----------------------

■ S2 BIT SET

■ 40 PCS



KRT064610	40 pcs	<ul style="list-style-type: none"> ● SL3, SL4, SL5, SL6, SL7 ⊕ PH0, PH1 x 2, PH2 x 2, PH3 x 2 ⊕ PZ1, PZ2 x 2, PZ3 ⊕ T10, T15, T20, T25, T27 ○ H2, H2.5, H3, H4, H5, H6 □ R0, R1, R2, R3 <ul style="list-style-type: none"> - 5 pcs sockets 1/4": 4/5/6/8/10mm ⊕ Magnetic ratchet driver ⊕ 1/4" Extension bar 75mm <ul style="list-style-type: none"> - Stubby ratchet - Bit/socket adaptor 	25 mm	 5 400338 049347 >
-----------	--------	---	-------	-----------------------

Titanium coated screwdriving bits



TITANIUM



These screw bits are made of S2 steel and Titanium coated. Titanium is an extremely hard material that improves the durability.



■ TITANIUM BIT SETS

■ 8 PCS



Art. nr.	QTY	Index	Length	Barcode
KRT064260	8 pcs	<ul style="list-style-type: none"> ● SL4, SL5, SL6 ⊕ PH1, PH2 ⊕ PZ1, PZ2 ☑ Magnetic bit holder 	25mm	 5 400338 049316 >
KRT064261	8 pcs	<ul style="list-style-type: none"> ⊕ PZ0, PZ1 x 2, PZ2 x 2, PZ3 x 2 ☑ Magnetic bit holder 	25mm	 5 400338 049323 >

NUT DRIVERS




The magnetic system provides a strong grip of the external hex screws.

S2 MATERIAL



CR-V HEX SCREW SET

They are made of CR-V, Chrome Vanadium which has excellent properties such as strength, toughness, and resistance to wear and fatigue.



Art. nr.	QTY	Type	Shaft type	Barcode
KRT062100	1 pc	Magnetic S2 Nut driver	○ HEX 8mm	5 400338 048739 >
KRT062200	1 pc	Magnetic S2 Nut driver	○ HEX 10mm	5 400338 048746 >
KRT062300	1 pc	Magnetic S2 Nut driver	○ HEX 13mm	5 400338 048753 >
KRT062400	4 pcs	Magnetic CR-V Nut driver	○ HEX 7mm 8mm 10mm 13mm	5 400338 048760 >

MAGNETIC BIT HOLDERS



Provides maximum bit holding force. The magnet is strong enough to hold both the bit and the screw.




Art. nr.	QTY	Type	Length	Barcode
KRT063100	1 pc	Magnetic	54mm	5 400338 048777 >
KRT063200	1 pc	Magnetic quick release bit holder	60mm	5 400338 048784 >
KRT063300	1 pc	Magnetic quick release bit holder	59mm	5 400338 048791 >
KRT063400	1 pc	Magnetic	120mm	5 400338 048807 >
KRT063500	1 pc	Magnetic SDS-Plus type	75mm	5 400338 052361 >

Jigsaw blades

Kreator jigsaw blades are produced of high quality materials.
All jigsaw blades are available with both T-shank & universal shank.

SAWING

	Art. nr.
HCS	Material
	Color code
8 TPI 100 x 3 mm	Specifications
eco WOOD KREATOR	Use for



Different types of shanks

New model: **T-shank** used with: POWERPLUS, Black & Decker, Bosch, Makita, Skil, ...

Old model: **U-shank** used with: Black & Decker, Power Base, Skil, ...

Types of metal used for blades

HCS

High Carbon Steel contains more than 0.3% carbon which makes the steel harder and less flexible. Ideal for **plastics** and **wood** fast and without deflection.

HSS

High speed steel is a very hard and heat resistant steel. Ideal for **hard metal**, **aluminium** and **non-ferrous metals**.

BIM

Bimetal flexes more, resists breaking and extends blade life. Ideal for **woodwork** and **thin metal**.

HM

Metallic carbide has a tremendous capacity of resistance to wear and has the highest service life. Ideal for **ceramics**.


Colour code Find the perfect saw blade.

 Metal look + black: wood

 Blue + white: metal / alu

 Metal look + red: hard wood

 Black + white: ceramics

 Metal look + green: laminate

**WOOD
MADE OF HCS**



High Carbon Steel contains more than 0.3% carbon which makes the steel harder and less flexible. Fit for cutting plastics

and wood fast and without deflection.

BIM

Bimetal flexes more, resists breaking and extends blade life. Ideal for cutting wood-work and thin metal.






	Art. nr.	QTY	TYPE	Length	TPI	Barcode
	KRT041001	2 pcs	ECO/WOOD (HCS)	100 mm	8	5 400338 046162 >
	KRT045001	2 pcs	ECO/WOOD (HCS)	100 mm	8	5 400338 046278 >



ECO WOOD

Saw quickly in soft wood types




	KRT041002	2 pcs	HIGH GRADE WOOD (HCS)	100 mm	6	5 400338 046179 >
	KRT045002	2 pcs	HIGH GRADE WOOD (HCS)	100 mm	6	5 400338 046285 >





HIGH GRADE WOOD SCROLLER BLADE

Curve cuts in wood, clipboard and plastics.

Extra thin





	KRT041004	2 pcs	HIGH GRADE WOOD (HCS)	100 mm	6	5 400338 046193 >
	KRT045004	2 pcs	HIGH GRADE WOOD (HCS)	100 mm	6	5 400338 046308 >



HIGH GRADE WOOD

Precision cutting with minimal chipping in soft wood types





Art. nr.	QTY	TYPE	Length	TPI	Barcode
KRT041003	2 pcs	HIGH GRADE WOOD (HCS)	100 mm	10	5 400338 046186 >
KRT045003	2 pcs	HIGH GRADE WOOD (HCS)	100 mm	10	5 400338 046292 >



HIGH GRADE WOOD - FINE CUT

Precision cutting with minimal chipping in soft wood types




KRT041010	2 pcs	HARDWOOD (BIM)	100 mm	6	5 400338 046209 >
KRT045010	2 pcs	HARDWOOD (BIM)	100 mm	6	5 400338 046315 >



HARDWOOD

Highly fitted to cut hard wood types








KRT041011	2 pcs	HARDWOOD (BIM)	100 mm	10	5 400338 046216 >
KRT045011	2 pcs	HARDWOOD (BIM)	100 mm	10	5 400338 046322 >



HARDWOOD - FINE CUT



highly fitted to cut hard wood types



	Art. nr.	QTY	TYPE	Length	TPI	Barcode
	KRT041015	2 pcs	HARDWOOD (BIM)	152 mm	6	 5 400338 048401 >
	KRT045015	2 pcs	HARDWOOD (BIM)	152 mm	6	 5 400338 048418 >

HARDWOOD - EXTRA LONG

Highly fitted to cut hard wood types







**LAMINATE
MADE OF BIM**



Bimetal flexes more, resists breaking and extends blade life. Ideal for cutting laminate.



SAWING

	Art. nr.	QTY	TYPE	Length	TPI	Barcode
	KRT041020	2 pcs	LAMINATE (BIM)	100 mm	10	 5 400338 046223 >
	KRT045020	2 pcs	LAMINATE (BIM)	100 mm	10	 5 400338 046339 >

LAMINATE







KREATOR

METAL MADE OF HSS



High speed steel is a very hard and heat resistant steel. You can use this for cutting hard metal, aluminium and non-ferrous metals.







	Art. nr.	QTY	TYPE	Length	TPI	Barcode
	KRT041030	2 pcs	METAL (HSS)	75 mm	12	 5 400338 046230 >
	KRT045030	2 pcs	METAL (HSS)	75 mm	12	 5 400338 046346 >






METAL



	KRT041040	2 pcs	ALU (HSS)	100 mm	8	 5 400338 046247 >
	KRT045040	2 pcs	ALU (HSS)	100 mm	8	 5 400338 046353 >





ALU





CERAMICS MADE OF HM


Metallic carbide is highly resistant to wear and has the highest service life. Especially suitable to cut ceramics.



	Art. nr.	QTY	TYPE	Length	Gritt	Barcode
	KRT041050	2 pcs	CERAMICS (HM)	75 mm	30	 5 400338 046254 >

Art. nr.	QTY	TYPE	Length	Gritt	Barcode	
	KRT045050	2 pcs	CERAMICS (HM)	75 mm	30	 5 400338 046360 >

CERAMICS



MIXED SAW SETS

Art. nr.	QTY	Type	Length	TPI	Barcode	
	KRT041090	10 pcs	1x ECO WOOD 1x HIGH GRADE WOOD 1x HIGH GRADE WOOD 1x HIGH GRADE WOOD 1x HARD WOOD 1x HARD WOOD 1x LAMINATE 1x METAL 1x ALUMINIUM 1x CERAMICS	100mm 100mm 100mm 100mm 100mm 100mm 100mm 75mm 100mm 75mm	8 6 10 6 6 10 10 12 8 GRITT30	 5 400338 046261 >
	KRT041100	20 pcs	3x HIGH GRADE WOOD 3x HIGH GRADE WOOD 2x HIGH GRADE WOOD 3x HARD WOOD 1x HARD WOOD 3x LAMINATE 3x METAL 1x ALUMINIUM 1x CERAMICS	100mm 100mm 100mm 100mm 100mm 100mm 75mm 100mm 75mm	6 10 6 6 10 10 12 8 GRITT30	 5 400338 054129 >
	KRT045090	10 pcs	1x ECO WOOD 1x HIGH GRADE WOOD 1x HIGH GRADE WOOD 1x HIGH GRADE WOOD 1x HARD WOOD 1x HARD WOOD 1x LAMINATE 1x METAL 1x ALUMINIUM 1x CERAMICS	100mm 100mm 100mm 100mm 100mm 100mm 100mm 75mm 100mm 75mm	8 6 10 6 6 10 10 12 8 GRITT30	 5 400338 046377 >

SAWING

KREATOR

Recip saw blades

Kreator reciprocating saw blades have a Universal shank to fit all types of reciprocating saws. Powerplus, Black&Decker, Bosch, Makita, Skil, ...

ECO WOOD

Solid and economical for soft wood.

HIGH GRADE WOOD

Fast and efficient for construction wood and spar.



WOOD


Art. nr.	QTY	TYPE	Length	TPI	Barcode
KRT031001	2 pcs	ECO WOOD	225 mm	3	5 400338 046087 >



ECO WOOD



Art. nr.	QTY	TYPE	Length	TPI	Barcode
KRT031002	2 pcs	HIGH GRADE WOOD	150 mm	6	5 400338 046094 >
KRT031003	2 pcs	HIGH GRADE WOOD	230 mm	5	5 400338 046100 >



HIGH GRADE WOOD



ECO METAL

Solid and economical for metal.


FLEX METAL

Solid and durable for steel plates, metal tubes and metal profiles.



METAL


Art. nr.	QTY	TYPE	Length	TPI	Barcode
KRT032001	2 pcs	ECO METAL	150 mm	24	5 400338 046117 >



ECO METAL



METAL



Art. nr.	QTY	Type	Length	TPI	Barcode
KRT032002	2 pcs	FLEX METAL	150 mm	18	5 400338 046124 >
KRT032003	2 pcs	FLEX METAL	225 mm	18	5 400338 046131 >


FLEX METAL



FLEX WOOD & METAL
Solid and durable for wood, steel plates, metal tubes and metal profiles.



FLEX METAL & WOOD




Art. nr.	QTY	Type	Length	TPI	Barcode
KRT033001	2 pcs	FLEX METAL & WOOD (+NAILS)	225 mm	10/ 14	5 400338 046148 >



PLASTER
Specially for plaster.



PLASTER



Art. nr.	QTY	Type	Length	TPI	Barcode
KRT034001	2 pcs	PLASTER	150 mm	6	5 400338 046155 >



SAWING

KREATOR

Circular saw blades

These circular saw blades are made of alloy steel that guarantees a combination of flexibility and hardness. The extra large metal teeth ensure a long service life.

Comes with 5 reductions rings
Fits almost all circular and mitre saws!

+ 5 reductions rings

The 30 mm arbor with 5 extra reduction rings makes sure that these saw blades fit almost all circular saws.



SAWING

WOOD	ALUMINIUM	MULTI-USE
<p>Ideal for sawing various kinds of wood</p> <p>Small number of teeth: rough and fast sawing Large number of teeth: clean saw cut</p>	<p>Ideal for sawing light metals, plastics, PVC pipes, ...</p>	<p>Ideal for sawing light metals, plastics, laminate, parquet, ...</p> <p>Small number of teeth: rough and fast sawing Large number of teeth: clean saw cut</p>
5 reduction rings	5 reduction rings	5 reduction rings

WOOD CIRCULAR SAW BLADES


Ideal for sawing various kinds of wood.



+ 5 REDUCTION RINGS *



30mm arbor + 5 reductions rings *




Art. nr.	QTY	Type	Size	Bore	Kerf	Teeth	Barcode
KRT020050	1 pc	WOOD	Ø 89 mm	Ø 10 mm	1.1 mm	24 T	5 400338 065873 >
KRT021000	1 pc	WOOD	Ø 160 mm	* Ø 30 mm	2.4 mm	18 T	5 400338 046414 >
KRT021600	1 pc	WOOD	Ø 165 mm	Ø 20 mm	2.2 mm	24 T	5 400338 065903 >
KRT021601	1 pc	WOOD	Ø 165 mm	Ø 20 mm	2.2 mm	48 T	5 400338 065910 >
KRT021602	1 pc	WOOD	Ø 165 mm	Ø 20 mm	2.2 mm	60 T	5 400338 065927 >
KRT021050	1 pc	WOOD	Ø 185 mm	* Ø 30 mm	2.4 mm	24 T	5 400338 046421 >
KRT021051	1 pc	WOOD	Ø 185 mm	* Ø 30 mm	2.4 mm	48 T	5 400338 046438 >
KRT021100	1 pc	WOOD	Ø 190 mm	* Ø 30 mm	2.4 mm	48 T	5 400338 046445 >
KRT021150	1 pc	WOOD	Ø 200 mm	* Ø 30 mm	2.6 mm	24 T	5 400338 046452 >
KRT021151	1 pc	WOOD	Ø 200 mm	* Ø 30 mm	2.6 mm	48 T	5 400338 047015 >
KRT021200	1 pc	WOOD	Ø 210 mm	* Ø 30 mm	2.6 mm	24 T	5 400338 047022 >
KRT021201	1 pc	WOOD	Ø 210 mm	* Ø 30 mm	2.6 mm	48 T	5 400338 047039 >
KRT021250	1 pc	WOOD	Ø 216 mm	* Ø 30 mm	2.6 mm	60 T	5 400338 047046 >
KRT021300	1 pc	WOOD	Ø 250 mm	* Ø 30 mm	2.8 mm	24 T	5 400338 047053 >

WOOD CIRCULAR SAW BLADE



30mm arbor
+ 5 reductions rings



*

Art. nr.	QTY	Type	Size	Bore	Kerf	Teeth	Barcode
KRT021301	1 pc	WOOD	Ø 250 mm	* Ø 30 mm	2.8 mm	48 T	5 400338 047060 >
KRT021350	1 pc	WOOD	Ø 254 mm	* Ø 30 mm	2.8 mm	24 T	5 400338 047077 >
KRT021351	1 pc	WOOD	Ø 254 mm	* Ø 30 mm	2.8 mm	48 T	5 400338 047084 >
KRT021352	1 pc	WOOD	Ø 254 mm	* Ø 30 mm	2.8 mm	72 T	5 400338 047091 >
KRT021400	1 pc	WOOD	Ø 260 mm	* Ø 30 mm	2.8 mm	40 T	5 400338 047107 >
KRT021401	1 pc	WOOD	Ø 260 mm	* Ø 30 mm	2.8 mm	60 T	5 400338 047114 >
KRT021450	1 pc	WOOD	Ø 305 mm	* Ø 30 mm	3 mm	48 T	5 400338 047121 >
KRT021451	1 pc	WOOD	Ø 305 mm	* Ø 30 mm	3 mm	72 T	5 400338 047138 >
KRT021500	1 pc	WOOD	Ø 315 mm	* Ø 30 mm	3 mm	48 T	5 400338 047145 >
KRT021501	1 pc	WOOD	Ø 315 mm	* Ø 30 mm	3 mm	72 T	5 400338 047152 >

ALUMINIUM CIRCULAR SAW BLADES

Ideal for sawing light metals, plastics,
PVC pipes, ...

+ 5 REDUCTION RINGS *



Art. nr.	QTY	Type	Size	Bore	Kerf	Teeth	Barcode
KRT022200	1 pc	ALUMINIUM	Ø 210 mm	* Ø 30 mm	2.6 mm	48 T	5 400338 047169 >
KRT022350	1 pc	ALUMINIUM	Ø 254 mm	* Ø 30 mm	2.8 mm	60 T	5 400338 047176 >
KRT022450	1 pc	ALUMINIUM	Ø 305 mm	* Ø 30 mm	3 mm	72 T	5 400338 047183 >

MULTI-USE CIRCULAR SAW BLADES

Ideal for sawing light metals, plastics,
laminated, parquet, ...

+ 5 REDUCTION RINGS *



Art. nr.	QTY	Type	Size	Bore	Kerf	Teeth	Barcode
KRT023150	1 pc	MULTI-USE WOOD/ METAL	Ø 89 mm	Ø 10 mm	1.0 mm	80 T	5 400338 066610 >
KRT023200	1 pc	MULTI-USE WOOD/ METAL	Ø 210 mm	* Ø 30 mm	2.4 mm	48 T	5 400338 047190 >
KRT023350	1 pc	MULTI-USE WOOD/ METAL	Ø 254 mm	* Ø 30 mm	2.4 mm	60 T	5 400338 047206 >
KRT023450	1 pc	MULTI-USE WOOD/ METAL	Ø 305 mm	* Ø 30 mm	2.6 mm	96 T	5 400338 047213 >

Hole saws

Kreator's wide range of hole saws is ideal for multiple purposes and can be used to cut a variety of materials. These professional and high quality hole saws fit nearly every drill.



MAX. ROTATION SPEED (min⁻¹) / HSS-BIMETAL HOLE SAWS

Diameter Ø	Mild steel	Stainless Steel	Cast Iron	Brass	Alu	Wood
19 mm	460	230	300	600	690	3000
20 mm	435	240	290	580	660	3000
22 mm	390	195	260	520	585	3000
25 mm	350	175	235	470	525	2700
29 mm	300	150	200	400	450	2700
32 mm	275	140	180	360	410	2400
35 mm	250	125	165	330	375	2400
38 mm	230	115	150	300	345	2400
44 mm	195	95	130	260	295	2100
51 mm	170	85	115	230	255	2000
57 mm	150	75	100	200	225	2000
60 mm	140	70	95	190	220	2000
65 mm	130	65	85	175	200	1800
67 mm	130	65	85	170	195	1800
68 mm	130	65	85	170	195	1800
73 mm	120	60	80	160	180	1800
76 mm	115	55	75	150	170	1500
83 mm	105	50	70	140	155	1500


HSS CENTER DRILL



Art. nr.	QTY	Type	use with Ø	Barcode
KRT100198	1 pc	for wood/metal HSS-bitmetal hole saw (SMALL)	< 25 mm	5 400338 049279 >
KRT100199	1 pc	for wood/metal HSS-bitmetal hole saw (LARGE)	≥ 25 mm	5 400338 048258 >

WOOD/METAL HSS-BIMETAL

Cuts wood and thin metal plates. Because they are made in high speed steel, they are the best combination of strength, heat resistance, and wear resistance.




WOOD METAL PLATES



Art. nr.	QTY	Type	Ø	Barcode
KRT100101	1 pc	WOOD/METAL in HSS-bimetal	19 mm	5 400338 048074 >
KRT100102	1 pc	WOOD/METAL in HSS-bimetal	20 mm	5 400338 048081 >
KRT100103	1 pc	WOOD/METAL in HSS-bimetal	22 mm	5 400338 048098 >
KRT100104	1 pc	WOOD/METAL in HSS-bimetal	25 mm	5 400338 048104 >
KRT100105	1 pc	WOOD/METAL in HSS-bimetal	29 mm	5 400338 048111 >
KRT100106	1 pc	WOOD/METAL in HSS-bimetal	32 mm	5 400338 048128 >
KRT100107	1 pc	WOOD/METAL in HSS-bimetal	35 mm	5 400338 048135 >
KRT100108	1 pc	WOOD/METAL in HSS-bimetal	38 mm	5 400338 048142 >
KRT100109	1 pc	WOOD/METAL in HSS-bimetal	44 mm	5 400338 048159 >
KRT100110	1 pc	WOOD/METAL in HSS-bimetal	51 mm	5 400338 048166 >
KRT100111	1 pc	WOOD/METAL in HSS-bimetal	57 mm	5 400338 048173 >
KRT100112	1 pc	WOOD/METAL in HSS-bimetal	60 mm	5 400338 048180 >
KRT100113	1 pc	WOOD/METAL in HSS-bimetal	65 mm	5 400338 048197 >
KRT100114	1 pc	WOOD/METAL in HSS-bimetal	67 mm	5 400338 048203 >
KRT100115	1 pc	WOOD/METAL in HSS-bimetal	68 mm	5 400338 048210 >
KRT100116	1 pc	WOOD/METAL in HSS-bimetal	73 mm	5 400338 048227 >
KRT100117	1 pc	WOOD/METAL in HSS-bimetal	76 mm	5 400338 048234 >
KRT100118	1 pc	WOOD/METAL in HSS-bimetal	83 mm	5 400338 048241 >

STONE / CERAMICS CARBIDE HOLE SAW

These hole saws have tungsten carbide gritted cutting edges and are suitable for cutting stone, ceramics and soft tiles.



- **STONE**
- **CERAMICS**
- **TILES**



Art. nr.	QTY	Type	Ø	Barcode
KRT100201	1 pc	STONE/CERAMICS in tungsten carbide	33 mm	5 400338 048265 >
KRT100202	1 pc	STONE/CERAMICS in tungsten carbide	43 mm	5 400338 048272 >
KRT100203	1 pc	STONE/CERAMICS in tungsten carbide	53 mm	5 400338 048289 >
KRT100204	1 pc	STONE/CERAMICS in tungsten carbide	67 mm	5 400338 048296 >
KRT100205	1 pc	STONE/CERAMICS in tungsten carbide	73 mm	5 400338 048302 >
KRT100206	1 pc	STONE/CERAMICS in tungsten carbide	83 mm	5 400338 048319 >

PILOT DRILL



Art. nr.	QTY	Type	Size	Barcode
KRT100298	1 pc	for stone/ceramic carbide hole saw	9.5 x 140 mm	5 400338 048326 >

LOCATING PLATE



Art. nr.	QTY	Type	use with Ø	Barcode
KRT100299	1 pc	for stone/ceramic carbide hole saw	33-83 mm	5 400338 048333 >

MULTI USE CIRCULAR CUTTER

Cut plywood, laminates, composite boards, ALU, gypsum board, plastic, rubber and a wide range of other materials.



- LAMINATE
- PLASTIC
- ...

Art. nr.	QTY	Type	∅	Barcode
KRT100301	1 pc	MULTI-USE	30-120mm	5 400338 048340 >



WOOD HCS HOLE SAW SETS

Ideal for cutting plastic and wood.



- WOOD
- PLASTIC

Art. nr.	QTY	Type	Size	Barcode
KRT100401	1 pc	WOOD SET 7	∅26/32/38/45/ 50/56/63mm height: 18mm	5 400338 048357 >
KRT100402	1 pc	WOOD SET 7	∅26/32/38/45/ 50/56/63mm height: 40mm	5 400338 048364 >
KRT100403	1 pc	WOOD SET 8	∅25/32/39/44/ 51/57/63/68mm height: 25mm	5 400338 048371 >
KRT100404	1 pc	WOOD SET 5	∅68/74/80/ 90/100mm height: 30mm	5 400338 048388 >



Router bits

Use Kreator router and journey bits (8mm) for rounding of edges, decorative edges on furniture/framework, making grooves, or to create an attractive accent with a classic woodworking design.

ROUTER BITS












TUNGSTEN CARBIDE

The edges of the bits are made of Tungsten carbide. This material is approximately three times harder than steel, and is much denser than steel or titanium. Can only be polished and finished with diamond wheels and compounds.

Category 1 Moulding & Cabinetry

MOULDING & CABINETRY

		Art. nr.	Material	Length	Barcode
		KRT060101	TUNGSTEN CARBIDE	58mm	Barcode  5 400338 047275 >
		KRT060105	TUNGSTEN CARBIDE	58.5mm	Barcode  5 400338 047282 >
		KRT060110	TUNGSTEN CARBIDE	53mm	Barcode  5 400338 047299 >

MOULDING & CABINETRY

	Art. nr.	Material	Length	Barcode
 	KRT060115	TUNGSTEN CARBIDE	62mm	Barcode 5 400338 047305 >
 	KRT060120	TUNGSTEN CARBIDE	59mm	Barcode 5 400338 047312 >
 	KRT060125	TUNGSTEN CARBIDE	62mm	Barcode 5 400338 047329 >
 	KRT060130	TUNGSTEN CARBIDE	58mm	Barcode 5 400338 047336 >
 	KRT060135	TUNGSTEN CARBIDE	61mm	Barcode 5 400338 047343 >
  <p>12mm</p>	KRT060140	TUNGSTEN CARBIDE	45mm	Barcode 5 400338 047350 >
  <p>16mm</p>	KRT060141	TUNGSTEN CARBIDE	45mm	Barcode 5 400338 047367 >

Category 2 Joinery bits

JOINERY BITS

Art. nr.	Material	Length	Barcode	
 6mm 	KRT060145	TUNGSTEN CARBIDE	48mm	Barcode  5 400338 047374 >
 8mm 	KRT060146	TUNGSTEN CARBIDE	51mm	Barcode  5 400338 047381 >
 16mm 	KRT060147	TUNGSTEN CARBIDE	51mm	Barcode  5 400338 047398 >
 4mm 	KRT060150	TUNGSTEN CARBIDE	56.5mm	Barcode  5 400338 047404 >
 5mm 	KRT060151	TUNGSTEN CARBIDE	56.5mm	Barcode  5 400338 047411 >
 8mm 5mm 8mm 	KRT060155	TUNGSTEN CARBIDE	58mm	Barcode  5 400338 047428 >

JOINERY BITS

Art. nr.	Material	Length	Barcode
KRT060160	TUNGSTEN CARBIDE	59mm	Barcode 5 400338 047435 >
KRT060165	TUNGSTEN CARBIDE	69mm	Barcode 5 400338 047442 >
KRT060170	TUNGSTEN CARBIDE	55mm	Barcode 5 400338 047459 >

FORSTNER DRILLS

Used to form holes with a flat bottom for cupboard hinges.















Art. nr.	Ø	Shaft	Length	Barcode
KRT013001	25 mm	8 mm	90 mm	Barcode 5 400338 047244 >
KRT013002	30 mm	8 mm	90 mm	Barcode 5 400338 047251 >
KRT013003	35 mm	10 mm	90 mm	Barcode 5 400338 047268 >

Sanding and polishing

Kreator offers the right sandpaper for every type of sander. Whether you're working with unfinished wood, painted wood, or varnished wood, each surface requires its own special preparation before you can paint successfully.

For all kinds of sanding work

	RECTANGULAR SANDER	DELTA SANDER	PALM SANDER	CIRCULAR SANDER	BELT SANDER
					
WOODSANDING	 G 40-240	 G 40-240	 G 40-240	 G 40-240	 G 40-180
PAINTREMOVING	 G 40-240	 G 40-240	 G 40-240	 G 40-240	
				POLISHING	 POLISH

ANGLE GRINDER	ANGLE GRINDER
	
 G 24-120	 G 40-120

Grain size: table

Coarse (Rapid removal of material)	G 40
Medium (sanding bare wood in preparation for finishing, for gentle removal of varnish)	G 60
	G 80
Fine (sanding bare wood in preparation for finishing, not suitable for removing varnish or paint from wood, use for cleaning plaster and water stain from wood)	G 120
	G 180
Very Fine (sanding of bare wood)	G 240

RECTANGULAR SANDPAPER

Most commonly used for all kinds of sanding jobs. Suitable for larger flat surfaces and fine finishing.



WOOD SANDING

Versatile use, to sand all kinds of wood. (wood, plywood, MDF, ...)

HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT200003	5 pcs	80 x 133 mm	G 40	Black&Decker, Bosch, Hitachi, Festool, Milwaukee, ...	5 400338 049590 >
KRT200005	5 pcs	80 x 133 mm	G 80	Black&Decker, Bosch, Hitachi, Festool, Milwaukee, ...	5 400338 049606 >
KRT200007	5 pcs	80 x 133 mm	G 120	Black&Decker, Bosch, Hitachi, Festool, Milwaukee, ...	5 400338 049613 >
KRT200008	5 pcs	80 x 133 mm	G 180	Black&Decker, Bosch, Hitachi, Festool, Milwaukee, ...	5 400338 049620 >
KRT200009	5 pcs	80 x 133 mm	G 240	Black&Decker, Bosch, Hitachi, Festool, Milwaukee, ...	5 400338 049637 >

HOOK & LOOP SYSTEM



KRT200503	5 pcs	90 x 185 mm	G 40	Powerplus XQ	5 400338 049644 >
KRT200505	5 pcs	90 x 185 mm	G 80	Powerplus XQ	5 400338 049651 >
KRT200507	5 pcs	90 x 185 mm	G 120	Powerplus XQ	5 400338 049668 >
KRT200508	5 pcs	90 x 185 mm	G 180	Powerplus XQ	5 400338 049675 >
KRT200509	5 pcs	90 x 185 mm	G 240	Powerplus XQ	5 400338 049682 >

HOOK & LOOP SYSTEM



KRT201003	5 pcs	93 x 185 mm	G 40	Bosch, Einhell, Festool, Hitachi, Makita, Metabo, ...	5 400338 049743 >
KRT201005	5 pcs	93 x 185 mm	G 80	Bosch, Einhell, Festool, Hitachi, Makita, Metabo, ...	5 400338 049750 >
KRT201007	5 pcs	93 x 185 mm	G 120	Bosch, Einhell, Festool, Hitachi, Makita, Metabo, ...	5 400338 049767 >
KRT201008	5 pcs	93 x 185 mm	G 180	Bosch, Einhell, Festool, Hitachi, Makita, Metabo, ...	5 400338 049774 >
KRT201009	5 pcs	93 x 185 mm	G 240	Bosch, Einhell, Festool, Hitachi, Makita, Metabo, ...	5 400338 049781 >

WOOD SANDING

HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT201503	5 pcs	93 x 187 mm	G 40	Powerplus, Black&Decker	5 400338 049798 >
KRT201505	5 pcs	93 x 187 mm	G 80	Powerplus, Black&Decker	5 400338 049804 >
KRT201507	5 pcs	93 x 187 mm	G 120	Powerplus, Black&Decker	5 400338 049811 >
KRT201508	5 pcs	93 x 187 mm	G 180	Powerplus, Black&Decker	5 400338 049828 >
KRT201509	5 pcs	93 x 187 mm	G 240	Powerplus, Black&Decker	5 400338 049835 >

CLAMP SYSTEM



KRT202003	5 pcs	93 x 230 mm	G 40	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 049897 >
KRT202005	5 pcs	93 x 230 mm	G 80	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 049903 >
KRT202007	5 pcs	93 x 230 mm	G 120	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 049910 >
KRT202008	5 pcs	93 x 230 mm	G 180	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 049927 >
KRT202009	5 pcs	93 x 230 mm	G 240	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 049934 >

CLAMP SYSTEM



KRT202503	5 pcs	93 x 230 mm	G 40	Powerplus, AEG, Black&Decker	5 400338 049941 >
KRT202505	5 pcs	93 x 230 mm	G 80	Powerplus, AEG, Black&Decker	5 400338 049958 >
KRT202507	5 pcs	93 x 230 mm	G 120	Powerplus, AEG, Black&Decker	5 400338 049965 >
KRT202508	5 pcs	93 x 230 mm	G 180	Powerplus, AEG, Black&Decker	5 400338 049972 >
KRT202509	5 pcs	93 x 230 mm	G 240	Powerplus, AEG, Black&Decker	5 400338 049989 >

HOOK & LOOP SYSTEM

Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT203003	5 pcs	115 x 230 mm	G 40	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 050046 >
KRT203005	5 pcs	115 x 230 mm	G 80	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 050053 >
KRT203007	5 pcs	115 x 230 mm	G 120	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 050060 >
KRT203008	5 pcs	115 x 230 mm	G 180	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 050077 >
KRT203009	5 pcs	115 x 230 mm	G 240	Black&Decker, Bosch, Einhell, Festool, Makita, Metabo, ...	5 400338 050084 >

CLAMP SYSTEM

KRT203503	5 pcs	115 x 280 mm	G 40	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050091 >
KRT203505	5 pcs	115 x 280 mm	G 80	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050107 >
KRT203507	5 pcs	115 x 280 mm	G 120	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050114 >
KRT203508	5 pcs	115 x 280 mm	G 180	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050121 >
KRT203509	5 pcs	115 x 280 mm	G 240	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050138 >

PAINT REMOVAL

To sand painted surfaces. Can also be used to sand plaster. (Make sure the machine you are using is suitable to sand plaster surfaces!)



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT200553	5 pcs	90 x 185 mm	G 40	Powerplus XQ	5 400338 049699 >
KRT200555	5 pcs	90 x 185 mm	G 80	Powerplus XQ	5 400338 049705 >
KRT200557	5 pcs	90 x 185 mm	G 120	Powerplus XQ	5 400338 049712 >
KRT200558	5 pcs	90 x 185 mm	G 180	Powerplus XQ	5 400338 049729 >
KRT200559	5 pcs	90 x 185 mm	G 240	Powerplus XQ	5 400338 049736 >

HOOK & LOOP SYSTEM


PAINT REMOVAL

HOOK & LOOP SYSTEM




Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT201553	5 pcs	93 x 187 mm	G 40	Powerplus, Black&Decker	5 400338 049842 >
KRT201555	5 pcs	93 x 187 mm	G 80	Powerplus, Black&Decker	5 400338 049859 >
KRT201557	5 pcs	93 x 187 mm	G 120	Powerplus, Black&Decker	5 400338 049866 >
KRT201558	5 pcs	93 x 187 mm	G 180	Powerplus, Black&Decker	5 400338 049873 >
KRT201559	5 pcs	93 x 187 mm	G 240	Powerplus, Black&Decker	5 400338 049880 >

CLAMP SYSTEM



KRT202553	5 pcs	93 x 230 mm	G 40	Powerplus, AEG, Black&Decker	5 400338 049996 >
KRT202555	5 pcs	93 x 230 mm	G 80	Powerplus, AEG, Black&Decker	5 400338 050008 >
KRT202557	5 pcs	93 x 230 mm	G 120	Powerplus, AEG, Black&Decker	5 400338 050015 >
KRT202558	5 pcs	93 x 230 mm	G 180	Powerplus, AEG, Black&Decker	5 400338 050022 >
KRT202559	5 pcs	93 x 230 mm	G 240	Powerplus, AEG, Black&Decker	5 400338 050039 >


CLAMP SYSTEM



KRT203553	5 pcs	115 x 280 mm	G 40	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050145 >
KRT203555	5 pcs	115 x 280 mm	G 80	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050152 >
KRT203557	5 pcs	115 x 280 mm	G 120	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050169 >
KRT203558	5 pcs	115 x 280 mm	G 180	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050176 >
KRT203559	5 pcs	115 x 280 mm	G 240	Powerplus, Bosch, Black&Decker, Festool, Hitachi, Makita, Metabo, ...	5 400338 050183 >

TRIANGULAR SANDPAPER

Used for sanding corners and precision sanding.



WOOD SANDING

Versatile use, to sand all kinds of wood. (wood, plywood, MDF, ...)

HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT210003	5 pcs	90 x 90 x 90mm	G 40	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049354 >
KRT210004	5 pcs	90 x 90 x 90mm	G 60	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049361 >
KRT210005	5 pcs	90 x 90 x 90mm	G 80	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049378 >
KRT210007	5 pcs	90 x 90 x 90mm	G 120	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049385 >
KRT210008	5 pcs	90 x 90 x 90mm	G 180	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049392 >
KRT210009	5 pcs	90 x 90 x 90mm	G 240	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049408 >

PAINT REMOVAL

To sand painted surfaces. Can also be used to sand plaster. (Make sure the machine you are using is suitable to sand plaster surfaces !)

HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT210053	5 pcs	90 x 90 x 90mm	G 40	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049415 >
KRT210054	5 pcs	90 x 90 x 90mm	G 60	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049422 >
KRT210055	5 pcs	90 x 90 x 90mm	G 80	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049439 >
KRT210057	5 pcs	90 x 90 x 90mm	G 120	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049446 >
KRT210058	5 pcs	90 x 90 x 90mm	G 180	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049453 >
KRT210059	5 pcs	90 x 90 x 90mm	G 240	Powerplus, Bosch, Makita, Metabo, Skil, ...	5 400338 049460 >

PALM SANDER SANDPAPER

Used for sanding corners and precision sanding.



WOOD SANDING

Versatile use, to sand all kinds of wood. (wood, plywood, MDF, ...)



HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT220003	5 pcs	140 x 140 x 80mm	G 40	Powerplus	5 400338 049477 >
KRT220004	5 pcs	140 x 140 x 80mm	G 60	Powerplus	5 400338 049484 >
KRT220005	5 pcs	140 x 140 x 80mm	G 80	Powerplus	5 400338 049491 >
KRT220007	5 pcs	140 x 140 x 80mm	G 120	Powerplus	5 400338 049507 >
KRT220008	5 pcs	140 x 140 x 80mm	G 180	Powerplus	5 400338 049514 >
KRT220009	5 pcs	140 x 140 x 80mm	G 240	Powerplus	5 400338 049521 >

PAINT REMOVAL

To sand painted surfaces. Can also be used to sand plaster. (Make sure the machine you are using is suitable to sand plaster surfaces!)



HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT220053	5 pcs	140 x 140 x 80mm	G 40	Powerplus	5 400338 049538 >
KRT220054	5 pcs	140 x 140 x 80mm	G 60	Powerplus	5 400338 049545 >
KRT220055	5 pcs	140 x 140 x 80mm	G 80	Powerplus	5 400338 049552 >
KRT220057	5 pcs	140 x 140 x 80mm	G 120	Powerplus	5 400338 049569 >
KRT220058	5 pcs	140 x 140 x 80mm	G 180	Powerplus	5 400338 049576 >
KRT220059	5 pcs	140 x 140 x 80mm	G 240	Powerplus	5 400338 049583 >

CIRCULAR SANDPAPER

Used for sanding all kinds of large surfaces (flat, concave, ...)



HOOK & LOOP SYSTEM

Ø115mm

WOOD SANDING

Versatile use, to sand all kinds of wood. (wood, plywood, MDF, ...)

Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT230003	5 pcs	Ø 115 mm	G 40	Bosch, Einhell, Kress, Peugeot, Stayer, Skil, ...	5 400338 050190 >
KRT230004	5 pcs	Ø 115 mm	G 60	Bosch, Einhell, Kress, Peugeot, Stayer, Skil, ...	5 400338 050206 >
KRT230005	5 pcs	Ø 115 mm	G 80	Bosch, Einhell, Kress, Peugeot, Stayer, Skil, ...	5 400338 050213 >
KRT230007	5 pcs	Ø 115 mm	G 120	Bosch, Einhell, Kress, Peugeot, Stayer, Skil, ...	5 400338 050220 >
KRT230008	5 pcs	Ø 115 mm	G 180	Bosch, Einhell, Kress, Peugeot, Stayer, Skil, ...	5 400338 050237 >
KRT230009	5 pcs	Ø 115 mm	G 240	Bosch, Einhell, Kress, Peugeot, Stayer, Skil, ...	5 400338 050244 >

Ø125mm




KRT230503	5 pcs	Ø 125 mm	G 40	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050251 >
KRT230504	5 pcs	Ø 125 mm	G 60	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050268 >
KRT230505	5 pcs	Ø 125 mm	G 80	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050275 >
KRT230507	5 pcs	Ø 125 mm	G 120	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050282 >
KRT230508	5 pcs	Ø 125 mm	G 180	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050299 >
KRT230509	5 pcs	Ø 125 mm	G 240	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050305 >

PAINT REMOVAL

To sand painted surfaces. Can also be used to sand plaster. (Make sure the machine you are using is suitable to sand plaster surfaces!)




Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT230553	5 pcs	Ø 125 mm	G 40	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050312 >
KRT230554	5 pcs	Ø 125 mm	G 60	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050329 >
KRT230555	5 pcs	Ø 125 mm	G 80	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050336 >
KRT230557	5 pcs	Ø 125 mm	G 120	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050343 >
KRT230558	5 pcs	Ø 125 mm	G 180	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050350 >
KRT230559	5 pcs	Ø 125 mm	G 240	Powerplus, Bosch, Black&Decker, Dewalt, Hitachi, Makita, Metabo, Skil, Fein, ...	5 400338 050367 >



HOOK & LOOP SYSTEM

WOOD SANDING

Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT231003	5 pcs	Ø 150 mm	G 40	Bosch, Dewalt, Hilti, Hitachi, Metabo, AEG, Felisatti, Flex, Kress, Milwaukee, ...	5 400338 050374 >
KRT231004	5 pcs	Ø 150 mm	G 60	Bosch, Dewalt, Hilti, Hitachi, Metabo, AEG, Felisatti, Flex, Kress, Milwaukee, ...	5 400338 050381 >
KRT231005	5 pcs	Ø 150 mm	G 80	Bosch, Dewalt, Hilti, Hitachi, Metabo, AEG, Felisatti, Flex, Kress, Milwaukee, ...	5 400338 050398 >
KRT231007	5 pcs	Ø 150 mm	G 120	Bosch, Dewalt, Hilti, Hitachi, Metabo, AEG, Felisatti, Flex, Kress, Milwaukee, ...	5 400338 050404 >
KRT231008	5 pcs	Ø 150 mm	G 180	Bosch, Dewalt, Hilti, Hitachi, Metabo, AEG, Felisatti, Flex, Kress, Milwaukee, ...	5 400338 050411 >
KRT231009	5 pcs	Ø 150 mm	G 240	Bosch, Dewalt, Hilti, Hitachi, Metabo, AEG, Felisatti, Flex, Kress, Milwaukee, ...	5 400338 050428 >



HOOK & LOOP SYSTEM

DRYWALL SANDER SANDPAPER

Used for sanding ceilings and interior walls



HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT232004	5 pcs	Ø 225 mm	G 60	Powerplus, Festool	5 400338 052637 >
KRT232006	5 pcs	Ø 225 mm	G 100	Powerplus, Festool	5 400338 052644 >
KRT232007	5 pcs	Ø 225 mm	G 150	Powerplus, Festool	5 400338 056994 >
KRT232008	5 pcs	Ø 225 mm	G 180	Powerplus, Festool	5 400338 056987 >
KRT232009	5 pcs	Ø 225 mm	G 240	Powerplus, Festool	5 400338 052651 >

ANGLE POLISHER SANDPAPER

Used for fast and aggressive sanding of surfaces.




HOOK & LOOP SYSTEM



Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT231554	5 pcs	Ø 180 mm	G 60	Powerplus, Festool	5 400338 052712 >
KRT231557	5 pcs	Ø 180 mm	G 120	Powerplus, Festool	5 400338 052729 >
KRT231559	5 pcs	Ø 180 mm	G 240	Powerplus, Festool	5 400338 052736 >

ANGLE GRINDER SANDPAPER







Used for fast and aggressive sanding of surfaces.



METAL / WOOD



Ø115mm

Art. nr.	QTY	Size	Grain	Barcode
KRT250001	5 pcs	Ø 115 mm	G 24	 5 400338 050480 >
KRT250002	5 pcs	Ø 115 mm	G 36	 5 400338 050497 >
KRT250004	5 pcs	Ø 115 mm	G 60	 5 400338 050503 >
KRT250005	5 pcs	Ø 115 mm	G 80	 5 400338 050510 >
KRT250006	5 pcs	Ø 115 mm	G 100	 5 400338 050527 >
KRT250007	5 pcs	Ø 115 mm	G 120	 5 400338 050534 >


Ø125mm



KRT250501	5 pcs	Ø 125 mm	G 24	 5 400338 050541 >
KRT250502	5 pcs	Ø 125 mm	G 36	 5 400338 050558 >
KRT250504	5 pcs	Ø 125 mm	G 60	 5 400338 050565 >
KRT250505	5 pcs	Ø 125 mm	G 80	 5 400338 050572 >
KRT250506	5 pcs	Ø 125 mm	G 100	 5 400338 050589 >
KRT250507	5 pcs	Ø 125 mm	G 120	 5 400338 050596 >

SUPPORT DISCS

For use on angle grinders with M14 spindle in combination with a sanding disc.




Art. nr.	QTY	Size	Spindle	Barcode
KRT259001	1 pc	Ø 115 mm	M14	5 400338 050602 >
KRT259002	1 pc	Ø 125 mm	M14	5 400338 050619 >

ABRASIVE FLAP DISCS

For use on angle grinders.



Ø115mm



Art. nr.	QTY	Size	Grain	Barcode
KRT255003	1 pc	Ø 115 mm	G 40	5 400338 050626 >
KRT255004	1 pc	Ø 115 mm	G 60	5 400338 050633 >
KRT255005	1 pc	Ø 115 mm	G 80	5 400338 050640 >
KRT255007	1 pc	Ø 115 mm	G 120	5 400338 050657 >

Ø125mm



KRT255503	1 pc	Ø 125 mm	G 40	5 400338 050664 >
KRT255504	1 pc	Ø 125 mm	G 60	5 400338 050671 >
KRT255505	1 pc	Ø 125 mm	G 80	5 400338 050688 >
KRT255507	1 pc	Ø 125 mm	G 120	5 400338 050695 >

SANDING BELTS

Used for aggressive action on wood, rapid removal of material. Suitable for large surfaces. Can also be used for removing paints or finishing of wood.



WOOD SANDING


13x457

Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT260001	3 pcs	13 x 457 mm	G 40	Powerplus, Ferm, Black&Decker, ...	5 400338 061103 >
KRT260002	3 pcs	13 x 457 mm	G 80	Powerplus, Ferm, Black&Decker, ...	5 400338 061110 >
KRT260003	3 pcs	13 x 457 mm	G 120	Powerplus, Ferm, Black&Decker, ...	5 400338 061127 >
KRT261001	3 pcs	13 x 457 mm	G 40 G 80 G 120	Powerplus, Ferm, Black&Decker, ...	5 400338 061134 >


65x410

KRT240503	3 pcs	65 x 410 mm	G 40	Black&Decker, Metabo, AEG, Kress, ...	5 400338 050701 >
KRT240504	3 pcs	65 x 410 mm	G 60	Black&Decker, Metabo, AEG, Kress, ...	5 400338 050718 >
KRT240505	3 pcs	65 x 410 mm	G 80	Black&Decker, Metabo, AEG, Kress, ...	5 400338 050725 >
KRT240507	3 pcs	65 x 410 mm	G 120	Black&Decker, Metabo, AEG, Kress, ...	5 400338 050732 >
KRT240508	3 pcs	65 x 410 mm	G 180	Black&Decker, Metabo, AEG, Kress, ...	5 400338 050749 >

75x457

KRT241003	3 pcs	75 x 457 mm	G 40	Powerplus, Bosch, Makita, Skil, Peugeot, Stayer	5 400338 050756 >
KRT241004	3 pcs	75 x 457 mm	G 60	Powerplus, Bosch, Makita, Skil, Peugeot, Stayer	5 400338 050763 >
KRT241005	3 pcs	75 x 457 mm	G 80	Powerplus, Bosch, Makita, Skil, Peugeot, Stayer	5 400338 050770 >
KRT241007	3 pcs	75 x 457 mm	G 120	Powerplus, Bosch, Makita, Skil, Peugeot, Stayer	5 400338 050787 >
KRT241008	3 pcs	75 x 457 mm	G 180	Powerplus, Bosch, Makita, Skil, Peugeot, Stayer	5 400338 050794 >

**75x508**

Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT241503	3 pcs	75 x 508 mm	G 40	Black&Decker, Bosch, ...	5 400338 050800 >
KRT241504	3 pcs	75 x 508 mm	G 60	Black&Decker, Bosch, ...	5 400338 050817 >
KRT241505	3 pcs	75 x 508 mm	G 80	Black&Decker, Bosch, ...	5 400338 050824 >
KRT241507	3 pcs	75 x 508 mm	G 120	Black&Decker, Bosch, ...	5 400338 050831 >
KRT241508	3 pcs	75 x 508 mm	G 180	Black&Decker, Bosch, ...	5 400338 050848 >

75x533

KRT242003	3 pcs	75 x 533 mm	G 40	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Skil, Hitachi, Metabo, Makita, ...	5 400338 050855 >
KRT242004	3 pcs	75 x 533 mm	G 60	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Skil, Hitachi, Metabo, Makita, ...	5 400338 050862 >
KRT242005	3 pcs	75 x 533 mm	G 80	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Skil, Hitachi, Metabo, Makita, ...	5 400338 050879 >
KRT242007	3 pcs	75 x 533 mm	G 120	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Skil, Hitachi, Metabo, Makita, ...	5 400338 050886 >
KRT242008	3 pcs	75 x 533 mm	G 180	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Skil, Hitachi, Metabo, Makita, ...	5 400338 050893 >

100x560

KRT242503	3 pcs	100 x 560 mm	G 40	AEG, Atlas Copco, DeWalt, Festo, Ryobi, ...	5 400338 050909 >
KRT242504	3 pcs	100 x 560 mm	G 60	AEG, Atlas Copco, DeWalt, Festo, Ryobi, ...	5 400338 050916 >
KRT242505	3 pcs	100 x 560 mm	G 80	AEG, Atlas Copco, DeWalt, Festo, Ryobi, ...	5 400338 050923 >
KRT242507	3 pcs	100 x 560 mm	G 120	AEG, Atlas Copco, DeWalt, Festo, Ryobi, ...	5 400338 050930 >
KRT242508	3 pcs	100 x 560 mm	G 180	AEG, Atlas Copco, DeWalt, Festo, Ryobi, ...	5 400338 050947 >

100x610

KRT243003	3 pcs	100 x 610 mm	G 40	PowerPlus, Bosch, Hitachi, Makita, Ryobi, ...	5 400338 050954 >
KRT243004	3 pcs	100 x 610 mm	G 60	PowerPlus, Bosch, Hitachi, Makita, Ryobi, ...	5 400338 050961 >
KRT243005	3 pcs	100 x 610 mm	G 80	PowerPlus, Bosch, Hitachi, Makita, Ryobi, ...	5 400338 050978 >
KRT243007	3 pcs	100 x 610 mm	G 120	PowerPlus, Bosch, Hitachi, Makita, Ryobi, ...	5 400338 050985 >
KRT243008	3 pcs	100 x 610 mm	G 180	PowerPlus, Bosch, Hitachi, Makita, Ryobi, ...	5 400338 050992 >

**100x620**

Art. nr.	QTY	Size	Grain	Use with	Barcode
KRT243503	3 pcs	100 x 620 mm	G 40	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Hitachi, Metabo, Makita, Skil, ...	5 400338 051005 >
KRT243504	3 pcs	100 x 620 mm	G 60	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Hitachi, Metabo, Makita, Skil, ...	5 400338 051012 >
KRT243505	3 pcs	100 x 620 mm	G 80	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Hitachi, Metabo, Makita, Skil, ...	5 400338 051029 >
KRT243507	3 pcs	100 x 620 mm	G 120	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Hitachi, Metabo, Makita, Skil, ...	5 400338 051036 >
KRT243508	3 pcs	100 x 620 mm	G 180	Powerplus, Black&Decker, Bosch, AEG, DeWalt, Hitachi, Metabo, Makita, Skil, ...	5 400338 051043 >

105x620

KRT244003	3 pcs	105 x 620 mm	G 40	AEG, Atlas Copco, DeWalt, Festool, Ryobi, ...	5 400338 051050 >
KRT244004	3 pcs	105 x 620 mm	G 60	AEG, Atlas Copco, DeWalt, Festool, Ryobi, ...	5 400338 051067 >
KRT244005	3 pcs	105 x 620 mm	G 80	AEG, Atlas Copco, DeWalt, Festool, Ryobi, ...	5 400338 051074 >
KRT244007	3 pcs	105 x 620 mm	G 120	AEG, Atlas Copco, DeWalt, Festool, Ryobi, ...	5 400338 051081 >
KRT244008	3 pcs	105 x 620 mm	G 180	AEG, Atlas Copco, DeWalt, Festool, Ryobi, ...	5 400338 051098 >

FOAM SANDING BLOCKS

Flexible sanding blocks for multiple surfaces, contours, edges.



Art. nr.	QTY	Size	Grain	Barcode
KRT562001	1 pc	70 x 100 x 24mm	G 60	5 400338 065736 >
KRT562002	1 pc	70 x 100 x 24mm	G 80	5 400338 065743 >
KRT562003	1 pc	70 x 100 x 24mm	G 120	5 400338 065750 >
KRT562004	1 pc	70 x 100 x 24mm	G 240	5 400338 065767 >

POLISHING PADS



Used to apply polishing cream on lakked surfaces.



WOOL PADS

Used to remove dry polishing cream and make surfaces shine.





	Art. nr.	QTY	Size	Type	Barcode
 	KRT239002	1 pc	Ø 128 mm	Polishing pad	5 400338 050435 >
	KRT239012	1 pc	Ø 160 mm	Polishing pad	5 400338 050459 >

	Art. nr.	QTY	Size	Type	Barcode
 	KRT239003	1 pc	Ø 128 mm	Wool pad	5 400338 050442 >
	KRT239013	1 pc	Ø 160 mm	Wool pad	5 400338 050466 >

	Art. nr.	QTY	Size	Type	Barcode
 	KRT239090	2 pcs	Ø 245 mm	Polishing bonnet Wool bonnet	5 400338 050473 >



	Art. nr.	QTY	Size	Type	Barcode
	KRT239022	1 pc	Ø 180 mm	Polishing pad	5 400338 052705 >

	Art. nr.	QTY	Size	Type	Barcode
	KRT239070	1 pc	Ø 180 mm	Wool pad	5 400338 052743 >

Brushes

Wire brushes are used for cleaning surfaces, removing rust and paint.


Wire types

WAVED STEEL WIRE		TWISTED STEEL WIRE		COPPERIZED WIRE		KORUND WIRE	
FOR DRILL	FOR ANGLE GRINDER	FOR DRILL	FOR ANGLE GRINDER	FOR DRILL	FOR ANGLE GRINDER	FOR DRILL	FOR ANGLE GRINDER
							
Universal, versatile use. Removal of rust, paint, cement, ... from metal, wood, stone, ...		Highly abrasive brush. For heavy duty, rough removal of rust, paint, ...		Universal, versatile use. Removal of rust, paint, cement, ... from metal, wood, stone, ... the copper coating prevents to rust.		Removal of paint on wood, metal, ...	

WAVED STEEL WIRE

DRILL WAVED STEEL WIRE

Universal, versatile use. Removal of rust, paint, cement, ... from metal, wood, stone, ...



Art. nr.	QTY	Type	Shaft	Size	Barcode
KRT150101	1 pc	Pencil brush Waved steel wire	Ø 6 mm	Ø 25 mm	5 400338 049095 >
KRT150102	1 pc	Cup brush Waved steel wire	Ø 6 mm	Ø 50 mm	5 400338 049101 >
KRT150103	1 pc	Cup brush Waved steel wire	Ø 6 mm	Ø 70 mm	5 400338 049118 >



Art. nr.	QTY	Type	Shaft	Size	Barcode
KRT150108	1 pc	Disc brush Waved steel wire	Ø 6 mm	Ø 75 mm	5 400338 049163 >
KRT150109	1 pc	Disc brush Waved steel wire	Ø 6 mm	Ø 100 mm	5 400338 049170 >

ANGLE GRINDER WAVED STEEL WIRE

Universal, versatile use. Removal of rust, paint, cement, ... from metal, wood, stone, ...



Art. nr.	QTY	Type	Connect type	Size	Barcode
KRT150201	1 pc	Cup brush Waved steel wire	M14	Ø 100 mm	5 400338 049217 >



TWISTED STEEL WIRE

DRILL TWISTED STEEL WIRE

Highly abrasive brush. For heavy duty, rough removal of rust, paint, ...



Art. nr.	QTY	Type	Shaft	Size	Barcode
KRT150107	1 pc	Cup brush Twisted steel wire	Ø 6 mm	Ø 65 mm	5 400338 049156 >



ANGLE GRINDER TWISTED STEEL WIRE

Highly abrasive brush. For heavy duty, rough removal of rust, paint, ...



Art. nr.	QTY	Type	Connect type	Size	Barcode
KRT150203	1 pc	Cup brush Twisted steel wire	M14	Ø 75 mm	5 400338 049231 >
KRT150204	1 pc	Cup brush Twisted steel wire	M14	Ø 90 mm	5 400338 049248 >
KRT150205	1 pc	Cup brush Twisted steel wire	M14	Ø 100 mm	5 400338 049255 >

COPPERIZED WIRE

DRILL COPPERIZED WIRE

Universal, versatile use. Removal of rust, paint, cement, ... from metal, wood, stone, ... the copper coating prevents rust.



Art. nr.	QTY	Type	Shaft	Size	Barcode
KRT150104	1 pc	Cup brush Copperized wire	Ø 6 mm	Ø 50 mm	5 400338 049125 >
KRT150110	1 pc	Disc brush Waved steel wire	Ø 6 mm	Ø 75 mm	5 400338 049187 >

ANGLE GRINDER COPPERIZED WIRE

Universal, versatile use. Removal of rust, paint, cement, ... from metal, wood, stone, ... the copper coating prevents the wires to rust.



Art. nr.	QTY	Type	Connect type	Size	Barcode
KRT150202	1 pc	Cup brush Copperized wire	M14	Ø 75 mm	5 400338 049224 >

KORUND WIRE

DRILL KORUND WIRE

Removal of paint on wood, metal, ...











Art. nr.	QTY	Type	Shaft	Size	Barcode
KRT150105	1 pc	Cup brush Korund wire	Ø 6 mm	Ø 50 mm	5 400338 049132 >
KRT150106	1 pc	Cup brush Korund wire	Ø 6 mm	Ø 75 mm	5 400338 049149 >
KRT150111	1 pc	disc brush Korund wire	Ø 6 mm	Ø 75 mm	5 400338 049194 >
KRT150112	1 pc	disc brush Korund wire	Ø 6 mm	Ø 100 mm	5 400338 049200 >

Diamond discs


Kreator diamond discs are suitable to cut various hard materials. They are commonly used for building, remodeling and repairs. Diamond discs are often used for cutting stone, roof tiles, ceramics, concrete, brick, stone, and other materials with similar properties.

A diamond disc for every job.

CERAMICS	UNIVERSAL	TURBO	HARD MATERIAL
			
			
<p>Continuous rim</p> <p>These discs provide the smoothest cut by ultra smooth chip-free cutting.</p> <p>Ideal for cutting through ceramic tiles, marble and porcelain.</p> <p>Wet use</p>	<p>Segmented rim</p> <p>These discs give a better cooling, longer life and faster cutting where occasional chipping is not an issue.</p> <p>Ideal for cutting through stone, roof tiles, concrete, and other materials.</p> <p>Dry use</p>	<p>Serrated rim</p> <p>These discs provide the fastest cut and a smooth finish.</p> <p>Ideal for cutting brick, roof tiles, concrete, ... and most brick applications where speed of cut is important.</p> <p>Wet or dry use</p>	<p>Segmented rim</p> <p>These discs give a better cooling, longer life and faster cutting where occasional chipping is not an issue.</p> <p>Ideal for cutting through concrete, blue stone, granite, stone, roof tiles and other hard materials.</p> <p>Dry use</p>

CERAMICS

Ideal for cutting through ceramic tiles, marble and porcelain.



- TILES
- MARBLE
- PORCELAIN



PROMO 2+1	Art. nr.	QTY	Type	Size	Bore	Edge thickness	Barcode
	KRT081010	2+1 pcs	WET	Ø 115 mm	Ø 22.2 mm	1.7 mm	5 400338 047497 >

Art. nr.	QTY	TYPE	Size	Bore	Edge thickness	Barcode
KRT081011	1 pc	WET	Ø 115 mm	Ø 22.2 mm	1.7 mm	5 400338 047503 >
KRT081021	1 pc	WET	Ø 125 mm	Ø 22.2 mm	1.9 mm	5 400338 047510 >



KRT081041	1 pc	WET *	Ø 180 mm	Ø 25.4mm + reduction ring 22.2mm	2.2 mm	5 400338 047527 >
KRT081051	1 pc	WET *	Ø 200 mm	Ø 25.4mm + reduction ring 22.2mm	2.3 mm	5 400338 047534 >
KRT081071	1 pc	WET *	Ø 250 mm	Ø 25.4mm + reduction ring 22.2mm	2.4 mm	5 400338 047541 >

*Also suitable for tile cutters

CUTTING/GRINDING

KREATOR

UNIVERSAL

Ideal for cutting through stone, roof tiles, concrete, and other materials.

- **STONE**
- **ROOF TILES**
- **CONCRETE**



PROMO 2+1

Art. nr.	QTY	Type	Size	Bore	Edge thickness	Barcode
KRT082010	3 pcs	DRY	Ø 115 mm	Ø 22.2 mm	1.8 mm	5 400338 047558 >
KRT082020	3 pcs	DRY	Ø 125 mm	Ø 22.2 mm	2.0 mm	5 400338 047589 >
KRT082060	3 pcs	DRY	Ø 230 mm	Ø 22.2 mm	2.4 mm	5 400338 047619 >


CUTTING/GRINDING



Art. nr.	QTY	Type	Size	Bore	Edge thickness	Barcode
KRT082000	1 pc	DRY	Ø 89 mm	Ø 10.0 mm	1.8 mm	5 400338 065897 >
KRT082011	1 pc	DRY	Ø 115 mm	Ø 22.2 mm	1.8 mm	5 400338 047565 >
KRT082021	1 pc	DRY	Ø 125 mm	Ø 22.2 mm	2.0 mm	5 400338 047596 >
KRT082031	1 pc	DRY	Ø 150 mm	Ø 22.2 mm	2.1 mm	5 400338 051135 >
KRT082061	1 pc	DRY	Ø 230 mm	Ø 22.2 mm	2.4 mm	5 400338 047626 >

TURBO

Ideal for cutting brick, roof tiles, concrete, ... and most brick applications where speed of cut is important.



- **STONE**
- **ROOF TILES**
- **CONCRETE**

Art. nr.	QTY	Type	Size	Bore	Edge thickness	Barcode
KRT083011	1 pc	WET /DRY	Ø 115 mm	Ø 22.2 mm	2.0 mm	5 400338 047640 >
KRT083021	1 pc	WET /DRY	Ø 125 mm	Ø 22.2 mm	2.1 mm	5 400338 047657 >
KRT083061	1 pc	WET /DRY	Ø 230 mm	Ø 22.2 mm	2.4 mm	5 400338 047664 >



HARD MATERIAL

Ideal for cutting through concrete, blue stone, granite, stone, roof tiles and other hard materials.



- **BLUESTONE**
- **ROOF TILES**
- **GRANITE**
- **CONCRETE**

Art. nr.	QTY	Type	Size	Bore	Edge thickness	Barcode
KRT082012	1 pc	DRY	Ø 115 mm	Ø 22.2 mm	1.8 mm	5 400338 047572 >
KRT082022	1 pc	DRY	Ø 125 mm	Ø 22.2 mm	2.2 mm	5 400338 047602 >
KRT082062	1 pc	DRY	Ø 230 mm	Ø 22.2 mm	2.4 mm	5 400338 047633 >













CUTTING/GRINDING

KREATOR

Bonded discs


Please follow the Kreator disc color code when you choose between a metal or stone Kreator cutting disc according to the material being cut or grinded. Ensure that the correct wheel is properly mounted.

Color code Cutting & grinding

DEPRESSED CENTRE CUTTING DISCS		THIN CUTTING-OFF WHEELS	DEPRESSED CENTRE GRINDING DISCS
METAL	STONE	INOX / METAL	METAL
			
			
Blue color	Green color	Grey color	Red color
At an angle of 90° Suitable for cutting all types of metal.	At an angle of 90° Suitable on all kinds of construction material, such as concrete, stone, roof tiles.	At an angle of 90° Suitable for thin sheet metal such as steel cable, profile sections and pipes.	At an angle of 45° Suitable for metal grinding applications.
			


Cutting discs

Our wide range of cutting discs enable you to make a clean cut in the shortest time and with a minimum amount of force.



Grinding discs


Our range of grinding discs enable you to make a high performance smooth grinding action.



METAL

Suitable for cutting all types of metal.

CUTTING DISC



Art. nr.	QTY	Shape	Size	Bore	Thickness	Barcode
KRT070110	4+2 pcs	CURVED	Ø 115 mm	Ø 22 mm	2.5 mm	5 400338 047763 >
KRT070120	4+2 pcs	CURVED	Ø 125 mm	Ø 22 mm	2.5 mm	5 400338 047770 >
KRT070160	4+2 pcs	CURVED	Ø 230 mm	Ø 22 mm	3.0 mm	5 400338 047794 >

CUTTING DISC FOR METAL CUTTER



Art. nr.	QTY	Shape	Size	Bore	Thickness	Barcode
KRT070180	2 pcs	FLAT	Ø 355 mm	Ø 25.4 mm	3.2 mm	5 400338 049071 >

INOX / METAL

Very thin 1 mm disc for clean a cut at minimum of force.

Suitable for thin sheet metal such as steel cable, profile sections and pipes.

CUTTING DISC



Art. nr.	QTY	Shape	Size	Bore	Thickness	Barcode
KRT070410	4+2 pcs	FLAT	Ø 115 mm	Ø 22 mm	1 mm	5 400338 047886 >
KRT070420	4+2 pcs	FLAT	Ø 125 mm	Ø 22 mm	1 mm	5 400338 047893 >

STONE

Suitable on all kinds of construction material, such as concrete, stone, roof tiles.

CUTTING DISC



Art. nr.	QTY	Shape	Size	Bore	Thickness	Barcode
KRT070210	4+2 pcs	CURVED	Ø 115 mm	Ø 22 mm	2.5 mm	5 400338 047800 >
KRT070220	4+2 pcs	CURVED	Ø 125 mm	Ø 22 mm	2.5 mm	5 400338 047817 >
KRT070260	4+2 pcs	CURVED	Ø 230 mm	Ø 22 mm	3.0 mm	5 400338 047831 >

METAL GRINDING

They are all suitable for angle grinders and have depressed centres to make it easier to present the face to the work-piece.

GRINDING DISC



Art. nr.	QTY	Shape	Size	Bore	Thickness	Barcode
KRT070310	2+1 pcs	CURVED	Ø 115 mm	Ø 22 mm	6 mm	5 400338 047848 >
KRT070320	2+1 pcs	CURVED	Ø 125 mm	Ø 22 mm	6 mm	5 400338 047855 >
KRT070360	2+1 pcs	CURVED	Ø 230 mm	Ø 22 mm	6 mm	5 400338 047879 >

Rotary files

ROTARY FILE SET OF HSS METAL

High speed steel is a very hard and heat resistant steel. You can use this for filing or grinding hard metal, aluminium and non-ferrous metals.

FILES CUT FLAT AND ASSORTED CURVES INTO METAL AND WOOD



Art. nr.	QTY	Type	Shaft	Barcode
KRT017005	3 pcs	HSS METAL	Ø 6 mm	5 400338 049002



ROTARY FILE SET FOR WOOD

Made of carbon steel, used for wood work. Carbon steel contains more than 0.3% carbon which makes the steel harder and less flexible.

FIT FOR CUTTING PLASTICS AND WOOD FAST AND WITHOUT DEFLECTION



Art. nr.	QTY	Material	Shaft	Barcode
KRT017001	3 pcs	CARBON STEEL	Ø 6 mm	5 400338 048999



Fastening

Kreator presents a variety of nails and staples to finish of your projects. In zinc or, not susceptible to rust, stainless steel.

Stapling


STAPLES

Which staple type is best for your needs? Check out the different features here.



A


STAPLES TYPE A // 1000pcs



Art. nr.	Y: length	Material	X: crown	Z: wire size	Barcode
STAPLES TYPE A // 1000pcs					
KRT301006	6mm	Zinc	11,2mm	0,5 x 0,75 mm	5 400338 054617 >
KRT301008	8mm	Zinc	11,2mm	0,5 x 0,75 mm	5 400338 054624 >
KRT301010	10mm	Zinc	11,2mm	0,5 x 0,75 mm	5 400338 054631 >
KRT301012	12mm	Zinc	11,2mm	0,5 x 0,75 mm	5 400338 054648 >
KRT301014	14mm	Zinc	11,2mm	0,5 x 0,75 mm	5 400338 054655 >
KRT301110	10mm	Stainless Steel	11,2mm	0,5 x 0,75 mm	5 400338 054662 >
KRT301114	14mm	Stainless Steel	11,2mm	0,5 x 0,75 mm	5 400338 054679 >

B


STAPLES TYPE B // 1200pcs




STAPLES TYPE B // 1200pcs					
KRT302006	6mm	Zinc	12,4mm	0,5 x 1,25 mm	5 400338 054686 >
KRT302008	8mm	Zinc	12,4mm	0,5 x 1,25 mm	5 400338 054693 >
KRT302010	10mm	Zinc	12,4mm	0,5 x 1,25 mm	5 400338 054709 >

B**STAPLES TYPE B // 1200pcs**

Art. nr.	Y: length	Material	X: crown	Z: wire size	Barcode
STAPLES TYPE B // 1200pcs					
KRT302012	12mm	Zinc	12,4mm	0,5 x 1,25 mm	5 400338 054716 >
KRT302014	14mm	Zinc	12,4mm	0,5 x 1,25 mm	5 400338 054723 >

C**STAPLES TYPE C // 1500pcs**


Art. nr.	Y: length	Material	X: crown	Z: wire size	Barcode
STAPLES TYPE C // 1500pcs					
KRT303006	6mm	Zinc	10,6mm	0,5 x 1,25 mm	5 400338 054730 >
KRT303008	8mm	Zinc	10,6mm	0,5 x 1,25 mm	5 400338 054747 >
KRT303010	10mm	Zinc	10,6mm	0,5 x 1,25 mm	5 400338 054754 >
KRT303012	12mm	Zinc	10,6mm	0,5 x 1,25 mm	5 400338 054761 >
KRT303014	14mm	Zinc	10,6mm	0,5 x 1,25 mm	5 400338 054778 >

D**STAPLES TYPE D // 1000pcs**

Art. nr.	Y: length	Material	X: crown	Z: wire size	Barcode
STAPLES TYPE D // 1000pcs					
KRT304016	16mm	Zinc	6mm	1,1 x 1,2 mm	5 400338 054785 >
KRT304019	19mm	Zinc	6mm	1,1 x 1,2 mm	5 400338 054792 >
KRT304022	22mm	Zinc	6mm	1,1 x 1,2 mm	5 400338 054808 >
KRT304025	25mm	Zinc	6mm	1,1 x 1,2 mm	5 400338 054815 >
KRT304030	30mm	Zinc	6mm	1,1 x 1,2 mm	5 400338 054822 >
KRT304040	40mm	Zinc	6mm	1,1 x 1,2 mm	5 400338 054839 >
KRT304120	20mm	Stainless Steel	11,2mm	1,1 x 1,2 mm	5 400338 054846 >
KRT304130	30mm	Stainless Steel	6mm	1,1 x 1,2 mm	5 400338 054853 >
KRT304140	40mm	Stainless Steel	6mm	1,1 x 1,2 mm	5 400338 054860 >


NAILS

For a variety of DIY applications such as putting finishing touches on molding, furniture, cabinetry, and more.



A

NAILS TYPE A // 1500pcs



Art. nr.	Y: length	Material	X: crown	Z: wire size	Barcode
NAILS TYPE A // 1500pcs					
KRT305015	15mm	Zinc	1,8mm	1,0x 1,25 mm	5 400338 054877 >
KRT305020	20mm	Zinc	1,8mm	1,0x 1,25 mm	5 400338 054884 >
KRT305025	25mm	Zinc	1,8mm	1,0x 1,25 mm	5 400338 054891 >
KRT305030	30mm	Zinc	1,8mm	1,0x 1,25 mm	5 400338 054907 >
KRT305040	40mm	Zinc	1,8mm	1,0x 1,25 mm	5 400338 054914 >
KRT305050	50mm	Zinc	1,8mm	1,0x 1,25 mm	5 400338 054921 >
KRT305130	30mm	Stainless Steel	1,8mm	1,0x 1,25 mm	5 400338 054938 >
KRT305140	40mm	Stainless Steel	1,8mm	1,0x 1,25 mm	5 400338 054945 >
KRT305150	50mm	Stainless Steel	1,8mm	1,0x 1,25 mm	5 400338 054952 >

Glue sticks

GLUE STICKS

These hot melt glue sticks can bond a wide variety of materials. Ideal for arts & crafts or to make small household repairs with it's transparent color.



Art. nr.	QTY	Size	Ø	Use with	Barcode
KRT310001	12 pcs	100 mm	7 mm	Powerplus, Rapid, Bosch, Stanley, ...	5 400338 060199 >
KRT310003	12 pcs	100 mm	11 mm	Powerplus, Rapid, Bosch, Stanley, ...	5 400338 060205 >

Mixing paddles

Kreator offers a wide range of quality mixing paddles in different configurations, depending on the type of material to be mixed.

MOUNTED ON A DRILL

For mixing small volumes

low-medium viscosity


























MOUNTED ON A MIXER

For mixing large volumes

medium-high viscosity



								
	KRT050001	KRT050002	KRT050003 KRT050004 KRT050005	KRT050008	KRT050010	KRT050006 KRT050007	KRT050009	KRT050011
								
	•	•	•	•	•			
			•	•	•	•		•
				•		•		•
						•		•
					•		•	
						•	•	•

MIXING

LIQUID

Suitable paddle for paint and liquids in small quantity: lacquers, wall paints,...




Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050001	PAINT	80 mm	430 mm	HEX 8	5 400338 057236 >



LIQUID

A mixing paddle with innovative design that keeps liquids in the bucket. Convenient for small quantities of paint and liquids.



Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050002	PAINT	60 mm	360 mm	ROUND 6 mm	5 400338 057243 >




POWDER-BASED

All-round mixing paddles with scratch resistant anodised black coating. Appropriate for paint and powder-based solutions.



Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050003	PAINT POWDER	60 mm	400 mm	HEX 8	5 400338 057090 >
KRT050004	PAINT POWDER	85 mm	400 mm	HEX 8	5 400338 057106 >
KRT050005	PAINT POWDER	100 mm	500 mm	HEX 10	5 400338 057113 >



BIGGER VOLUME

A mixing paddle for more voluminous quantities of liquid, powder-based and spread out solutions with innovative design that keeps liquids in the bucket.




Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050008	PAINT POWDER	114 mm	600 mm	M14	5 400338 057274 >



MEDIUM VISCOSITY

All-round stirring paddles for bigger volumes of medium and high viscosity materials like finishing plaster, concrete, mortar, lime, etc.



Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050006	MORTAR PLASTER	136 mm	600 mm	M14	5 400338 057250 >
KRT050007	MORTAR PLASTER	160 mm	600 mm	M14	5 400338 057267 >



HIGH VISCOSITY

Robust mixing paddle for high viscosity mixtures. Beats the air bubbles out of concrete or mortar solution. Designed to minimize air entrapment, bubbles and foam.



Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050009	CONCRETE	114 mm	600 mm	M14	5 400338 057281 >



BITUMEN

Mixing paddle with particular design for sticky substances such as liquid tarmac, roofing, bitumen,...



Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050010	BITUMEN	160 mm	600 mm	M14	5 400338 057298 >



DOUBLE STIRRING

Durable double stirring paddle specially designed for the Powerplus POWX088 mixer. For heavy duty mortar and concrete mixtures.



Art. nr.	Use	Ø	Length	Connect type	Barcode
KRT050011	HEAVY DUTY	2x 120 mm	550 mm	HEX 13	5 400338 057779 >



Accessories

Kreator offers a full selection of screw bits for various screw head types and of various lengths, as well as a comprehensive range of sets with different screw bit combinations.

DRILL CHUCKS

Kreator offers quality key chucks and keyless chucks.



	Art. nr.	Type	Capacity	Connect type	Barcode
	KRT014001	KEY CHUCK	1.5-13mm	1/2-20UNF	 5 400338 048920 >
	KRT014004	KEY CHUCK + SDS ADAPTOR	1.5-13mm	1/2-20UNF	 5 400338 048951 >
	KRT014002	KEYLESS CHUCK	0.8-10mm	3/8-24UNF	 5 400338 048937 >
	KRT014003	KEYLESS CHUCK WITH LOCK	1.5-13mm	1/2-20UNF	 5 400338 048944 >
	KRT014005	KEYLESS CHUCK WITH LOCK + SDS ADAPTOR	1.5-13mm	1/2-20UNF	 5 400338 056376 >

KEYS

Extra key for key chuck.



Art. nr.	Capacity	Connect type	Barcode
KRT015001	10 mm	S14	5 400338 048968 >
KRT015002	13 mm	S2	5 400338 048975 >

SPANNER FOR ANGLE GRINDERS

For loosening and fastening discs from angle grinders.



Art. nr.	Type	Length	Pin distance	Barcode
KRT990001	FOR ANGLE GRINDER	200 mm	30 mm	5 400338 051746 >

SCREW EXTRACTORS SET

Quickly and easily remove damaged screws.



Art. nr.	QTY	Type		Barcode
		SCREW REMOVER	SCREW/DRILL BIT Ø	
KRT061600	5 pcs	#0	< 6mm	5 400338 048722 >
		#1	+/- 6mm	
		#2	+/- 10mm	
		#3	+/- 12mm	
		#4	+/- 14mm	

DEPTH STOP


Used for drilling holes all at a certain/same depth.



Art. nr.	QTY	Material	Ø	Barcode
KRT016001	3 pcs	S2 material	6mm 8mm 10mm	5 400338 048982 >

DEPTH STOP

A depth stop for drill bits allows you to accurately screw bits to the same depth one after another.



POZIDRIVE PHILLIPS



Art. nr.	QTY	Type	Length	Barcode
KRT061135	1 pc	PZ2	60 mm	5 400338 048494 >
KRT061235	1 pc	PH2	60 mm	5 400338 048555 >

KNIFE SET FOR PLANER

Have a set of replacement planer knives ready for precise woodworking.




Art. nr.	QTY	Cutting width	Material	Barcode
KRT99100	2 pcs	82 mm	65Mn spring steel	5 400338 066634 >

Multi-use tool acc.


Kreator proposes six handy multi-purpose tool accessories for a multitude of DIY jobs such as sawing, cutting, scarping, shoveling, grinding or removing residues.

PLUNGE CUTTING BLADE

For cutting cable ducts, sawing structural wood, cutting out slots for cables, pipes or sockets. Also handy for altering door jambs.



■ ALSO IDEAL FOR CUTTING METAL OR PLASTIC PIPES OFF TO THE WALL



Art. nr.	Material	Width	Length	Teeth distance	Barcode
KRT990010	WOOD	34 mm	40 mm	2 mm	5 400338 051753 >
KRT990011	WOOD METAL PLASTIC	34 mm	40 mm	1.4 mm	5 400338 051807 >

SHOVEL BLADE

For removing old paints, adhesive residues, carpeting, tile adhesive and concrete splatters.



Art. nr.	Material	Width	Length	Barcode
KRT990015	CONCRETE GLUE WOOD	52 mm	28 mm	5 400338 051760 >

SEGMENT BLADE

Segmented blade for softer materials, wood and putty. Recessed design allows working flush against adjacent surfaces. Segmented to cut right angles without over cutting. Easy for removing of unnecessary particles.



Art. nr.	Material	Ø	Teeth distance	Barcode
KRT990020	WOOD PLASTIC	90 mm	1.4 mm	5 400338 051777 >

SEGMENT BLADE

High Speed Steel (HSS) blade for fiberglass, carbon fiber, sheet metal and harder woods. This Blade is segmented to cut right angles without overcutting. This blade is flat and therefore handy for cutting right through your material.



Art. nr.	Material	Ø	Teeth distance	Barcode
KRT990021	WOOD METAL PLASTIC	87 mm	1.4 mm	5 400338 051784 >

CARBIDE GRINDING DISC

For replacing individual, defective tiles without damaging the surrounding tiling work. Also for cutting tile joints with precision and the minimum of dust.



Art. nr.	Material	Ø	Barcode
KRT990025	TILES CERAMICS CONCRETE PLASTER	65 mm	5 400338 051791 >

Various

WOOD STICKS

Accessories for round wood connections.




Art. nr.	QTY	Ø	Length	Barcode
KRT110101	50 pcs	6 mm	30 mm	5 400338 049019 >
KRT110102	40 pcs	8 mm	40 mm	5 400338 049026 >
KRT110103	30 pcs	10 mm	40 mm	5 400338 049033 >

BISCUITS

Accessories for perfect joints.



Art. nr.	QTY	Width	Length	Height	Barcode
KRT120101	50 pcs	15 mm	45 mm	4 mm	5 400338 049040 >
KRT120105	50 pcs	19 mm	55 mm	4 mm	5 400338 049057 >
KRT120110	50 pcs	23 mm	60 mm	4 mm	5 400338 049064 >



varo[↑]

VIC. VAN ROMPUY nv

JOSEPH VAN INSTRAAT 9
2500 LIER - BELGIUM
TEL +32 (0)3 292.92.92
FAX +32 (0)3 292.92.72
EMAIL: INFO@VARO.COM
WWW.VARO.COM

OFFICES:
IBERICA BRICOLAGE S.L. - ESPAÑA
ASIA PACIFIC HONG KONG Ltd
ASIA PACIFIC SHANGHAI PRC
AUSTRALIA Pty Ltd / GERMANY GmbH