

POWERPLUS

GARDEN 2018

POWERPLUS

POWERPLUS^{GARDENPRO}
HIGH QUALITY TOOLS

POWERPLUS[®]
HIGH QUALITY TOOLS

POWERPLUS[®] XQ
HIGH QUALITY TOOLS

INDEX



6-30

**LAWN
MOWERS**



31-32

**LAWN
SCARI
FIERS**



33-39

**CULTI
VATORS**



40-48

**GRASS
TRIM
MERS**



49-56

**BRUSH
CUTTERS**



57-72

**HEDGE
TRIM
MERS**



73-83

**CHAIN
SAWS**



84-93

**LEAF
BLOWERS
/VACUUM**



94-95

**SHRED
DERS**



96-101

**HIGH
PRESSURE
CLEANERS**



102-103

**WEED
BURNERS**

PRODUCT LINES

POWERPLUS

POWERPLUS EG

This Opening Price Point line offers an attractive mix of garden tools available at extremely competitive prices, with no compromise on basic quality standards. It is perfect for the gardener who occasionally enjoys working in the garden. New within this E-line is the 'One Fits All' battery series.



POWERPLUS[®] HIGH QUALITY TOOLS

POWERPLUS XG

Work smart, not hard. The complete Powerplus Gardenpro range is focused on the gardener born with green fingers, who can be seen frequently in his or her garden. All electric and gasoline garden tools are chosen for their excellent quality-price ratio.

POWERPLUS[®] HIGH QUALITY TOOLS

POWERPLUS DPG

The battery platform Dual Power consists of 20V and 40V batteries, that combine with a whole range of tools. It provides absolute freedom of movement and makes gardening easy. As battery and charger are sold separately, there's no need to buy a new battery for every tool.



POWERPLUS[®] XQ HIGH QUALITY TOOLS

POWERPLUS XQG

Powerplus XQ brings 100% high-quality tools. They are suited for intensive use and allow the real passionate gardener to work meticulously and create a garden with close attention to detail.

**ONE
FITS ALL**
18V LITHIUM-ION
BATTERY SERIES

**ONE BATTERY FITS ALL
EB-RANGE 18V POWER
AND GARDEN TOOLS**

**BATTERY AND CHARGER
ARE NOT INCLUDED**

POWERPLUS

EB-LINE 'ONE FITS ALL'

One 18V Lithium-ion battery for an entire range of power tools and garden equipment. That's "One Fits All", the new Powerplus EB-line battery series. It offers endless possibilities and total freedom of movement. And like the entire EB-line, this battery platform is available at extremely competitive prices.

You can choose between two 18V battery models with a different capacity: 1.5Ah or 3.0Ah for a longer runtime.

POWEBG // GARDEN TOOLS



POWEB // POWER TOOLS



USE ALL THESE TOOLS WITH THE SAME BATTERY AND CHARGER



**POWEB9010
BATTERY 18V 1.5Ah**



**POWEB9050
CHARGER 18V**



**POWEB9013
BATTERY 18V 3.0Ah**



**POWEB9090
2X BATTERY 18V 1.5Ah
2X CHARGER 18V**



Dual Power is a new generation battery platform. It consists of a 20V and a 40V battery, that combine with a multitude of cordless tools.

The concept is simple but strong. The 20V battery fits on 20V Dual Power tools, the 40V battery activates 40V Dual Power tools. But here is where the real innovation steps in: you can also click the 40V battery on a 20V Dual Power tool. Doing so will drastically increase the runtime.

DUAL POWER // GARDEN TOOLS



DUAL POWER // POWER TOOLS



USE ALL THESE TOOLS WITH THE SAME BATTERY AND CHARGER



POWDP9010
BATTERY 20V 1.5Ah



POWDP9050
CHARGER 20/40V



POWDP9020
BATTERY 20V 2.5Ah



POWDP9060
BATTERY 20V 1.5Ah
CHARGER 20/40V



POWDP9035
BATTERY 40V 2.6Ah
USED ON 20V TOOL 5.2Ah



POWDP9065
BATTERY 40V 2.0Ah
USED ON 20V TOOL 4.0Ah
CHARGER 20/40V



LAWNMOWERS

GRASMAAIERS // TONDEUSES À GAZON
RASENMÄHER // CORTACÉSPEDES



LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERÍA

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM

USE WITH TWO 18V BATTERIES:

2x POWEB9010 (1.5AH) OR 2x POWEB9013 (3.0AH)



Ø170mm

Ø130mm

NEW

POWEBG7560

RATED VOLTAGE
2x 18V \equiv

CUTTING WIDTH
400mm

ADJUSTABLE CUTTING HEIGHT
20-57.5mm - 5 positions

COLLECT BOX
40L

- Safety button
- Safety key
- Central adjustable height setting
- Top carrying handle
- Grass box warning system

**ONE
FITS ALL**
18V LITHIUM-ION
BATTERY SERIES

**ONE BATTERY FITS ALL
EB-RANGE POWER AND
GARDEN TOOLS**

**BATTERIES AND CHARGER
ARE NOT INCLUDED**



SAFETY
KEY



TWIN BATTERY
SYSTEM

POWERPLUS



LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERÍA

2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING SYSTEM



40
VOLT
TOOL

USE WITH



SAFETY
BUTTON

TOP
CARRYING
HANDLE



Ø140mm

Ø140mm



NEW

POWDPG7555

RATED VOLTAGE
40V \equiv

CUTTING WIDTH
320mm

ADJUSTABLE CUTTING HEIGHT
25-65mm - 5 positions

COLLECT BOX
30L

- Safety button
- Central adjustable height setting
- Top carrying handle
- Grass box warning system
- Adjustable handle height
- Foldable handle for storage

BATTERY
NOT INCLUDED



TOP CARRYING
HANDLE

POWERPLUS



LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERÍA

2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING SYSTEM



PROMO



NEW

POWDPG7557

POWDPG7555 LAWNMOWER

RATED VOLTAGE
40V \equiv

CUTTING WIDTH
320mm

ADJUSTABLE CUTTING HEIGHT
25-65mm - 5 positions

COLLECT BOX
30L

- Safety button
- Central adjustable height setting
- Top carrying handle
- Grass box warning system
- Adjustable handle height
- Foldable handle for storage

POWDPG7540 GRASS TRIMMER

RATED VOLTAGE
20V \equiv

CUTTING WIDTH
250mm

SPOOL
Ø1.6mm - 4.5m (single thread)

- Aluminium telescopic shaft
- Edge guide wheel
- Flower protection
- Automatic thread lengthening system
- Adjustable trimming angle
- Side edge cutter

POWDP9065 BATTERY + CHARGER

RATED VOLTAGE
40V \equiv LI-ION

BATTERY CAPACITY
2000mAh

CHARGER OUTPUT
20.5V \equiv /2.5A

CHARGING TIME 20V BATTERY
1h

CHARGING TIME 40V BATTERY
2.5h



LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERÍA

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



40
VOLT
TOOL

USE WITH



POWDPG7560


RATED VOLTAGE
40V \equiv

CUTTING WIDTH
370mm

ADJUSTABLE CUTTING HEIGHT
30-70mm - 5 positions

COLLECT BOX
40L

- Safety button
- Central adjustable height setting
- Top carrying handle
- Grass box warning system
- Foldable handle for storage
- Brushless motor



BATTERY
NOT INCLUDED



SAFETY
BUTTON



MULCHING
FUNCTION

POWERPLUS



LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERÍA

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



POWDPG7562

POWDPG7560 LAWNMOWER

RATED VOLTAGE
40V \equiv

CUTTING WIDTH
370mm

ADJUSTABLE CUTTING HEIGHT
30-70mm - 5 positions

COLLECT BOX
40L

- Safety button
- Central adjustable height setting
- Top carrying handle
- Grass box warning system
- Foldable handle for storage
- Brushless motor

POWDPG7540 GRASS TRIMMER

RATED VOLTAGE
20V \equiv

CUTTING WIDTH
250mm

SPOOL
Ø1.6mm - 4.5m

- Aluminium telescopic shaft
- Edge guide wheel
- Flower protection
- Automatic thread lengthening system
- Adjustable trimming angle
- Side edge cutter


POWDP9065 BATTERY + CHARGER

RATED VOLTAGE
40V \equiv LI-ION

BATTERY CAPACITY
2000mAh

CHARGER OUTPUT
20.5V \equiv / 2.5A

CHARGING TIME 40V BATTERY
2.5h





LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERÍA

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



40
VOLT
TOOL

USE WITH



CENTRAL ADJUSTABLE
HEIGHT SETTING

STEEL
HOUSING



NEW

POWDPG7565

RATED VOLTAGE

40V =

TWIN BATTERY SYSTEM

CUTTING WIDTH

400mm

ADJUSTABLE CUTTING HEIGHT

25-75mm - 7 positions

COLLECT BOX

50L

- Safety button
- Central adjustable height setting
- Grass box warning system
- Auto-switch system
- Brushless motor

LONGER LIFE

LONGER AUTONOMY

LOWER VIBRATION

MOTOR WITHOUT
MAINTENANCE

BRUSHLESS
MOTOR

HEAVY DUTY BOOST POWER FUNCTION



TWIN BATTERY
SYSTEM



MULCHING
FUNCTION

BATTERY
NOT INCLUDED

POWERPLUS



LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉPEDIEN A BATERÍA

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



PROMO



LONGER LIFE

LONGER AUTONOMY

LOWER VIBRATION

MOTOR WITHOUT MAINTENANCE

BRUSHLESS MOTOR



CENTRAL ADJUSTABLE HEIGHT SETTING

STEEL HOUSING



NEW

POWDPG7567

POWDPG7565 LAWNMOWER

RATED VOLTAGE

40V =

TWIN BATTERY SYSTEM

CUTTING WIDTH

400mm

ADJUSTABLE CUTTING HEIGHT

25-75mm - 7 positions

COLLECT BOX

50L

- Safety button
- Central adjustable height setting
- Grass box warning system
- Auto-switch system
- Brushless motor

POWDP9065 BATTERY + CHARGER

RATED VOLTAGE

40V = LI-ION

BATTERY CAPACITY

2000mAh

CHARGER OUTPUT

20.5V = / 2.5A

CHARGING TIME 20V BATTERY

1h

CHARGING TIME 40V BATTERY

2.5h

HEAVY DUTY BOOST POWER FUNCTION



TWIN BATTERY SYSTEM

POWERPLUS

LAWNMOWERS



	NEW POWEBG7560	NEW POWDPG7555	NEW POWDPG7557	POWDPG7560	POWDPG7562	NEW POWDPG7565	NEW POWDPG7567
RATED VOLTAGE	2x 18V (not included)	40V (not included)	40V	40V (not included)	40V	40V twin battery system (not included)	40V twin battery system
CUTTING WIDTH	400mm	320mm	320mm	370mm	370mm	460mm	460mm
ADJUSTABLE CUTTING HEIGHT	20-57.5mm 5 positions	25-65mm 5 positions	25-65mm 5 positions	30-70mm 5 positions	30-70mm 5 positions	25-75mm 7 positions	25-75mm 7 positions
COLLECT BAG/BOX	40L	30L	30L	40L	40L	50L	50L

FEATURES

INDUCTION MOTOR	-	-	-	-	-	✓	✓
MULCHING FUNCTION	✓	-	-	✓	✓	✓	✓
HOUSING	Plastic	Plastic	Plastic	Plastic	Plastic	Steel	Steel
BRUSHLESS MOTOR	-	-	-	✓	✓	✓	✓

EXTRA

-	-	+ POWDPG7540 grass trimmer + POWDP9065 battery/charger	-	+ POWDPG7540 grass trimmer + 40V battery 2.0Ah + charger 20V/40V	-	+ POWDPG7540 grass trimmer + 40V battery 2.0Ah + charger 20V/40V
---	---	---	---	--	---	--

COMPATIBLE ACCESSORIES (FOR TRIMMER)

-	-	POWDPG7000	-	POWDPG7000	-	-
---	---	------------	---	------------	---	---

ACCESSORIES

COMPATIBLE BATTERY (PACK*) LAWNMOWER	POWEB9010 POWEB9013	POWDP9035 POWDP9065*	POWDP9035 POWDP9065*	POWDP9035 POWDP9065*	POWDP9035 POWDP9065*	POWDP9035 POWDP9065*	POWDP9035 POWDP9065*
COMPATIBLE BATTERY (PACK*) TRIMMER	-	-	POWDP9010 POWDP9020 POWDP9060*	-	POWDP9010 POWDP9020 POWDP9060*	-	-
COMPATIBLE CHARGER	POWEB9050	POWDP9050	POWDP9050	POWDP9050	POWDP9050	POWDP9050	POWDP9050





LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDES ELÉCTRICOS

2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING SYSTEM



ADJUSTABLE HEIGHT SETTING



SAFETY BUTTON

NEW

POWEG63703

RATED POWER
1000W

CUTTING WIDTH
320mm

ADJUSTABLE CUTTING HEIGHT
25-65mm - 3 positions

COLLECT BOX
30L

- Safety button
- Adjustable height setting
- Cable relief

POWERPLUS



LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDES ELÉCTRICOS

SOFT GRIP

2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING SYSTEM

+FREE



GRASS TRIMMER

TOP CARRYING HANDLE



SAFETY BUTTON

CABLE RELIEF

Ø140mm

Ø140mm

SHARPP CUTTING BLADE

- BEST CUTTING RESULTS
- SUPERIOR BLADE HARDNESS
- LONGER DURABILITY
- SUPERB MULCHING RESULTS

ADJUSTABLE HEIGHT SETTING

NEW

POWXG6211T

LAWNMOWER

RATED POWER
1200W

CUTTING WIDTH
320mm

ADJUSTABLE CUTTING HEIGHT
25-65mm - 3 positions

COLLECT BOX
30L

- Safety button
- Adjustable height setting
- Top carrying handle
- Grass box warning system
- Cable relief
- "SHARPP" cutting blade

GRASS TRIMMER

RATED POWER
250W

CUTTING WIDTH
220mm

SPOOL
Ø1.2mm - 2m (double thread)

- Tap & go thread lengthening system



GRASS BOX WARNING SYSTEM

POWERPLUS



LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDES ELÉCTRICOS

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



SOFT GRIP

CABLE RELIEF

ADJUSTABLE HANDLE HEIGHT

TOP CARRYING HANDLE

Ø200mm

Ø150mm

NEW

POWXG6251

RATED POWER
1600W

CUTTING WIDTH
380mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 5 positions

COLLECT BOX
40L

- Safety button
- Central adjustable height setting
- Top carrying handle
- Grass box warning system
- Foldable handle for storage
- Adjustable handle height
- Cable relief
- "SHARPP" cutting blade

SHARPP CUTTING BLADE

- BEST CUTTING RESULTS
- SUPERIOR BLADE HARDNESS
- LONGER DURABILITY
- SUPERB MULCHING RESULTS



MULCHING FUNCTION



GRASS BOX WARNING SYSTEM

POWERPLUS



LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDES ELÉCTRICOS

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



GRASS BOX
WARNING
SYSTEM

ADJUSTABLE
HANDLE
HEIGHT

TOP
CARRYING
HANDLE

Ø225mm

Ø150mm



MULCHING
FUNCTION

NEW

POWXG6281

RATED POWER
2000W

CUTTING WIDTH
420mm

ADJUSTABLE CUTTING HEIGHT
25-80mm - 5 positions

COLLECT BOX
40L

- Safety button
- Central adjustable height setting
- Top carrying handle
- Grass box warning system
- Foldable handle for storage
- Adjustable handle height
- Cable relief
- "SHARPP" cutting blade

**SHARPP CUTTING
BLADE**

- BEST CUTTING RESULTS
- SUPERIOR BLADE HARDNESS
- LONGER DURABILITY
- SUPERB MULCHING RESULTS



CENTRAL ADJUSTABLE
HEIGHT SETTING

POWERPLUS



LAWNMOWERS

ELEKTRISCHE GRASMAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDES ELÉCTRICOS

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



CENTRAL
ADJUSTABLE
HEIGHT SETTING

LONG LIFE HIGH QUALITY
INDUCTION MOTOR



SOFT
GRIP

ADJUSTABLE
HANDLE
HEIGHT

CABLE
RELIEF

FRONT
CARRYING
HANDLE

BIG WHEELS
WITH BALL BEARING

Ø275mm

POWXQ67510

RATED POWER
1800W

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
30-90mm - 7 positions

COLLECT BAG
60L

- Safety button
- Central adjustable height setting
- Front carrying handle
- Foldable handle
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- Ball bearing wheels: easy to push
- Induction motor



MULCHING
FUNCTION

POWERPLUS



LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDES ELÉCTRICOS

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



**LONG LIFE HIGH QUALITY
INDUCTION MOTOR**



POWXQG7515

RATED POWER
1800W

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
30-75mm - 7 positions

COLLECT BAG
60L

- Safety button
- Central cutting height adjustment
- Front carrying handle
- Foldable handle
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- Ball bearing wheels: easy to push
- Induction motor
- Self-propelled



MULCHING
FUNCTION

POWERPLUS

LAWNMOWERS



	NEW POWEG63703	NEW POWXG6211T	NEW POWXG6251	NEW POWXG6281	POWXQ67510	POWXQ67515
RATED POWER	1000W	1200W	1600W	2000W	1800W	1800W
CUTTING WIDTH	320mm	320mm	380mm	420mm	460mm	460mm
ADJUSTABLE CUTTING HEIGHT	25-65mm 3 positions	25-65mm 3 positions	25-75mm 5 positions	25-80mm 5 positions	30-90mm 7 positions	30-75mm 7 positions
COLLECT BAG/BOX	30L	30L	40L	40L	60L	60L

FEATURES

INDUCTION MOTOR	-	-	-	-	✓	✓
MULCHING FUNCTION	-	-	✓	✓	✓	✓
HOUSING	Plastic	Plastic	Plastic	Plastic	Steel	Steel
SELF-PROPELLED	-	-	-	-	-	✓

EXTRA

-	+ grass trimmer 250W	-	-	-	-
---	-------------------------	---	---	---	---

COMPATIBLE ACCESSORIES

-	POWACG1072 (for trimmer)	-	-	-	-
---	-----------------------------	---	---	---	---



5 400338 077494 >



5 400338 077487 >



5 400338 077142 >



5 400338 077159 >



5 400338 052040 >



5 400338 069536 >



LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA



3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



Ø200mm

Ø150mm



POWE63772

CYLINDER CAPACITY
98.5cc

CUTTING WIDTH
410mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 7 positions

COLLECT BAG
50L

- Central adjustable height setting
- Steel housing
- Eco driver 4-stroke engine
- Self-propelled



POWOIL033

also available in 5L POWOIL035

TORCH
SPARK PLUG



use with fuel type

95 | 98 | E10



STEEL
HOUSING



MULCHING
FUNCTION



LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA

SOFT
GRIP



5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING FUNCTION
- EDGE CUTTING
- COLLECTING SYSTEM



COLLECT BAG

Ø254mm

BALL BEARING
WHEELS

Ø178mm



MULCHING
FUNCTION

POWXG60240

CYLINDER CAPACITY
141cc

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
25 - 75mm - 7 positions

COLLECT BAG
55L

- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- "SHARPP" cutting blade
- Self-propelled
- Eco driver 4-stroke engine
- Easy cleaning water nozzle



POWOIL033
also available in 5L POWOIL033

TORCH
SPARK PLUG

use with fuel type
95 | 98 | E10



WATER NOZZLE
FOR EASY
CLEANING

POWERPLUS



LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA

SOFT
GRIP



5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING FUNCTION
- EDGE CUTTING
- COLLECTING SYSTEM



COLLECT BAG

BULL
BAR

BALL BEARING
WHEELS

Ø203mm

Ø254mm



MULCHING
FUNCTION

POWXG60245

CYLINDER CAPACITY
173cc

CUTTING WIDTH
510mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 7 positions

COLLECT BAG
65L

- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- "SHARPP" cutting blade
- Self-propelled
- Eco driver 4-stroke engine
- Bull bar protection



COMFORTABLE
MOWING



POWOIL033

also available in 5L POWOIL033

TORCH
SPARK PLUG

use with fuel type
95 | 98 | E10



WATER NOZZLE
FOR EASY
CLEANING

POWERPLUS



LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA

SOFT
GRIP



5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING FUNCTION
- EDGE CUTTING
- COLLECTING SYSTEM



COLLECT BAG

Ø254mm

BULL
BAR

BALL BEARING
WHEELS

Ø203mm



MULCHING
FUNCTION

POWXG60250

CYLINDER CAPACITY
196cc

CUTTING WIDTH
530mm

ADJUSTABLE CUTTING HEIGHT
25-75 mm - 7 positions

COLLECT BAG
65L

- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- "SHARPP" cutting blade
- Self-propelled
- Eco driver turbo 4-stroke engine
- Bull bar protection



POWOIL033

also available in SL POWOIL035



TORCH
SPARK PLUG

use with fuel type
95 | 98 | E10



WATER NOZZLE
FOR EASY
CLEANING

POWERPLUS

LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
 BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA



4 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



COLLECT BAG

BULL BAR

BALL BEARING WHEELS

Ø175mm

Ø250mm



MULCHING FUNCTION

POWXG60310

CYLINDER CAPACITY
125cc

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
25-74mm - 8 positions

COLLECT BAG
60L

- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- "SHARPP" cutting blade
- Self-propelled
- Briggs&Stratton 4-stroke engine
- Easy cleaning water nozzle
- Bull bar protection

CHAMPION SPARK PLUG



POWOIL033

also available in 5L POWOIL035

use with fuel type
95 | 98 | E10



STEEL HOUSING



WATER NOZZLE FOR EASY CLEANING

LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
 BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA



5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING FUNCTION
- EDGE CUTTING
- COLLECTING SYSTEM



COLLECT BAG

BULL BAR

BALL BEARING WHEELS

Ø203mm

Ø254mm



MULCHING FUNCTION

POWXG60320

CYLINDER CAPACITY
140cc

CUTTING WIDTH
510mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 7 positions

COLLECT BAG
65L

- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- "SHARPP" cutting blade
- Self-propelled
- Briggs&Stratton 4-stroke engine
- Easy cleaning water nozzle
- Bull bar protection

CHAMPION SPARK PLUG



POWOIL033

also available in SL POWOIL035

use with fuel type
95 | 98 | E10



WATER NOZZLE FOR EASY CLEANING



LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA

GASOLINE LAWNMOWER WITH ELECTRIC START
RELIABLE STARTS AT A PUSH OF THE BUTTON



4 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING SYSTEM



START KEY

SOFT GRIP

- 1 HOUR BATTERY CHARGE**
More than 50 starts from a fully charged battery
- 10 MINUTE BATTERY CHARGE**
More than 10 starts from a quick charge
- BATTERY LIFESPAN**
At least 500 starts



POWXQ7540

CYLINDER CAPACITY
163cc

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
24-73mm - 8 positions

COLLECT BAG
60L

- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- "SHARPP" cutting blade
- Self-propelled
- Briggs&Stratton 4-stroke engine
- Bull bar protection
- Battery operated start system

CHAMPION SPARK PLUG



use with fuel type
95 | 98 | E10



COMFORTABLE MOWING



BATTERY OPERATED START SYSTEM



WATER NOZZLE FOR EASY CLEANING



LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA



5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING FUNCTION
- EDGE CUTTING
- COLLECTING SYSTEM



SOFT GRIP

SELF-PROPELLED WITH 4 SPEED SETTINGS + TOOLBOX

ADJUSTABLE HANDLE HEIGHT

CENTRAL ADJUSTABLE HEIGHT SETTING

EDGE CUTTING

FRONT CARRYING HANDLE

BIG WHEELS WITH BALL BEARING

Ø280mm

Ø200mm

POWXQG7555

CYLINDER CAPACITY
163cc

CUTTING WIDTH
560mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 7 positions

COLLECT BAG
70L

- Central adjustable height setting
- Front carrying handle
- Adjustable handle height
- Steel housing
- Collect bag with hard plastic top
- Self-propelled with 4 speed setting
- Briggs & Stratton ready start 4-stroke engine
- Toolbox

CHAMPION SPARK PLUG



POWIL033
also available in SL POWIL035

use with fuel type
95 | 98 | E10



SELF-PROPELLED WITH SPEED SETTINGS + TOOLBOX



MULCHING FUNCTION

POWERPLUS

LAWNMOWERS



	POWEG63772	POWXG60240	POWXG60245	POWXG60250	POWXG60310	POWXG60320	POWXQG7540	POWXQG7555
CYLINDER CAPACITY	98.5cc	141cc	173cc	196cc	125cc	140cc	163cc	163cc
ENGINE POWER	1.9kW	2.5kW	3.3kW	3.8kW	1.7kW	2.5kW	2.59kW	2.6kW
ENGINE TYPE	Eco driver 4-stroke	Eco driver 4-stroke	Eco driver power 4-stroke	Eco driver turbo 4-stroke	Briggs&Stratton 4-stroke	Briggs&Stratton 4-stroke	Briggs&Stratton 4-stroke	Briggs&Stratton 4-stroke
CUTTING WIDTH	410mm	460mm	510mm	530mm	460mm	510mm	460mm	560mm
ADJUSTABLE HEIGHT	25-75mm 7 positions	25-75mm 7 positions	25-75mm 7 positions	25-75mm 7 positions	25-75mm 8 positions	25-75mm 7 positions	24-73mm 8 positions	25-75mm 7 positions
COLLECT BAG/BOX	50L	55L	65L	65L	60L	65L	60L	70L

FEATURES

MULCHING FUNCTION	✓	✓	✓	✓	✓	✓	✓	✓
HOUSING	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
SELF-PROPELLED	✓	✓	✓	✓	✓	✓	✓	✓
START TYPE	-	-	-	-	-	-	instant start	ready start
EDGE CUTTING	-	✓	✓	✓	-	✓	-	✓

ACCESSORIES

SPARK PLUG	POWACG2011	POWACG2011	POWACG2011	POWACG2011	POWACG2011	POWACG2011	POWACG2011	POWACG2011
	5 400338 073274 >	5 400338 073106 >	5 400338 073113 >	5 400338 073137 >	5 400338 073236 >	5 400338 073243 >	5 400338 073250 >	5 400338 073885 >



GARDEN BAGS
POWXGS62 / POWXGS64



LAWN SCARIFIERS

VERTICUTEEDERS/GAZONVERLUCHTERS // SCARIFICATEURS/AÉRATEURS DE GAZON
VERTIKUTIERER/RASENLÜFTER // ESCARIFICADORES/AIREADORES



LAWN SCARIFIERS/AERATORS

ELEKTRISCHE VERTICUTEEDERS/GAZONVERLUCHTERS // SCARIFICATEURS/AÉRATEURS DE GAZON ÉLECTRIQUES
ELEKTRO-VERTIKUTIERER/RASENLÜFTER // ESCARIFICADORES/AIREADORES ELÉCTRICOS

NEW

POWXG7513

RATED POWER
1400W

WORKING WIDTH
320mm

ADJUSTABLE WORKING DEPTH
-10/-5/0/5mm - 4 positions

COLLECT BAG
40L

- 10 knives
- 36 steel needles
- Central adjustable depth setting
- Cable relief
- Safety button



5 400338 077128 >



OPERATING LEVER

CABLE RELIEF

DEPTH ADJUSTMENT HANDLE

CAN BE USED WITHOUT BAG



OPERATING LEVER

SOFT GRIP

SAFETY BUTTON

CABLE RELIEF

ADJUSTABLE HANDLE HEIGHT



DEPTH ADJUSTMENT HANDLE

CARRYING HANDLE

CAN BE USED WITHOUT BAG

NEW

POWXG7516

RATED POWER
1800W

CUTTING WIDTH
360mm

ADJUSTABLE WORKING DEPTH
-15/-10/-5/0/5mm - 5 positions

COLLECT BAG
45L

- 11 knives
- 40 steel needles
- Central adjustable depth setting
- Cable relief
- Soft grip
- Safety button



5 400338 077104 >

POWERPLUS



CULTIVATORS

TUINFREZEN // MOTOCULTEURS
BODENHACKEN // MOTOCULTORES



CULTIVATORS

ELEKTRISCHE TUINFREZEN // MOTOCULTEURS ÉLECTRIQUES
ELEKTRO-BODENHACKEN // MOTOCULTORES ELÉCTRICOS

POWEG7010

RATED POWER
1050W

WORKING WIDTH
320mm

MAX. WORKING DEPTH
220mm

KNIFE THICKNESS
1.7mm

- Cable relief
- 4 hard metal knives
- Bike handle



SOFT GRIP

BIKE HANDLE

CARRYING HANDLE



EASY REMOVABLE
STURDY GUIDING
WHEELS



6
HARD METAL
KNIVES



BIKE HANDLE

CABLE RELIEF



4
HARD METAL
KNIVES

POWXG7201

RATED POWER
1200W

WORKING WIDTH
400mm

MAX. WORKING DEPTH
200mm

KNIFE THICKNESS
2mm

- Carrying handle
- Depth regulator
- 6 hard metal knives
- Sturdy guiding wheels

POWERPLUS



CULTIVATORS

BENZINE TUINFREZEN // MOTOCULTEURS À ESSENCE
BENZIN-BODENHACKEN // MOTOCULTORES A GASOLINA



FORWARD LEVER

THROTTLE HANDLE

DEPTH
REGULATOR



4 HARD METAL
KNIVES



STURDY GUIDING
WHEEL

POWXG7204

CYLINDER CAPACITY
140cc

WORKING WIDTH
400mm

WORKING DEPTH
260mm

KNIFE THICKNESS
3.7mm

- 4-stroke engine
- Depth regulator
- 4 hard metal knives
- Sturdy guiding wheel
- Adjustable speed setting
- Adjustable handle height

TORCH
SPARK PLUG



POWOIL033

also available in SL POWOIL033

use with fuel type

95 | 98 | E10



POWERPLUS



CULTIVATORS

BENZINE TUINFREZEN // MOTOCULTEURS À ESSENCE
BENZIN-BODENHACKEN // MOTOCULTORES A GASOLINA



FORWARD/REVERSE LEVER

THROTTLE HANDLE

HANDLE
HEIGHT
ADJUSTMENT
KNOB

DEPTH
REGULATOR



3 ADJUSTABLE
HEIGHT
POSITIONS



EASY ADJUSTABLE
GUIDING
WHEEL

6 REINFORCED STEEL KNIVES

POWXG7214

CYLINDER CAPACITY
173cc

WORKING WIDTH
600mm

WORKING DEPTH
max. 280mm

KNIFE THICKNESS
3.8mm

- Eco driver power 4-stroke engine
- 6 reinforced steel knives
- Forward / reverse lever
- Guiding wheel
- Depth regulator

TORCH
SPARK PLUG



POWOIL033

also available in 5L POWOIL035

use with fuel type

95 | 98 | E10



POWERPLUS

CULTIVATORS

BENZINE TUINFREZEN // MOTOCULTEURS À ESSENCE
BENZIN-BODENHACKEN // MOTOCULTORES A GASOLINA



THROTTLE LEVER

DEPTH
REGULATOR



POWX67216

CYLINDER CAPACITY
196cc

WORKING WIDTH
500mm

WORKING DEPTH
max. 350mm

KNIFE THICKNESS
4mm

- Eco driver turbo 4-stroke engine
- 4 reinforced steel knives
- Forward / reverse lever
- Wheel traction
- Depth regulator



POWOIL033

also available in 5L POWOIL033

use with fuel type
95 | 98 | E10



4 STEEL
KNIVES

POWERPLUS



CULTIVATORS

BENZINE TUINFREZEN // MOTOCULTEURS À ESSENCE
BENZIN-BODENHACKEN // MOTOCULTORES A GASOLINA



PLOUGH



WALK BESIDE
FRESHLY
TURNED
GROUND



3 ADJUSTABLE
HEIGHT
POSITIONS



4 - 6 REINFORCED
STEEL KNIVES

CULTIVATOR



POWX67217

CYLINDER CAPACITY
208cc

WORKING WIDTH
max. 1050mm

WORKING DEPTH
max. 310mm

KNIFE THICKNESS
4.7mm

- Eco driver turbo 4-stroke engine
- Plough
- 4-6 reinforced steel knives
- Forward / Reverse lever
- Tools for easy mounting
- Handlebar can be used in different positions
- Traction on both wheels for easy handling
- Adjustable speed setting



POWOIL033
also available in 5L POWOIL035

use with fuel type
95 98 E10

POWERPLUS

CULTIVATORS



	POWEG7010	POWXG7201	POWXG7204	POWXG7214	POWXG7216	POWXG7217
RATED POWER	1050W	1200W	-	-	-	-
CYLINDER CAPACITY	-	-	140cc	173cc	196cc	208cc
ENGINE TYPE	-	-	Powerplus 4-stroke	Eco driver power 4-stroke	Eco driver turbo 4-stroke	Eco driver turbo 4-stroke
WORKING WIDTH	320mm	400mm	400mm	600mm	500mm	max. 1050mm
WORKING DEPTH	220mm	200mm	260mm	max. 280mm	max. 350mm	max. 310mm
NUMBER OF KNIVES	4	6	4	6	4	4-6
KNIFE THICKNESS	1.7mm	2mm	3.7mm	3.8mm	4mm	4.7mm

FEATURES

FORWARD / REVERSE LEVER	-	-	Forward	✓	✓	✓
WHEEL(S)	-	✓	✓	✓	✓	✓

ACCESSORIES

COMPATIBLE SPARK PLUG	-	-	POWACG2011	POWACG2011	POWACG2011	POWACG2011
------------------------------	---	---	------------	------------	------------	------------



5 400338 073281 >



5 400338 053450 >



5 400338 069659 >



5 400338 067686 >



5 400338 068300 >



5 400338 067730 >





GRASS TRIMMERS

GRASTRIMMERS // COUPE-BORDURES
RASENTRIMMER // CORTABORDES



GRASS TRIMMERS

ACCU GRASSTRIMMERS // COUPE-BORDURES SUR BATTERIE
AKKU RASENTRIMMER // CORTABORDES A BATERIA

NEW

POWEBG7540

RATED VOLTAGE
18V \equiv

CUTTING WIDTH
250mm

SPOOL
 \varnothing 1.6mm - 4.5m (single thread)

- Aluminium telescopic shaft
- Edge guide wheel
- Flower protection
- Automatic thread lengthening system
- Adjustable trimming angle
- Adjustable auxiliary handle

ONE FITS ALL
18V LITHIUM-ION BATTERY SERIES

ONE BATTERY FITS ALL
EB-RANGE 18V POWER
AND GARDEN TOOLS

BATTERY AND CHARGER
ARE NOT INCLUDED

ADJUSTABLE
AUXILIARY HANDLE

BATTERY NOT
INCLUDED

773 - 803mm



ADJUST BUTTON
TRIMMING
ANGLE

ADJUST BUTTON
CUTTING ANGLE

FLOWER
PROTECTION

AUTOMATIC THREAD
LENGTHENING SYSTEM



EDGE GUIDE
WHEEL

ADJUSTABLE
AUXILIARY HANDLE

**BATTERY
NOT INCLUDED**

TELESCOPIC ALUMINIUM SHAFT
335 - 620mm

EDGE GUIDE
WHEEL

ADJUST BUTTON
CUTTING ANGLE

FLOWER
PROTECTION

ADJUST BUTTON
CUTTING
ANGLE

AUTOMATIC THREAD
LENGTHENING SYSTEM

NEW

POWDPG7540

RATED VOLTAGE
20V \equiv

CUTTING WIDTH
250mm

SPOOL
 \varnothing 1.6mm - 4.5m (single thread)

- Aluminium telescopic shaft
- Edge guide wheel
- Flower protection
- Automatic thread lengthening system
- Adjustable trimming angle
- Adjustable auxiliary handle



**20
VOLT
TOOL**

USE WITH



POWERPLUS



GRASS TRIMMERS

ACCU GRASSTRIMMERS // COUPE-BORDURES SUR BATTERIE
AKKU RASENTRIMMER // CORTABORDES A BATERIA

NEW

POWDPG7542

POWDPG7540 GRASS TRIMMER

RATED VOLTAGE
20V \equiv

CUTTING WIDTH
250mm

SPOOL
 \varnothing 1.6mm - 4.5m (single thread)

- Aluminium telescopic shaft
- Edge guide wheel
- Flower protection
- Automatic thread lengthening system
- Adjustable trimming angle
- Adjustable auxiliary handle
- Soft grip



20 VOLT TOOL

USE WITH



TELESCOPIC ALUMINIUM SHAFT
335 - 820mm

ADJUSTABLE AUXILIARY HANDLE



BATTERY NOT INCLUDED

PROMO



POWDP9060 BATTERY + CHARGER

RATED VOLTAGE
20V \equiv LI-ION

BATTERY CAPACITY
1500mAh

CHARGER OUTPUT
20.5V \equiv / 2.5A

CHARGING TIME 20V BATTERY
1h

CHARGING TIME 40V BATTERY
2.5h

FLOWER PROTECTION

EDGE GUIDE WHEEL

AUTOMATIC THREAD LENGTHENING SYSTEM

ADJUSTABLE AUXILIARY HANDLE

BATTERY NOT INCLUDED



TELESCOPIC ALUMINIUM SHAFT
330 - 900mm



EDGE GUIDE WHEEL



ADJUST BUTTON TRIMMING ANGLE



40 VOLT TOOL

USE WITH



NEW

POWDPG7545

RATED VOLTAGE
40V \equiv

CUTTING WIDTH
300mm

SPOOL
 \varnothing 1.6mm - 2.5m (double thread)

- Aluminium telescopic shaft
- Edge guide wheel
- Flower protection
- Automatic thread lengthening system
- Adjustable trimming angle
- Adjustable auxiliary handle

FLOWER PROTECTION
AUTOMATIC THREAD LENGTHENING SYSTEM

POWERPLUS

GRASS TRIMMERS



	NEW POWEBG7540	NEW POWDPG7540	NEW POWDPG7542	NEW POWDPG7545
RATED VOLTAGE	18V	20V	20V	40V
CUTTING WIDTH	250mm	250mm	250mm	300mm
SPOOL	Ø1.6mm - 4.5m (single thread)	Ø1.6mm - 4.5m (single thread)	Ø1.6mm - 4.5m (single thread)	Ø1.6mm - 2.5m (double thread)

FEATURES

SHAFT	Telescopic 773-803mm	Telescopic 335-620mm	Telescopic 335-620mm	Telescopic 530-900mm
ADJUSTABLE AUXILIARY HANDLE	✓	✓	✓	✓
SAFETY GUARD	✓	✓	✓	✓
FLOWER PROTECTION	✓	✓	✓	✓
EDGE GUIDE WHEEL	✓	✓	✓	✓
THREAD LENGTHENING	Automatic	Automatic	Automatic	Automatic

EXTRA

+ 20V battery 1.5Ah
+ charger 20V/40V

ACCESSORIES

COMPATIBLE SPOOL	POWEBG7000	POWDPG7000	POWDPG7000	POWDPG7005
COMPATIBLE BATTERY (PACK*)	POWEB9010 POWEB9013	POWDP9010 POWDP9020 POWDP9035 POWDP9060* POWDP9065*	POWDP9010 POWDP9020 POWDP9035 POWDP9060* POWDP9065*	POWDP9010 POWDP9020 POWDP9035 POWDP9060* POWDP9065*
COMPATIBLE CHARGER	POWEB9050	POWDP9050	POWDP9050	POWDP9050



5 400338 075940 >



5 400338 073984 >



5 400338 074844 >



5 400338 073991 >



GRASS TRIMMERS

ELEKTRISCHE GRASSTRIMMERS // COUPE-BORDURES ÉLECTRIQUES
ELEKTRO-RASENTRIMMER // CORTABORDES ELÉCTRICOS

POWEG6015

RATED POWER
300W

CUTTING WIDTH
250mm

SPOOL
Ø1.4mm - 3m (double thread)

- Automatic thread lengthening system
- Guide handle
- Flower protection
- Safety guard
- Cable relief




FLOWER PROTECTION



DOUBLE THREAD

AUTOMATIC THREAD LENGTHENING SYSTEM



ADJUSTABLE AUXILIARY HANDLE

CABLE RELIEF

TELESCOPIC ALUMINIUM SHAFT
110 - 130cm

FLOWER PROTECTION



EDGE GUIDE WHEEL

INTELLIGENT THREAD LENGTHENING SYSTEM

TIME SAVING / FULLY SELF ADJUSTABLE WIRE / 30% MORE CUTTING CAPACITY



FLOWER PROTECTION & EDGE GUIDE

POWXG30030

RATED POWER
400W

CUTTING WIDTH
270mm

SPOOL
Ø1.4mm - 5m (double thread)

- Intelligent thread lengthening system
- Edge guide wheel
- Flower protection
- Aluminium telescopic shaft
- Safety guard
- Cable relief

POWERPLUS



GRASS TRIMMERS

ELEKTRISCHE GRASTRIMMERS // COUPE-BORDURES ÉLECTRIQUES
ELEKTRO-RASENTRIMMER // CORTABORDES ELÉCTRICOS


POWXG30033

RATED POWER
500W

CUTTING WIDTH
320mm

SPOOL
Ø1.6mm - 4m (double thread)

- Intelligent thread lengthening system
- Edge guide wheel
- Flower protection
- Aluminium telescopic shaft
- Safety guard
- Cable relief



INTELLIGENT THREAD LENGTHENING SYSTEM
TIME SAVING / FULLY SELF ADJUSTABLE WIRE / 30% MORE CUTTING CAPACITY



+FREE
1x POWACG1172



INTELLIGENT THREAD LENGTHENING SYSTEM
TIME SAVING / FULLY SELF ADJUSTABLE WIRE / 30% MORE CUTTING CAPACITY



POWXG30035

RATED POWER
600W

CUTTING WIDTH
350mm

SPOOL
Ø1.6mm - 4m (double thread)

- Intelligent thread lengthening system
 - Edge guide wheel
 - Flower protection
- Aluminium telescopic shaft
 - Safety guard
 - Cable relief


+FREE
1x POWACG1162 2x POWACG1172





GRASS TRIMMERS

BENZINE GRASSTRIMMERS // COUPE-BORDURES À ESSENCE
BENZIN-RASETRIMMER // CORTABORDES A GASOLINA



CURVED SHAFT FOR EASY TRIMMING



+FREE

CARRYING BELT



POWX63028

CYLINDER CAPACITY
25.4cc

CUTTING WIDTH
400mm

SPOOL
Ø2mm - 2m (double thread)

FUEL TANK CAPACITY
600ml

- Tap & go lengthening system
- Low vibration system
- Easy start system
- 2-stroke engine
- Safety guard
- 30% less fuel consumption

NGK SPARK PLUG



use with fuel type
95 | 98 | E10



TAP & GO LENGTHENING SYSTEM



EDGE CUTTER

BENZINE GRASKANTENSNIJDER // COUPE-BORDURE À ESSENCE
BENZIN-RASENKANTENSCHNEIDER // RECORTACÉSPED A GASOLINA



EASY & COMPACT STORAGE



HEIGHT ADJUSTMENT KNOB

CHOKE

THROTTLE TRIGGER

FOLDABLE HANDLE



POWXG30010

CYLINDER CAPACITY
25.4cc

WORKING DEPTH
+22/+10/-4/-19/-31mm

FUEL TANK CAPACITY
500ml

- Low vibration system
- Air cooling
- Crank engine
- 2-stroke engine
- Heavy duty clutch
- Easy, compact storage
- Foldable handle
- Bosch spark plug
- Safety guard

BOSCH SPARK PLUG



POWOIL023

also available in 5L POWOIL025



40:1

use with fuel type
95 | 98 | E10

GRASS TRIMMERS



	POWE66015	POWXG30030	POWXG30033	POWXG30035	POWXG3028	POWXG30010
RATED POWER	300W	400W	500W	600W	-	-
CYLINDER CAPACITY	-	-	-	-	25.4cc	25.4cc
ENGINE TYPE	-	-	-	-	2-stroke	2-stroke
CUTTING WIDTH	250mm	270mm	320mm	350mm	400mm	Working depth +22/+10/-4/-19/- 31mm
SPOOL	Ø1.4mm - 3m (double thread)	Ø1.4mm - 5m (double thread)	Ø1.6mm - 4m (double thread)	Ø1.6mm - 4m (double thread)	Ø2mm - 4m (double thread)	-
FUEL TANK CAPACITY	-	-	-	-	600ml	500ml

FEATURES

SHAFT	Straight	Telescopic	Telescopic	Telescopic	Curved	-
ADJUSTABLE AUXILIARY HANDLE	-	✓	✓	✓	-	-
SAFETY GUARD	✓	✓	✓	✓	✓	✓
FLOWER PROTECTION	✓	✓	✓	✓	-	-
EDGE GUIDE WHEEL	-	✓	✓	✓	-	-
SPARK PLUG	-	-	-	-	NGK	Bosch
LOW VIBRATION	-	-	-	-	✓	✓
HEAVY DUTY CLUTCH	-	-	-	-	-	✓
THREAD LENGTHENING	Automatic	Intelligent	Intelligent	Intelligent	Tap & go	-

ACCESSORIES

COMPATIBLE SPOOL	POWACG1202	POWACG1152	POWACG1162 POWACG1172	POWACG1162 POWACG1172	POWACG1191	-
EXTRA SPOOL INCLUDED	-	-	1x POWACG1172	1x POWACG1162 2x POWACG1172	-	-
COMPATIBLE SPARK PLUG	-	-	-	-	POWACG2013	POWACG2013



5 400338 073021 >



5 400338 067082 >



5 400338 067099 >



5 400338 067105 >



5 400338 068713 >



5 400338 066924 >



BRUSH CUTTERS

BOSMAAIERS // DÉBROUSSILLEUSES
FREISCHNEIDER // DESBROZADORAS



BRUSH CUTTERS

ACCU BOSMAAIERS // DÉBROUSSAILLEUSES SUR BATTERIE
AKKU FREISCHNEIDER // DESBROZADORAS A BATERÍA



**40
VOLT
TOOL**

USE WITH



CARRYING BELT

+FREE



SHAFT LENGTH: 1380mm



SPEED SELECTOR



GRASS TRIMMER (TAP&GO)



THREAD CUTTER

SAFETY GUARD



BRUSH CUTTER

NEW

POWDPG7550

RATED VOLTAGE
40V

CUTTING WIDTH
trimmer: 330mm - cutter: 255mm

BLADE
255 x 25.4mm - 3T

SPOOL
Ø2mm - 2m
Double thread

- Tap & go lengthening system
- Bike handle
- Soft grip
- Carrying belt
- Safety guard
- Low vibration



**BRUSHLESS
MOTOR**

**BATTERY
NOT INCLUDED**

GRASS TRIMMER

2 IN 1

BRUSH CUTTER

POWERPLUS



BRUSH CUTTERS

BENZINE BOSMAAIERS // DÉBROUSSAILLEUSES À ESSENCE
BENZIN FREISCHNEIDER // DESBROZADORAS A GASOLINA

SEPARATELY
ADJUSTABLE
HANDLES

SHOULDER HARNESS

+FREE



BRUSH
CUTTER



GRASS
TRIMMER



POWEG8010

CYLINDER CAPACITY
42.7cc

CUTTING WIDTH
trimmer: 430mm - cutter 255mm

FUEL TANK CAPACITY
950ml

BLADE
255mm x 25.4mm - 3T

SPOOL
Ø2mm x 2.5m (double thread)

- Tap & go lengthening system
- Easy start
- 2-stroke engine
- Bike handle
- Double shoulder harness
- Quick harness disconnection
- Separately adjustable handles
- Bosch spark plug
- Safety guard
- Low vibration

BOSCH
SPARK PLUG





use with fuel type

95 | 98 | E10



BRUSH CUTTERS

BENZINE BOSMAAIERS // DÉBROUSSAILLEUSES À ESSENCE
BENZIN FREISCHNEIDER // DESBROZADORAS A GASOLINA



SHOULDER HARNESS

+FREE



RUBBER GRIP



BRUSH CUTTER



GRASS TRIMMER (TAP&GO)

GRASS TRIMMER



2 IN 1



BRUSH CUTTER

POWXG3041

CYLINDER CAPACITY
32.6cc

CUTTING WIDTH
trimmer: 430mm - cutter 255mm

FUEL TANK CAPACITY
900ml

BLADE
255x25.4mm - 3T

SPOOL
Ø2.4mm - 2m
(double thread - twisted)

- Tap & go lengthening system
- Easy start
- 2-stroke engine
- Capacity discharging ignition
- Bike handle
- Rubber grip
- Double shoulder harness
- Bosch spark plug
- Safety guard
- Low vibration
- Heavy duty clutch

BOSCH SPARK PLUG



POWOIL023
also available in 5L POWOIL025



use with fuel type
95 | 98 | E10





BRUSH CUTTERS

BENZINE BOSMAAIERS // DÉBROUSSAILLEUSES À ESSENCE
BENZIN FREISCHNEIDER // DESBROZADORAS A GASOLINA

GRASS TRIMMER



2 IN 1



BRUSH CUTTER

POWXG3042

CYLINDER CAPACITY
42.7cc

CUTTING WIDTH
trimmer: 430mm - cutter 255mm

FUEL TANK CAPACITY
1000ml

BLADE
255x25.4mm - 3T

SPOOL
Ø2.4mm - 2m
(double thread - twisted)

- Tap & go lengthening system
- Easy start
- 2-stroke engine
- Capacity discharging ignition
- Bike handle
- Rubber grip
- Double shoulder strap
- Bosch spark plug
- Safety guard
- Low vibration
- Heavy duty clutch


BOSCH SPARK PLUG



use with fuel type
95 | 98 | E10



40:1



SHOULDER HARNESS



BRUSH CUTTER



GRASS TRIMMER (TAP&GO)



RUBBER GRIP



RUBBER GRIP



SHOULDER HARNESS



BRUSH CUTTER



GRASS TRIMMER (TAP&GO)



POWXG3043

CYLINDER CAPACITY
51.7cc

CUTTING WIDTH
trimmer: 430mm - cutter 255mm

FUEL TANK CAPACITY
1000ml

BLADE
255x25.4mm - 3T

SPOOL
Ø2.4mm - 2m
(double thread - twisted)

- Tap & go lengthening system
 - Easy start
- 2-stroke engine
- Capacity discharging ignition
 - Bike handle
 - Rubber grip
- Double shoulder strap
 - Bosch spark plug
 - Safety guard
 - Low vibration
- Heavy duty clutch

BOSCH SPARK PLUG



40:1



use with fuel type
95 | 98 | E10

GRASS TRIMMER



2 IN 1



BRUSH CUTTER



BRUSH CUTTERS

BENZINE BOSMAAIERS // DÉBROUSSAILLEUSES À ESSENCE
BENZIN FREISCHNEIDER // DESBROZADORAS A GASOLINA



SHOULDER HARNESS

+FREE



D-HANDLE

TELESCOPIC SHAFT
885-905mm

1. BRUSH CUTTER

CUTTING WIDTH
255mm

BLADE DIMENSION
255x25.4x1.4mm - 3T

2. HEDGE TRIMMER

CUTTING LENGTH
365mm

BLADE LENGTH
400mm

KNIFE DISTANCE
24mm

- Adjustable head
- Double action blade
- Quick stop

3. CHAINSAW

BAR SIZE
250mm / 10"

- Chain & bar type: Oregon
- Automatic chain oiler

4. GRASS TRIMMER

CUTTING WIDTH
430mm

SPOOL
Ø2.4mm - 6m

- Tap & Go thread lengtning



NEW

POWXG3026

CYLINDER CAPACITY
47.2cc

FUEL TANK CAPACITY
1160ml

- Low vibration system
- Easy Start
- 2-stroke engine




use with fuel type
95 | 98



BRUSH CUTTERS

BENZINE BOSMAAIERS // DÉBROUSSAILLEUSES À ESSENCE
BENZIN FREISCHNEIDER // DESBROZADORAS A GASOLINA



SHOULDER HARNESS

+FREE



BRUSH CUTTER



GRASS TRIMMER (TAP&GO)

GRASS TRIMMER



2 IN 1



BRUSH CUTTER

POWXQG6060

CYLINDER CAPACITY
51.7cc

CUTTING WIDTH
trimmer: 430mm - cutter 255mm

FUEL TANK CAPACITY
1000ml

BLADE
255x25.4mm - 3T

SPOOL
Ø2.5mm - 2.4m
(double thread)

- Tap & go lengthening system
- Low vibration system
- Easy start
- 2-stroke engine
- Heavy duty clutch
- Bike handle
- Automatic choke switch off
- Champion spark plug
- Harness / Safety guard

CHAMPION SPARK PLUG



POWOIL023
also available in SL POWOIL025



40:1

use with fuel type
95 | 98 | E10



BRUSH CUTTERS



NEW
4-IN-1

	NEW POWDPG7550	POWEG8010	POWXG3041	POWXG3042	POWXG3043	NEW 4-IN-1 POWXG3026	POWXQG6060
RATED VOLTAGE	40V	-	-	-	-	-	-
CYLINDER CAPACITY	-	42.7cc	32.6cc	42.7cc	51.7cc	42.7cc	51.7cc
ENGINE TYPE	-	2-stroke	2-stroke	2-stroke	2-stroke	2-stroke	2-stroke
CUTTING WIDTH	trimmer: 330mm cutter: 255mm	trimmer: 430mm cutter: 255mm	trimmer: 430mm cutter: 255mm	trimmer: 430mm cutter: 255mm	trimmer: 430mm cutter: 255mm	trimmer: 430mm cutter: 255mm hedge: 400mm bar: 250mm	trimmer: 430mm cutter: 255mm
FUEL TANK CAPACITY	-	950ml	900ml	1000ml	1000ml	1160ml	1000ml
MOTOR	Brushless motor	-	-	-	-	-	-

FEATURES

SPARK PLUG	-	Bosch	Bosch	Bosch	Bosch	Diagramm	Champion
BIKE HANDLE	✓	✓	✓	✓	✓	-	✓
EASY START	-	✓	✓	✓	✓	✓	✓
LOW VIBRATION SYSTEM	✓	✓	✓	✓	✓	✓	✓
AUTOMATIC CHOKE SWITCH OFF	-	-	-	-	-	✓	✓
HEAVY DUTY CLUTCH	-	-	✓	✓	✓	-	✓
CARRYING BELT	✓	-	-	-	-	-	-
SHOULDER HARNESS	-	✓	✓	✓	✓	✓	✓

THREAD LENGTHENING SYSTEM

TAP & GO	✓	✓	✓	✓	✓	✓	✓
---------------------	---	---	---	---	---	---	---

ACCESSORIES

SPOOL	POWDPG7015	POWACG1051	POWACG1051	POWACG1051	POWACG1051	POWACG1051	POWACG1051
BLADE	POWDPG7025	POWACG3021	POWACG3021 POWACG3031	POWACG3021 POWACG3031	POWACG3021 POWACG3031	POWACG3021	POWACG3021 POWACG3031
CHAIN	-	-	-	-	-	POWACG4201	-
COMPATIBLE SPARK PLUG	-	POWACG2013	POWACG2013	POWACG2013	POWACG2013	POWACG2013	POWACG2013



5 400338 074004 >



5 400338 073410 >



5 400338 069185 >



5 400338 069192 >



5 400338 069208 >



5 400338 077029 >



5 400338 055720 >



HEDGE TRIMMERS

HAAGSCHAREN // TAILLE-HAIES
HECKENSCHEREN // CORTASETOS



GRASS/HEDGE SHEARS

LI-ION GRAS-/HAAGSCHAREN // CISAILLES À GAZON/HAIE LI-ION
LI-ION GRAS-/HECKENSCHEREN // TIJERAS CORTACÉSPED/CORTASETOS LI-ION



NEW

POWEG4500

RATED VOLTAGE
7.2V_{DC}

CUTTING WIDTH
grass shear: 83mm
hedge shear: 120mm

BATTERY CAPACITY
1500 mAh Li-ion

- 3-5h charger
- Easy-quick blade change system
- Security key
- Led charging indicator

Li-ion
BATTERY



EASY BLADE
CHANGE

POWERPLUS



GRASS/HEDGE SHEARS

LI-ION GRAS-/HAAGSCHAREN // CISAILLES À GAZON/HAIE LI-ION
LI-ION GRAS-/HECKENSCHEREN // TIJERAS CORTACÉSPED/CORTASETOS LI-ION



POWXG2032

RATED VOLTAGE
7.2V_{DC}

CUTTING WIDTH
grass shear: 80x55mm
hedge shear: 120mm

BATTERY CAPACITY
1300mAh Li-ion

- 3-5h charger
- Easy-quick blade change system
- Unlock button
- Protective nose with hanging hole
- Led charging indicator with battery status



POWERPLUS

EASY BLADE CHANGE



HEDGE TRIMMERS

ACCU HAAGSCHAREN // CISAILLES À HAIE SUR BATTERIE
AKKU HECKENSCHEREN // TIJERAS CORTASETOS A BATERIA

NEW

POWEBG7530

RATED VOLTAGE
18V_{Li}

KNIFE DISTANCE
14,5mm

CUTTING LENGTH
410mm



BLADE LENGTH
510mm

- Double action blade
- Safety guard
- Two-handed operation
- Quick stop
- Soft grip
- Auxiliary handle with safety switch

ONE FITS ALL
18V LITHIUM-ION BATTERY SERIES

ONE BATTERY FITS ALL EB-RANGE POWER AND GARDEN TOOLS

BATTERY AND CHARGER ARE NOT INCLUDED



NEW

POWDPG7530

RATED VOLTAGE
20V_{Li}

KNIFE DISTANCE
18mm

CUTTING LENGTH
510mm

BLADE LENGTH
560mm

- Double action blade
- Safety guard
- Safety switch
- Two-handed operation
- Quick stop
- Soft grip
- Auxiliary handle with safety switch

POWERPLUS



HEDGE TRIMMERS

ACCU HAAGSCHAREN // CISAILLES À HAIE SUR BATTERIE
AKKU HECKENSCHEREN // TIJERAS CORTASETOS A BATERÍA

NEW

POWDPG7532

POWDPG7530 HEDGE TRIMMER

RATED VOLTAGE
20V \equiv

KNIFE DISTANCE
18mm

CUTTING LENGTH
510mm

BLADE LENGTH
560mm

- Double action blade
- Safety guard
- Safety switch
- Two-handed operation
- Quick stop
- Soft grip
- Auxiliary handle with safety switch

DUAL POWER
choose your battery

20 VOLT TOOL

USE WITH



TWO-HANDED OPERATION

SAFETY SWITCH

SAFETY GUARD

BLADE COVER

POWDP9060 BATTERY + CHARGER

RATED VOLTAGE
20V \equiv LI-ION

BATTERY CAPACITY
1500mAh

CHARGER OUTPUT
20.5V \equiv / 2.5A

CHARGING TIME 20V BATTERY
1h

CHARGING TIME 40V BATTERY
2.5h

PROMO



LASER CUT
DOUBLE ACTION
BLADE

TWO-HANDED OPERATION

SAFETY SWITCH

SAFETY GUARD

BATTERY NOT INCLUDED

NEW

POWDPG7535

RATED VOLTAGE
40V \equiv

KNIFE DISTANCE
18mm

CUTTING LENGTH
540mm

BLADE LENGTH
560mm

- Laser cut double action blade
- Safety guard
- Low vibration
- Two-handed operation
- Quick stop
- Soft grip
- Auxiliary handle with safety switch

40 VOLT TOOL

USE WITH



DUAL POWER
choose your battery



BLADE COVER

POWERPLUS



HEDGE TRIMMERS

ACCU HAAGSCHAREN // CISAILLES À HAIE SUR BATTERIE
AKKU HECKENSCHEREN // TIJERAS CORTASETOS A BATERÍA



POWDPG7538

RATED VOLTAGE
40V_{max}

KNIFE DISTANCE
20mm

SHAFT DIAMETER
32mm

CUTTING LENGTH
510mm

BLADE LENGTH
550mm

- Laser cut double action blade
- Safety switch
- Quick stop
- Low vibration
- Telescopic
- Soft grip
- Adjustable head
- Two-handed operation



USE WITH



**BATTERY
NOT INCLUDED**



LASER CUT
DOUBLE ACTION
BLADE

CARRYING
BELT



HEDGE TRIMMERS



	2-IN-1 POWEG4500	2-IN-1 POWXG2032	NEW POWEBG7530	NEW POWDPG7530	NEW POWDPG7532	NEW POWDPG7535	NEW POWDPG7538
RATED VOLTAGE	7.2V	7.2V	18V	20V	20V	40V	40V
CUTTING WIDTH	6mm	8mm	14.5mm	18mm	18mm	18mm	20mm
BLADE LENGTH	83mm / 120mm	80x55mm / 120mm	510mm	560mm	560mm	560mm	550mm
BATTERY CAPACITY	1500mAh Li-Ion	1300mAh Li-Ion	-	-	1500mAh Li-Ion	-	-
QUICK BLADE CHANGE	✓	✓	-	-	-	-	-

FEATURES

QUICK STOP	-	-	✓	✓	✓	✓	✓
LOW VIBRATION SYSTEM	-	-	-	-	-	✓	✓
LASER CUT BLADE	-	-	-	-	-	✓	✓
DOUBLE ACTION BLADE	✓	✓	✓	✓	✓	✓	✓
CHARGING TIME	3-5h	3-5h	-	-	-	-	-

EXTRA

+ 20V battery 1.5Ah
+ charger 20V/40V

ACCESSORIES

BLADE COVER	✓	✓	✓	✓	✓	✓	✓
COMPATIBLE BATTERY (PACK*)	-	-	POWEB9010 POWEB9013	POWDP9010 POWDP9020 POWDP9035 POWDP9060* POWDP9065*	POWDP9010 POWDP9020 POWDP9035 POWDP9060* POWDP9065*	POWDP9010 POWDP9020 POWDP9035 POWDP9060* POWDP9065*	POWDP9035 POWDP9065*
COMPATIBLE CHARGER	-	-	POWEB9050	POWDP9050	POWDP9050	POWDP9050	POWDP9050



5 400338 074455 >



5 400338 031236 >



5 400338 075926 >



5 400338 073960 >



5 400338 074837 >



5 400338 073977 >



5 400338 077111 >



HEDGE TRIMMERS

ELEKTRISCHE HAAGSCHAREN // TAILLE-HAIES ÉLECTRIQUES
ELEKTRO-HECKENSCHEREN // CORTASETOS ELÉCTRICOS

NEW

POWEG4010

RATED POWER
520W

KNIFE DISTANCE
16mm

CUTTING LENGTH
510mm

BLADE LENGTH
550mm

- Double action blade
- Electrical brake
- Two-handed operation
- Safety guard
- Quick stop



POWXG2007

RATED POWER
550W

KNIFE DISTANCE
16mm

CUTTING LENGTH
450mm

BLADE LENGTH
525mm

- Double action blade
 - Electrical brake
- Two-handed operation
 - Laser cut blade
 - Safety guard
- Protective nose with hanging hole
 - Quick stop

POWERPLUS



HEDGE TRIMMERS

ELEKTRISCHE HAAGSCHAREN // TAILLE-HAIES ÉLECTRIQUES
ELEKTRO-HECKENSCHEREN // CORTASETOS ELÉCTRICOS

POWXG2008

RATED POWER
600W

KNIFE DISTANCE
20mm

CUTTING LENGTH
550mm

BLADE LENGTH
610mm

- Double action blade
- Rotatable handle with soft grip
- Electrical brake
- Two-handed operation
- Laser cut blade
- Safety guard
- Protective nose with hanging hole
- Quick stop

GUIDE HANDLE /
SAFETY SWITCH

CABLE
RELIEF

BLADE
COVER

DOUBLE
ACTION / LASER
CUT
BLADE

ROTATABLE
HANDLE

DOUBLE
ACTION / LASER
CUT
BLADE

ROTATABLE
HANDLE

GUIDE HANDLE /
SAFETY SWITCH

CABLE
RELIEF

BLADE
COVER

POWXG2009

RATED POWER
750W

KNIFE DISTANCE
24mm

CUTTING LENGTH
610mm

BLADE LENGTH
690mm

- Double action blade
- Rotatable handle with soft grip
- Mechanical brake
- Two-handed operation
- Laser cut blade
- Safety guard
- Protective nose with hanging hole
- Quick stop

POWERPLUS



HEDGE TRIMMERS

ELEKTRISCHE HAAGSCHAREN // TAILLE-HAIES ÉLECTRIQUES
ELEKTRO-HECKENSCHEREN // CORTASETOS ELÉCTRICOS



DOUBLE ACTION / LASER CUT BLADE



BLADE COVER

ALUMINIUM TELESCOPIC SHAFT
TOTAL LENGTH:
280cm
2.35m - 2.80m



+FREE

CARRYING BELT



POWXG2042

RATED POWER
750W

KNIFE DISTANCE
28mm

CUTTING LENGTH
510mm

BLADE LENGTH
560mm

- Double action blade
- Electrical brake
- Two-handed operation
- Adjustable head
- Aluminium telescopic shaft
- Laser cut blade
- Safety guard
- Protective nose with hanging hole
- Quick stop



ADJUSTABLE HEAD
ROTATES IN
2 DIRECTIONS

POWERPLUS



HEDGE TRIMMERS

ELEKTRISCHE HAAGSCHAREN // TAILLE-HAIES ÉLECTRIQUES
ELEKTRO-HECKENSCHEREN // CORTASETOS ELÉCTRICOS



POWXQG3020

RATED POWER
710W

KNIFE DISTANCE
24mm

CUTTING LENGTH
600mm

BLADE LENGTH
685mm

- Double action blade
- Rotatable handle with soft grip
- Two-handed operation for safety
- Mechanical brake
- Laser cut blade
- Safety guard
- Protective nose

POWERPLUS



DOUBLE
ACTION / LASER
CUT
BLADE

HEDGE TRIMMERS



	POWEG4010	POWXG2007	POWXG2008	POWXG2009	POWXG2042	POWXQG3020
RATED POWER	520W	550W	600W	750W	750W	710W
KNIFE DISTANCE	16mm	16mm	20mm	24mm	28mm	24mm
BLADE SIZE	550mm	525mm	610mm	690mm	560mm	685mm

FEATURES

SAFETY GUARD	✓	✓	✓	✓	✓	✓
ROTATABLE HANDLE	-	-	✓	✓	-	✓
ADJUSTABLE HEAD	-	-	-	-	✓	-
LASER CUT BLADE	-	✓	✓	✓	✓	✓
DOUBLE ACTION BLADE	✓	✓	✓	✓	✓	✓

ACCESSORIES

BLADE COVER	✓	✓	✓	✓	✓	✓
CARRYING BELT	-	-	-	-	✓	-





HEDGE TRIMMERS

BENZINE HAAGSCHAREN // TAILLE-HAIES À ESSENCE
BENZIN-HECKENSCHEREN // CORTASETOS A GASOLINA

POWEG3010

CYLINDER CAPACITY

22.5cc

KNIFE DISTANCE

28mm

CUTTING LENGTH

550mm

BLADE LENGTH

600mm

FUEL TANK CAPACITY

580ml

- Double action blade
- 2-stroke engine
- Rotatable handle
- Safety guard
- Quick stop



use with fuel type
95 | 98 | E10



GUIDE
HANDLE



BLADE COVER



DOUBLE
ACTION
BLADE



ROTATABLE
HANDLE



DOUBLE
ACTION / LASER
CUT
BLADE



ROTATABLE
HANDLE

GUIDE
HANDLE



POWXG2016

CYLINDER CAPACITY

26cc

KNIFE DISTANCE

28mm

CUTTING LENGTH

510mm

BLADE LENGTH

600mm

FUEL TANK CAPACITY

500ml

- Double action blade
- 2-stroke engine
- Rotatable handle
- Laser cut blade
- Safety guard

BOSCH
SPARK PLUG



use with fuel type
95 | 98 | E10

BLADE COVER



POWERPLUS



HEDGE TRIMMERS

BENZINE HAAGSCHAREN // TAILLE-HAIES À ESSENCE
BENZIN-HECKENSCHEREN // CORTASETOS A GASOLINA

POWXG2061

CYLINDER CAPACITY

25.4cc

KNIFE DISTANCE

25mm

CUTTING LENGTH

390mm

BLADE LENGTH

450mm

FUEL TANK CAPACITY

450ml

- Double action blade
- 2-stroke engine
- Easy start
- Two-handed operation for safety
- Quick stop
- Low vibration system
- Adjustable head
- Laser cut blade

BOSCH
SPARK PLUG



POWOIL023
also available in 5L POWOIL025



40:1

use with fuel type

95 | 98 | E10



CARRYING BELT

+FREE

BLADE COVER




DOUBLE
ACTION / LASER
CUT
BLADE



EXTRA ALUMINIUM
SHAFT 50cm

ALUMINIUM SHAFT
150cm



ADJUSTABLE HEAD
ROTATES IN
2 DIRECTIONS

POWERPLUS



HEDGE TRIMMERS

BENZINE HAAGSCHAREN // TAILLE-HAIES À ESSENCE
BENZIN-HECKENSCHEREN // CORTASETOS A GASOLINA



+
BLADE COVER



POWXQG3050

CYLINDER CAPACITY
24.5cc

KNIFE DISTANCE
28mm

CUTTING LENGTH
550mm

BLADE LENGTH
610mm

FUEL TANK CAPACITY
330ml

- Double action blade
- Rotatable handle
- 2-stroke engine
- Easy start
- Quick stop
- 4 point low vibration system
- Long term air filtration system
- Champion spark plug
- Laser cut blade
- Safety guard

CHAMPION
SPARK PLUG



POWOIL023
also available in SL POWOIL023



40:1

use with fuel type
95 | 98 | E10



DOUBLE
ACTION / LASER
CUT
BLADE

POWERPLUS

HEDGE TRIMMERS



	POWEG3010	POWXG2016	POWXG2061	POWXQG3050
CYLINDER CAPACITY	22.5cc	26cc	25.4cc	24.5cc
ENGINE TYPE	2-stroke	2-stroke	2-stroke	2-stroke
KNIFE DISTANCE	28mm	28mm	25mm	28mm
BLADE SIZE	600mm	600mm	450mm	610mm
FUEL TANK	580ml	500ml	450ml	330ml

FEATURES

ROTATABLE HANDLE	✓	✓	-	✓
ADJUSTABLE HEAD	-	-	✓ (in 2 directions)	-
EASY START	-	✓	✓	✓
SPARK PLUG	Huade	Bosch	Bosch	Champion
LOW VIBRATION SYSTEM	-	-	✓	✓ (on 4 positions)
LASER CUT BLADE	-	✓	✓	✓
DOUBLE ACTION BLADE	✓	✓	✓	✓
SAFETY GUARD	✓	✓	-	✓
CARRYING BELT	-	-	✓	-

ACCESSORIES

COVER	✓	✓	✓	✓
COMPATIBLE SPARK PLUG	POWACG2013	POWACG2013	POWACG2013	POWACG2013



5 400338 073496 >



5 400338 068171 >



5 400338 067761 >



5 400338 055690 >



CHAINSAWS

KETTINGZAGEN // TRONÇONNEUSES
KETTENSÄGEN // MOTOSIERRAS



CHAINSaws

ACCU KETTINGZAGEN // TRONÇONNEUSES SUR BATTERIE
AKKU KETTENSÄGEN // MOTOSIERRAS A BATERÍA

NEW

POWDPG7575

RATED VOLTAGE
40V

BAR SIZE
300mm / 12"

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Autobrake hand guard
- Low kickback
- Quick stop



POWOIL003
also available in SL POWOIL006

DUAL POWER

choose your battery

40 VOLT TOOL

USE WITH



+FREE

GUIDE BAR COVER



AUTOBRAKE HAND GUARD

SPEED SELECTOR

SOFT GRIP

SPIKED BUMPER

OIL LEVEL INDICATOR

QUICK TOOLLESS CHAIN ADJUSTMENT

LONGER LIFE
LONGER AUTONOMY
LOWER VIBRATION
MOTOR WITHOUT MAINTENANCE

BRUSHLESS MOTOR

BATTERY NOT INCLUDED



OREGON CHAIN & GUIDE BAR



CHAINSAWS

ELEKTRISCHE KETTINGZAGEN // TRONÇONNEUSES ÉLECTRIQUES
ELEKTRO-KETTENSÄGEN // MOTOSIERRAS ELÉCTRICAS

POWEG1010

RATED POWER
2000W

BAR SIZE
350mm / 14"

- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Quick stop



POWOIL003
also available in SL POWOIL006



GUIDE BAR COVER



QUICK
TOOLLESS
CHAIN
ADJUSTMENT



OREGON CHAIN &
GUIDE BAR



GUIDE BAR COVER



POWOIL003
also available in SL POWOIL006

POWEG1011

RATED POWER
2200W

BAR SIZE
400mm / 16"

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Autobrake hand guard
 - Low kickback
 - Quick stop

POWERPLUS



CHAINSAWS

ELEKTRISCHE KETTINGZAGEN // TRONÇONNEUSES ÉLECTRIQUES
ELEKTRO-KETTENSÄGEN // MOTOSIERRAS ELÉCTRICAS



+FREE

CARRYING BELT



ADJUSTABLE HEAD

2IN1

POWXG1032

RATED POWER
900W

BAR SIZE
300mm / 12"

- Automatic chain oiler
- Oregon chain & guide bar
- Extendable shaft
- Adjustable head
- Autobrake hand guard
- Low kickback
- Quick stop
- Hand guard



POWOIL003

also available in 5L POWOIL006

POWERPLUS



CHAINSaws

ELEKTRISCHE KETTINGZAGEN // TRONÇONNEUSES ÉLECTRIQUES
ELEKTRO-KETTENSÄGEN // MOTOSIERRAS ELÉCTRICAS

POWXG1007

RATED POWER
2400W

BAR SIZE
400mm / 16"

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Autobrake hand guard
- Low kickback
- Quick stop
- Full metal gear



POWOIL003
also available in SL POWOIL006



+FREE



GUIDE BAR COVER



QUICK
TOOLLESS
CHAIN
ADJUSTMENT



QUICK
TOOLLESS
CHAIN
ADJUSTMENT



OREGON CHAIN &
GUIDE BAR



POWXQG4040

RATED POWER
2400W

BAR SIZE
400mm / 16"

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Autobrake hand guard
- Low kickback
- Quick stop



POWOIL003
also available in SL POWOIL006



GUIDE BAR COVER

+FREE

POWERPLUS



CHAINSAWS

BENZINE KETTINGZAGEN // TRONÇONNEUSES À ESSENCE
BENZIN-KETTENSÄGEN // MOTOSIERRAS A GASOLINA

POWEG2010

CYLINDER CAPACITY
37.2cc

ENGINE POWER
1.2kW

BAR SIZE
350mm / 14"

- 2-stroke engine
- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Low vibration system
- Easy start
- Quick stop



OREGON CHAIN & GUIDE BAR
OREGON



+FREE

TORCH SPARK PLUG



POW0IL003
also available in 5L POW0IL006



POW0IL023
also available in 5L POW0IL025



use with fuel type
95 | 98 | E10



OREGON CHAIN & GUIDE BAR
OREGON



+FREE



POWX61021

CYLINDER CAPACITY
37.2cc

ENGINE POWER
1.2kW

BAR SIZE
400mm / 16"

- 2-stroke engine
- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Low vibration system
- Easy start
- Quick stop

CHAMPION SPARK PLUG



CARBURETTOR



40:1



POW0IL003
also available in 5L POW0IL006



POW0IL023
also available in 5L POW0IL025

use with fuel type
95 | 98 | E10

POWERPLUS



CHAINSAWS

BENZINE KETTINGZAGEN // TRONÇONNEUSES À ESSENCE
BENZIN-KETTENSÄGEN // MOTOSIERRAS A GASOLINA

POWXG1022

CYLINDER CAPACITY
45cc

ENGINE POWER
1.8kW

BAR SIZE
450mm / 18"

- 2-stroke engine
- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Low vibration system
- Easy start
- Quick stop



CARBURETTOR

CHAMPION
SPARK PLUG



POWIL003
also available in SL POWIL006



POWIL023
also available in SL POWIL025



40:1

use with fuel type
95 | 98 | E10



SPIKED BUMPER

AUTOBRAKE HAND GUARD

AUTOMATIC CHOKE SWITCH OFF

OREGON CHAIN & GUIDE BAR



GUIDE BAR COVER

+FREE



SECOND CHAIN



AUTOBRAKE HAND GUARD

AUTOMATIC CHOKE SWITCH OFF

OREGON CHAIN & GUIDE BAR



SPIKED BUMPER



GUIDE BAR COVER

+FREE



SECOND CHAIN

POWXG1023

CYLINDER CAPACITY
50cc

ENGINE POWER
2.2kW

BAR SIZE
500mm / 20"

- 2-stroke engine
- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Low vibration system
- Easy start
- Quick stop



CHAMPION
SPARK PLUG

CARBURETTOR



40:1



POWIL003
also available in SL POWIL006



POWIL023
also available in SL POWIL025

use with fuel type
95 | 98 | E10



POWERPLUS



CHAINSAWS

BENZINE KETTINGZAGEN // TRONÇONNEUSES À ESSENCE
BENZIN-KETTENSÄGEN // MOTOSIERRAS A GASOLINA

POWXQG4060

CYLINDER CAPACITY
37.2cc

ENGINE POWER
1.2kW

BAR SIZE
350mm / 14"

- 2-stroke engine
- Controlled delivery oil pump
- Oregon chain & guide bar
- Autobrake hand guard
- Walbro Carburettor
- Champion spark plug
- Low vibration system
- Automatic choke switch off
- Long life air filter / Primer bulb
- Easy start
- Low kickback
- Automatic chain oiler
- Quick stop



CARBURETTOR

OREGON CHAIN & GUIDE BAR



AUTOBRAKE HAND GUARD

AUTOMATIC CHOKE SWITCH OFF

SPIKED BUMPER



POWIL003

also available in SL POWIL006



POWIL023

also available in SL POWIL025



40:1

use with fuel type

95 | 98 | E10



GUIDE BAR COVER & HIGH QUALITY BAG

+FREE

+FREE



GUIDE BAR COVER & HIGH QUALITY BAG

AUTOBRAKE HAND GUARD

AUTOMATIC CHOKE SWITCH OFF

SPIKED BUMPER



OREGON CHAIN & GUIDE BAR



CHAMPION SPARK PLUG



CARBURETTOR



40:1



POWIL003

also available in SL POWIL006



POWIL023

also available in SL POWIL025

use with fuel type

95 | 98 | E10



POWXQG4070

CYLINDER CAPACITY
49.3cc

ENGINE POWER
2.1kW

BAR SIZE
450mm / 18"

- 2-stroke engine
- Controlled delivery oil pump
- Oregon chain & guide bar
 - Autobrake hand guard
 - Walbro Carburettor
 - Champion spark plug
 - Low vibration system
- Automatic choke switch off
- Easy start with decompression valve
- Long life air filter / Primer bulb
 - Low kickback
- Automatic chain oiler
- Quick stop

POWERPLUS

CHAINSAWS



NEW

2in1

	POWDPG7575	POWEG1010	POWEG1011	POWXG1032	POWXG1007	POWXQG4040
VOLTAGE/POWER	40V	2000W	2200W	900W	2400W	2400W
BAR SIZE	300mm / 12"	350mm / 14"	400mm / 16"	300mm / 12"	400mm / 16"	400mm / 16"

FEATURES

OREGON CHAIN BAR	✓	✓	✓	✓	✓	✓
QUICK TOOLLES CHAIN ADJUSTMENT	✓	-	✓	-	✓	✓
GUIDE BAR COVER	✓	✓	✓	✓	✓	✓

ACCESSORIES

COMPATIBLE CHAIN	POWDPG7051	POWACG4221	POWACG4232	POWACG422 POWACG4221 POWACG4222	POWACG4232	POWACG4231
COMPATIBLE BATTERY (PACK*)	POWDP9035 POWDP9065*	-	-	-	-	-
COMPATIBLE CHARGER	POWDP9050	-	-	-	-	-
	5 400338 075810 >	5 400338 073632 >	5 400338 073649 >	5 400338 067921 >	5 400338 068799 >	5 400338 056260 >



	POWEG2010	POWXG1021	POWXG1022	POWXG1023	POWXQG4060	POWXQG4070
CYLINDER CAPACITY	37.2cc	37.2cc	45cc	50cc	37.2cc	49.3cc
ENGINE TYPE	2-stroke	2-stroke	2-stroke	2-stroke	2-stroke	2-stroke
ENGINE POWER	1.2kW	1.2kW	1.8kW	2.2kW	1.2kW	2.1kW
BAR SIZE	350mm / 14"	400mm / 16"	450mm / 18"	500mm / 20"	350mm / 14"	450mm / 18"

FEATURES

OREGON CHAIN BAR	✓	✓	✓	✓	✓	✓
WALBRO CARBURETTOR	-	✓	✓	✓	✓	✓
SPARK PLUG	Torch	Champion	Champion	Champion	Champion	Champion
AUTOMATIC CHOKE SWITCH OFF	✓	✓	✓	✓	✓	✓
LOW VIBRATION SYSTEM	✓	✓	✓	✓	✓	✓

ACCESSORIES

COVER / BAG	Cover	Cover	Cover	Cover	Cover & bag	Cover & bag
SECOND CHAIN INCLUDED	-	✓	✓	✓	-	-
COMPATIBLE CHAIN	POWACG4221	POWACG4231	POWACG4241	POWACG425	POWACG4222	POWACG4241
COMPATIBLE SPARK PLUG	POWACG2013	POWACG2013	POWACG2013	POWACG2013	POWACG2013	POWACG2013
	5 400338 073953 >	5 400338 069093 >	5 400338 069109 >	5 400338 069116 >	5 400338 056284 >	5 400338 056291 >



LOG SPLITTER

HOUTKLIEVER // FENDEUSE DE BÛCHE
HOLZSPALTER // ABRETRONCOS



520mm

HANDLE FOR EASY TRANSPORT

HIGH FRAME FOR OPTIMAL WORKING HEIGHT 750mm

WIDE RUBBER WHEELS

POWX66490

RATED POWER
1500W

MAX. LOG LENGTH
520mm

SPLITTING FORCE
5 ton

- High frame for optimal working height
- Wide rubber wheels
- Handle for easy transport
- Circlip plier included



5 400338 056765 >



MAX. Ø30-250mm



POWERPLUS

OIL/FUEL EXTRACTOR

OLIE-/BRANDSTOFVERWIJDERAAR // EXTRACTEUR D'HUILE/DE CARBURANT
ÖL-/KRAFTSTOFF-ABSAUGER // EXTRACTOR DE ACEITE/COMBUSTIBLE



5 400338 073298 >

POWACG8010

TANK
1.6L

- PVC hose 1m (5mm inner/8mm outer)
- PVC hose 1.3m with dripstop clip (8mm inner/10mm outer)
- 1 funnel



CHAIN SHARPENER

KETTINGSLIJPER // AFFÛTEUSE POUR CHÂÎNES
KETTENSCHLEIFER // AFILADOR DE CADENAS

POWXG1065

RATED POWER
220W

- Aluminum die cast
- Sanding disc & tools included



5 400338 041617 >

Ø100mm SANDING DISC
AVAILABLE SEPARATELY
POWACG7010



5 400338 073304 >



POWERPLUS





LEAF BLOWERS /VACUUM

BLADBLAZERS/-ZUIGERS // ASPIRATEURS/SOUFFLEURS DE FEUILLES
LAUBSAUGER/-BLÄSER // SOPLADORES/ASPIRADORES DE HOJAS



LEAF BLOWERS

ACCU BLADBLAZERS // SOUFFLEURS DE FEUILLES SUR BATTERIE
AKKU-LAUBBLÄSER // ASPIRADORES DE HOJAS A BATERÍA

SOFT GRIP



**ONE
FITS ALL**
18V LITHIUM-ION
BATTERY SERIES

ONE BATTERY FITS ALL
EB-RANGE POWER AND
GARDEN TOOLS

BATTERIES AND CHARGER
ARE NOT INCLUDED

NEW
POWEBG7520

RATED VOLTAGE
18V \equiv

MAX. AIR SPEED
160km/h

MAX. AIR VOLUME
9m³/min

- 1 function: blowing
- Tube: detachable for compact storage



**BATTERY
NOT INCLUDED**



LOCK-ON
BUTTON

DETACHABLE
FOR EASY
STORAGE

POWERPLUS



LEAF BLOWERS

ACCU BLADBLAZERS // SOUFFLEURS DE FEUILLES SUR BATTERIE
AKKU-LAUBBLÄSER // ASPIRADORES DE HOJAS A BATERÍA



**20
VOLT
TOOL**

USE WITH



SOFT GRIP



LOCK-ON
BUTTON

NEW


POWDPG7520

RATED VOLTAGE
20V \equiv

MAX. AIR SPEED
190km/h

MAX. AIR VOLUME
9m³/min

- 1 function: blowing
- Tube: detachable for compact storage



**BATTERY
NOT INCLUDED**

DETACHABLE
FOR EASY
STORAGE

POWERPLUS



LEAF BLOWERS

ACCU BLADBLAZERS // SOUFFLEURS DE FEUILLES SUR BATTERIE
AKKU-LAUBBLÄSER // ASPIRADORES DE HOJAS A BATERÍA

**DUAL
POWER**
choose your battery

**40
VOLT
TOOL**

USE WITH



LONGER LIFE
LONGER AUTONOMY
LOWER VIBRATION
MOTOR WITHOUT
MAINTENANCE

**BRUSHLESS
MOTOR**

DETACHABLE
TUBE



NEW

POWDPG7525

RATED VOLTAGE
40V \equiv

MAX. AIR SPEED
185km/h

MAX. AIR VOLUME
12.75m³/min

- 1 function: blowing
- Brushless motor
- Tube: detachable for compact storage
- Brushless motor



**BATTERY
NOT INCLUDED**

TURBO BUTTON

SPEED LOCK
LEVER



LEAF BLOWERS/VACUUM

ELEKTRISCHE BLADZUIGERS/-BLAZERS // ASPIRATEURS/SOUFFLEURS DE FEUILLES ÉLECTRIQUES
ELEKTRO-LAUBSAUGER/-BLÄSER // SOPLADORES/ASPIRADORES DE HOJAS ELÉCTRICOS



+FREE

CARRYING BELT

DOUBLE
WHEEL
SUPPORT

NEW

POWEG9011



RATED POWER
3000W

MAX. AIR SPEED
270km/h

MAX. AIR VOLUME
13.2m³/min

COLLECT BAG
35L

- 3 functions: shredding, blowing & vacuuming
- Shredding ratio 10:1
- Quick release collect bag
- Double wheel support
- Tube: 2 pieces for compact storage
- Carrying belt



VACUUM /
BLOWER LEVER



QUICK RELEASE
COLLECT
BAG

POWERPLUS



LEAF BLOWERS/VACUUM

ELEKTRISCHE BLADZUIGERS/-BLAZERS // ASPIRATEURS/SOUFFLEURS DE FEUILLES ÉLECTRIQUES
ELEKTRO-LAUBSAUGER/-BLÄSER // SOPLADORES/ASPIRADORES DE HOJAS ELÉCTRICOS

ADJUSTABLE
AUXILIARY
HANDLE

+FREE

CARRYING BELT

TELESCOPIC
TUBE (10
POSITIONS)

POWERPLUS
HIGH QUALITY TOOLS

POWERPLUS
HIGH QUALITY TOOLS

DOUBLE
WHEEL
SUPPORT

VACUUM /
BLOWER LEVER

BUILT-IN
RAKE (10
NEEDLES)

EASY CLEANING
WINDOW

NEW

POWX64037


RATED POWER
3000W

MAX. AIR SPEED
300km/h

MAX. AIR VOLUME
16m³/min

COLLECT BAG
45L

- 4 functions: shredding, blowing, vacuuming & raking
- Shredding ratio 15:1
- Electric speed control
- Wide nozzle with wheels
- Telescopic tube (10 positions)
- Carrying belt
- Easy cleaning window
- Built-in rake (10 needles)
- Adjustable auxiliary handle





LEAF BLOWERS/VACUUM

ELEKTRISCHE BLADZUIGERS/-BLAZERS // ASPIRATEURS/SOUFFLEURS DE FEUILLES ÉLECTRIQUES
ELEKTRO-LAUBSAUGER/-BLÄSER // SOPLADORES/ASPIRADORES DE HOJAS ELÉCTRICOS

ELECTRONIC
SPEED
CONTROL

QUICK
RELEASE
COLLECT BAG

+FREE

CARRYING BELT

TELESCOPIC TUBE

DOUBLE
WHEEL
SUPPORT

POWERPLUS XQ
HIGH QUALITY TOOLS

POWXQG5030


RATED POWER
3000W

MAX. AIR SPEED
300km/h

MAX. AIR VOLUME
16m³/min

COLLECT BAG
45L

- 4 functions: shredding, blowing, vacuuming & raking
- Shredding ratio 15:1
- Metal shredding blade
- Electric speed control
- Adjustable auxiliary handle
- Telescopic tube
- Carrying belt



EASY CLEANING
WINDOW

BUILT-IN RAKE
(10 NEEDLES)



LEAF BLOWERS/VACUUM

BENZINE BLADZUIGERS/-BLAZERS // ASPIRATEURS/SOUFFLEURS DE FEUILLES À ESSENCE
BENZIN-LAUBSAUGER/-BLÄSER // SOPLADORES/ASPIRADORES DE HOJAS A GASOLINA

+FREE

CARRYING BELT

WIDE NOZZLE WITH WHEELS
EXTRA COMFORT AND
LESS EFFORT

DOUBLE
WHEEL
SUPPORT

FUEL TANK
500ml

POWXG4050



CYLINDER CAPACITY
30cc

MAX. AIR SPEED
252km/h

MAX. AIR VOLUME
10m³/min

COLLECT BAG
40L

- 3 functions: shredding, blowing & vacuuming
- Shredding ratio 10:1
- Variable speed
- Wide nozzle with wheels
- Easy start
- Quick release bag
- Carrying belt
- 2-stroke engine
- Metal shredding blade



TORCH
SPARK PLUG



POWOIL023
also available in 5L POWOIL025



40:1

use with fuel type
95 | 98 | E10



QUICK RELEASE
COLLECT
BAG



METAL BLADE OPTIMAL
SHREDDING
FUNCTION



LEAF BLOWERS/VACUUM

BENZINE BLADZUIGERS/-BLAZERS // ASPIRATEURS/SOUFFLEURS DE FEUILLES À ESSENCE
BENZIN-LAUBSAUGER/-BLÄSER // SOPLADORES/ASPIRADORES DE HOJAS A GASOLINA

PRIMER
BULB



FUEL TANK
500ml

+FREE

CARRYING BELT



ROUND
NOZZLE

WIDE
NOZZLE



POWXG4060

CYLINDER CAPACITY
25cc

MAX. AIR SPEED
180km/h

MAX. AIR VOLUME
9m³/min

- Blowing function
- Less noise
- Lightweight
- Tube: 2 pieces for compact storage
- Carrying belt
- 2-stroke engine

TORCH
SPARK PLUG



POWOIL023
also available in 5L POWOIL025




40:1



AIR
FILTER

POWERPLUS

LEAF BLOWERS/VACUUM



	NEW POWEBG7520	NEW POWDPG7520	NEW POWDPG7525	NEW POWEG9011	NEW POWXG4037	POWXQG5030	POWXG4050	POWXG4060
RATED VOLTAGE	18V	20V	40V	-	-	-	-	-
RATED POWER				3000W	3000W	3000W		
CYLINDER CAPACITY	-	-	-	-	-	-	30cc 2-stroke	25cc 2-stroke
SHREDDING RATIO	-	-	-	10:1	15:1	15:1	10:1	-
MAX. AIR SPEED	160km/h	190km/h	185km/h	270km/h	300km/h	300km/h	252km/h	180km/h
MAX. AIR VOLUME	9m ³ /min	9m ³ /min	12.75m ³ /min	13.2m ³ /min	16m ³ /min	16m ³ /min	10m ³ /min	9m ³ /min
VARIABLE SPEED	-	-	V	-	V	V	V	-
COLLECT BAG	-	-	-	35L	45L	45L	40L	-

FEATURES

TUBE	1 piece	1 piece	1 piece	2 pieces	telescopic	telescopic	2 pieces	2 pieces
EASY START	-	-	-	-	-	-	V	-
BUILT-IN RAKE	-	-	-	-	V (10 needles)	V (10 needles)	-	-
FUNCTIONS	1 function	1 function	1 function	3 functions	3 functions	4 functions	3 functions	1 function

ACCESSORIES

COMPATIBLE SPARK PLUG	-	-	-	-	-	-	POWACG2013	POWACG2013
COMPATIBLE BATTERY(PACK*)	POWEB9010 POWEB9013	POWDP9010 POWDP9020 POWDP9035 POWDP9060* POWDP9065*	POWDP9010 POWDP9020 POWDP9035* POWDP9065*	-	-	-	-	-
COMPATIBLE CHARGER	POWEB9050	POWDP9050	POWDP9050	-	-	-	-	-





SHREDDERS

HAKSELAARS // BROYEURS
HÄCKSLER // TRITURADORAS JARDÍN



SHREDDERS

ELEKTRISCHE HAKSELAARS // BROYEURS ÉLECTRIQUES
ELEKTRO-HÄCKSLER // TRITURADORAS JARDÍN ELÉCTRICAS

POWEG5010

RATED POWER
2500W

MAX. DIAMETER
40mm

SHREDDER BOX
50L

- Blade cutting system
- Overload protection
- Rotatable & openable housing for easy cleaning
- Push stick included



5 400338 073120 >



BLADE CUTTING SYSTEM



SHREDDER BOX
LOCKING
HANDLE



ROTATABLE &
OPENABLE HOUSING
FOR EASY
CLEANING



ROBUST UNDER-
CARRIAGE WITH
WHEELS



POWX6461

RATED POWER
2800W

MAX. DIAMETER
45mm

SHREDDER BOX
50L

- Drum / worm cutting system
- Overload protection
- Robust undercarriage with wheels
- Push stick included




5 400338 068836 >

SILENT

REVERSIBLE DRUM ROTOR



ADJUSTABLE BLADE DISTANCE



DRUM / WORM
GEAR CUTTING
SYSTEM

POWERPLUS



HIGH PRESSURE CLEANERS

HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION
HOCHDRUCKREINIGER // HIDROLIMPIADORAS



HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS

NEW

POWXG90400

RATED POWER
1200W

LIQUID DEBIT
390l/h

MAX. PRESSURE
100 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
5kg

- Adjustable nozzle
- 3m high pressure hose
- 3m electric cable
- Aluminium pump housing

START/STOP SYSTEM



TRIGGER LOCK



ADJUSTABLE NOZZLE



3m HIGH PRESSURE HOSE

START/STOP SYSTEM



SOAP BOTTLE



TRIGGER LOCK



ADJUSTABLE NOZZLE

TURBO NOZZLE

5m HIGH PRESSURE HOSE



NEW

POWXG90405

RATED POWER
1400W

LIQUID DEBIT
390l/h

MAX. PRESSURE
110 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
5.8kg

- Adjustable & turbo nozzle
- Soap bottle
- 5m high pressure hose
- 5m electric cable
- Aluminium pump housing

POWERPLUS



HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS

NEW

POWXG90410

RATED POWER
1800W

LIQUID DEBIT
420l/h

MAX. PRESSURE
140 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
7.7kg

- Adjustable & turbo nozzle
- Patio cleaner
- 8m high pressure hose
- 5m electric cable
- Cable reel for pressure hose
- Built-in detergent tank 750ml
- Lance extension 330mm
- Aluminium pump housing

START/STOP SYSTEM

CABLE REEL FOR 8m
HIGH PRESSURE HOSE

LANCE EXTENSION FOR
EASE OF USE

TURBO
NOZZLE

PATIO
CLEANER



BUILT-IN
DETERGENT
TANK

EXTENDABLE HANDLE

CABLE REEL FOR 8m
HIGH PRESSURE HOSE

LANCE EXTENSION FOR
EASE OF USE

TURBO
NOZZLE

PATIO
CLEANER

START/STOP SYSTEM

NEW

POWXG90415

RATED POWER
2000W

LIQUID DEBIT
450l/h

MAX. PRESSURE
160 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
11.6kg

- Adjustable & turbo nozzle
 - Patio cleaner
- 8m high pressure hose
 - 5m electric cable
- Cable reel for pressure hose
 - Detergent tank 1000ml
- Lance extension 330mm
- Aluminium pump housing

BUILT-IN
DETERGENT
TANK

POWERPLUS



HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS

NEW

POWXG90420

RATED POWER
2200W

LIQUID DEBIT
450l/h

MAX. PRESSURE
170 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
11.4kg

- Adjustable & turbo nozzle
- Patio cleaner
- 10m pipe cleaning set + connector
- Metal spray gun
- 8m high pressure hose
- 5m electric cable
- Cable reel for pressure hose
- Built-in Detergent tank 1100ml
- Lance extension 330mm
- Aluminium pump housing

START/STOP SYSTEM

LANCE EXTENSION FOR EASE OF USE

CABLE REEL FOR 8m HIGH PRESSURE HOSE

METAL SPRAY GUN

PATIO CLEANER

TURBO NOZZLE

10m PIPE CLANING SET

BUILT-IN DETERGENT TANK

START/STOP SYSTEM

CABLE REEL FOR 8m HIGH PRESSURE HOSE

LANCE EXTENSION FOR EASE OF USE

POWXG90425

NEW

RATED POWER
2500W

LIQUID DEBIT
468l/h

MAX. PRESSURE
195 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
21kg

- Adjustable & turbo nozzle
 - Patio cleaner
- 10m pipe cleaning set + connector
 - Metal spray gun
- Spray gun front & brush
 - 8m high pressure hose
 - 5m electric cable
- Cable reel for pressure hose
- Built-in detergent tank 1100ml
 - Lance extension 330mm
- Aluminium pump housing
 - Induction motor

METAL SPRAY GUN

PATIO CLEANER

TURBO NOZZLE

10m PIPE CLANING SET


BUILT-IN DETERGENT TANK

POWERPLUS



HIGH PRESSURE CLEANERS

BENZINE HOGEDRUKREINIGER // NETTOYEUR HAUTE PRESSION À ESSENCE
BENZIN-HOCHDRUCKREINIGER // HIDROLIMPIADORA A GASOLINA



8m HIGH PRESSURE HOSE

4 SPRAY NOZZLES & SOAP NOZZLE

FUEL TANK

SELF-PRIMING TUBE 2m

BUILT-IN DETERGENT TANK 2000ml

NEW

POWXG9009

CYLINDER CAPACITY
208cc

ENGINE POWER
4.4kW

LIQUID DEBIT
540l/h

MAX. PRESSURE
173 bar

MAX. WATER TEMPERATURE
60°C

WEIGHT
27kg

- 4 nozzles & soap nozzle
- Metal spray gun
- 8m high pressure hose
- Fuel tank 3600ml
- Built-in detergent tank 2000ml
- Self-priming tube 2m
- 4-stroke engine



POWOIL033

also available in 5L POWOIL035

use with fuel type
95 | 98 | E10



POWERPLUS

== HIGH PRESSURE CLEANERS ==



	NEW POWXG90400	NEW POWXG90405	NEW POWXG90410	NEW POWXG90415	NEW POWXG90420	NEW POWXG90425	NEW POWXG9009
RATED POWER	1200W	1400W	1800W	2000W	2200W	2500W	-
CYLINDER CAPACITY	-	-	-	-	-	-	208cc
LIQUID DEBIT	390 l/h	390 l/h	420 l/h	450 l/h	450 l/h	468 l/h	540 l/h
MAX. PRESSURE	100 bar	110 bar	140 bar	160 bar	170 bar	195 bar	173 bar

FEATURES

START/STOP SYSTEM	V	V	V	V	V	V	-
CABLE (LENGTH)	3m	5m	5m	5m	5m	5m	-
HOSE (LENGTH)	3m	5m	8m + reel	8m + reel	8m + reel	8m + reel	8m
EXTRA AVAILABLE ACC.	V	V	V	V	V	V	V
SPARK PLUG	-	-	-	-	-	-	POWACG2011
ENGINE TYPE	-	-	-	-	-	Induction	-



5 400338 076664 >



5 400338 076671 >



5 400338 076688 >



5 400338 076695 >



5 400338 076718 >



5 400338 076725 >



5 400338 076749 >





WEED BURNERS

ONKRUIDVERWIJDERAARS // DESHERBEURS ELECTRIQUES
UNKRAUTBRENNERS // QUEMADORES DE MALEZAS



WEED BURNERS

ONKRUIDVERWIJDERAARS // DESHERBEURS ELECTRIQUES
UNKRAUTBRENNERS // QUEMADORES DE MALEZAS

NEW

POWXG6601

RATED POWER
2000W


HEAT SETTING
max. 650°C

AIR SETTING
500 l/m

- Destroy weeds by heating
- No chemicals needed
- Aluminium heat protection part



5 400338 077425 >



CABLE
RELIEF

ALUMINIUM TUBE
TOTAL LENGTH
150cm

ALUMINIUM HEAT
PROTECTION PART
255mm



SUPPORT



BBQ/FIREPLACE
LIGHTER



ALUMINIUM TUBE
TOTAL LENGTH 105cm

NOZZLE FOR WEED
BURNING

NEW

POWXG6611

RATED POWER
2000W

HEAT SETTING 1
80°C

HEAT SETTING 2
600°C

AIR SETTING
550 l/m

- Destroy weeds by heating
- No chemicals needed
- Aluminium heat protection part
- Extra BBQ/fireplace lighter nozzle



5 400338 077784 >

POWERPLUS



varo♂

VARO - VIC. VAN ROMPUY NV
JOSEPH VAN INSTRAT 9 - 2500 LIER - BELGIUM
TEL +32 (0)3 292.92.92 - FAX +32 (0)3 292.92.72
E-MAIL: INFO@VARO.COM - WWW.VARO.COM

OFFICES:
IBERICA BRICOLAGE S.L. - ESPAÑA
ASIA PACIFIC HONG KONG LTD / SHANGHAI PRC
AUSTRALIA PTY LTD / GERMANY GMBH

CAT 17110076 PRINTED NOVEMBER 2017



5 400338 077876